PRODUCT CATALOG









## **FELT HISTORY**

### **SINCE 1991**

Felt Bicycles was founded on one principle: to design, develop and deliver the best bicycles in the world. Before founding his namesake company, and in addition to being an accomplished triathlete, Jim Felt was one of the top motorcycle mechanics in the United States after having worked with industry leaders Honda, Suzuki, Yamaha and Kawasaki. But when motocross champion Johnny O'Mara asked Felt to build him a triathlon bike, Felt was given the opportunity to put into practice many of the innovative designs he had dreamed about for optimizing a rider's position and improving aerodynamics.

His work was so innovative that Easton Sports hired Felt as the company's product engineer and tasked him with creating an all-new bike for three-time Ironman World Champion Paula Newby-Fraser. Shortly after, she became four-time champion of the most prestigious race in triathlon. Jim Felt then launched his namesake brand, Felt Bicycles, and utilized his frame-building expertise to develop a complete line of road and time trial bikes.



But it was in 2001 when he partnered with bicycle industry veterans Bill Duehring and Michael Müllmann that Felt was able to reach an even greater number of cycling enthusiasts than ever before by expanding into the realms of BMX, lifestyle, track racing and mountain bikes. Since then, Felt Bicycles has become one of the world's most respected cycling brands, and the company prides itself on its focus on quality service, technological innovation and empowering bike riders the world over to achieve their greatest ride.

Felt's dedicated team of engineers based at the company's global headquarters in Irvine, California, has pioneered countless industry innovations, including manufacturing processes like InsideOut Internally Optimized Molding, Modular Monocoque Construction (MMC) and Dynamic Monocoque Construction (DMC), and breakthrough product designs like Felt Active Stay Technology (FAST) mountain bike suspension and the Bayonet 3 triathlon steering system. And in the past few years alone, these technological developments have seen Felt bicycles ridden to stage wins at the Tour de France, gold medals at the Olympic velodrome and record-breaking performances at the Kona World Championship.

Today, each and every Felt bicycle features unique and innovative features that set it apart from its competitors, all in the name of Felt's original guiding principle. And with countless new and exciting projects on the horizon, that principle remains the same to this day and well into the future: to design, develop and deliver the greatest bicycles in the world.



# **AERO**

### **AR SERIES**

When Felt's pro road racers demanded a faster bike for breakaways, sprint finishes and criteriums, Felt's engineers set to work using computational fluid dynamics (CFD) software and the most stringent wind tunnel testing protocols in the industry, along with the knowledge they learned when creating the revolutionary DA time trial bike. The result of their efforts is the AR, the most aerodynamic road frame that Felt Bicycles has ever produced, featuring a selection of tube shapes inspired by the DA and a user-friendly internal cable routing system. But because aerodynamics are only part of the racing equation, the AR was designed with a tapered steerer for optimal handling in any situation, along with maximum pedaling stiffness that's balanced with a ride quality tuned to minimize rider fatigue. In an era obsessed with pursuing marginal gains, the AR is the best-performing aero road bike in the world.



Matte TeXtreme (Charcoal, Red, Blue)

FRAME Felt Aero Road UHC Ultimate + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB30 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific (internal) cable routing

FORK FELT Aero Road Fork Design, 700c Threadless UHC Ultimate + TexTreme Carbon Fiber Monocoque Fork, 100% Carbon Fiber Control Taper 1.125" - 1.25" Steerer with integrated crown race, Crown, Blades, & Dropout

HEADSET Integrated Threadless Tapered 1.125" - 1.25" Headset, For 46mm upper OD, 52mm lower OD Headtube, 1-1/8" MR042R SL alloy ACB upper bearing - 1-1/4" MR082R SL alloy ACB lower bearing: 45o /45o Ceramic, Aluminum cased, sealed ACB, without top cap, w/ Standard 15mm top cover (H2100B) UD Carbon Fiber Cone Spacer without Crown Race

**STEM** 3T Integra LTD carbon fiber with titanium bolts, -10° rise, Ø31.8mm

48 - 51cm = 100mm

54 - 56cm = 110mm

58cm = 120mm

61cm = 130mm

**HANDLEBAR** 3T Aeronova LTD carbon fiber, 104mm reach, 127mm drop, Ø31.8mm

48 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

#### SIZES

48, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape

**SHIFTERS** Shimano Dura-Ace Di2 with secondary sprint shifters

**FRONT DERAILLEUR** Shimano Dura-Ace Di2 braze-on

REAR DERAILLEUR Shimano Dura-Ace Di2

**CRANKSET** Shimano Dura-Ace with Pioneer Dual Leg Crank-arm power measurement

48cm = 165mm 51cm = 170mm

54 - 56cm = 172.5mm

58 - 61 cm = 175 mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Wheels Manufacturing BB30 to Outboard Bottom Bracket for 24mm Cranks (Shimano) with ceramic bearings

CHAIN Shimano Dura-Ace 11-speed

**FREEWHEEL/CASSETTE** Shimano Dura-Ace, 12-25T

**BRAKE FRONT** eecycleworks regular eebrake with carbon fiber rim brake pads

**BRAKE REAR** eecycleworks DM eebrake with carbon fiber rim brake pads

#### WEIGHT

6.89kg, 15.19lbs

SADDLE Prologo Zero III C3 Nack

**SEATPOST** Felt VariMount Aero Road flip position UHC + TeXtreme carbon fiber, 350mm length

RIMS/WHEELSET Zipp 404 Firestrike carbon fiber

FRONT HUB Zipp 88v10

REAR HUB Zipp 188v10, 11-speed

TIRES Continental Grand Prix 4000 S II, 700c x 23c

**ACCESSORIES** Pioneer Dual Leg, Crank-arm power measurement factory installed and set to ANT+ standard (head unit not included), Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, 3T Integra stem Garmin mount, Di2 internal battery charging cables.



Matte TeXtreme (White, Race Red)

FRAME Felt Aero Road UHC Advanced +
TeXtreme® carbon fiber, MMC w/ InsideOut
construction, BB30 & carbon fiber dropouts, 7075
CNC aluminum replaceable rear derailleur hanger,
electronic-specific internal cable routing

FORK FELT Aero Road Fork Design, 700c Threadless UHC Ultimate Carbon Fiber Monocoque Fork, 100% Carbon Fiber Control Taper 1.125" - 1.25" Steerer with integrated crown race, Crown, Blades, & Dropout

HEADSET Integrated Threadless Tapered 1.125" - 1.25" Headset, For 46mm upper OD, 52mm lower OD Headtube, 1-1/8" 1-1/4": 45o /45o Economical Sealed ACB, without top cap, w/ 5.0mm Custom Cone Spacer Option (H2097) + 20mm additional Cone Spacer w/ H2073 20mm w/ Felt logo w/o Crown Race

STEM 3T Integra Team carbon fiber and aluminum, -10° rise, Ø31.8mm\* 48 - 61cm = 110mm

\*First Production Run only. Later production runs will use the following:

3T ARX II Team Stealth, ±6° rise, Ø31.8mm 48cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm

#### SIZES

48, 51, 54, 56, 58, 61cm

**HANDLEBAR** 3T Aeronova Team carbon fiber, 104mm reach, 127mm drop, Ø31.8mm

48 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

GRIPS Felt VelvetGel Tape

SHIFTERS SRAM RED eTap

FRONT DERAILLEUR SRAM RED eTap

REAR DERAILLEUR SRAM RED eTap

**CRANKSET SRAM RED** 

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

**CHAINWHEEL SRAM RED 52/36T** 

**BOTTOM BRACKET** SRAM BB30

CHAIN SRAM Red 22

FREEWHEEL/CASSETTE SRAM XG 1190, 11-26T

**BRAKE FRONT SRAM RED** 

BRAKE REAR TRP 850-1 direct mount

#### WEIGHT

7.18kg, 15.82lbs.

SADDLE Prologo Zero II TiRox

SEATPOST Felt Vibration Reducing Aero Road flip position UHC + TeXtreme carbon fiber with 3T DiffLock™ Comfort Module internals

48 - 51cm = 280mm length

54 - 61cm = 350mm length

RIMS/WHEELSET Zipp 404 Firecrest carbon fiber

FRONT HUB Zipp 77

REAR HUB Zipp 177, 11speed

TIRES Continental Grand Prix 4000 S II, 700c x 23c

**ACCESSORIES** Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, extra SRAM eTap battery, SRAM eTap charger, SRAM eTap dongle.



Matte TeXtreme (Charcoal, Blue, Flouro Yellow)

FRAME Felt Aero Road UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, BB30 bottom bracket shell and carbon
fiber dropouts, 7075 CNC aluminum replaceable
rear derailleur hanger, electronic-specific (internal)
cable routing

FORK FELT Aero Road Fork Design, 700c Threadless UHC Ultimate Carbon Fiber Monocoque Fork, 100% Carbon Fiber Control Taper 1.125" - 1.25"Steerer with integrated crown race, Crown, Blades, & Dropout

**HEADSET** FSA No. 382/DJ integrated, 1.125" - 1.25" sealed cartridge bearing with Felt Variable-Height Cone Spacers (20mm PC, 4.5mm aluminum), 2 x 5mm + 1 x 10mm PC headset spacers, Felt compression device, carbon fiber top cap and aluminum bolt

STEM 3T ARX II Team Stealth, ±6° rise, Ø31.8mm

48cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58cm = 110mm

61cm = 120mm

**HANDLEBAR** 3T Aeronova Team Stealth carbon fiber, 104mm reach, 127mm drop, Ø31.8mm

48 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

#### SIZES

48, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape

SHIFTERS Shimano Ultegra Di2

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

**REAR DERAILLEUR** Shimano Ultegra Di2 short cage

**CRANKSET** Shimano Ultegra

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Token For BB30 Frame with Shimano Crankset, Alloy CNC Cups inserted with Sealed Bearings

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 12-25T

BRAKE FRONT Shimano Ultegra dual pivot caliper

BRAKE REAR Shimano Ultegra direct mount

SADDLE Prologo Zero III C3 Nack

#### WEIGHT

7.67kg, 16.91lbs.

SEATPOST Felt Vibration Reducing Aero Road flip position UHC + TeXtreme carbon fiber with 3T DiffLock™ Comfort Module internals.

48 - 51cm = 280mm length

54 - 61cm = 350mm length

RIMS/WHEELSET Fulcrum Racing Quattro 17C

FRONT HUB Fulcrum Racing Quattro

REAR HUB Fulcrum Racing Quattro, 11-speed

TIRES Continental Grand Prix 4000 S II, 700c x 23c

**ACCESSORIES** Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers, Di2 internal battery charging cables



Matte Carbon (Charcoal, Fluoro Orange)

**FRAME** Felt Aero Road UHC Performance carbon fiber, MMC with InsideOut construction, BSA threaded bottom bracket shell, carbon fiber dropouts, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

FORK FELT Aero Road Fork Design, 700c Threadless UHC Performance Carbon Fiber Monocoque Fork, 100% Carbon Fiber Control Taper 1.125" - 1.25" Steerer with integrated crown race, Crown, Blades, & Dropout

**HEADSET** FSA No. 382/DJ integrated, 1.125" - 1.25" sealed cartridge bearing with Felt Variable-Height Cone Spacers (20mm PC, 4.5mm aluminum), 2 x 5mm + 1 x 10mm PC headset spacers, Felt compression device, carbon fiber top cap and aluminum bolt

STEM 3T ARX II Pro Grey, ±6° rise, Ø31.8mm

48 - 51cm = 90mm

54 - 56cm = 100mm

58cm = 110mm

61cm = 120mm

**HANDLEBAR** 3T Ergonoava Pro 77mm reach, 123mm drop, Ø31.8mm

48cm = 380mm

51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

**GRIPS** Felt Gel Tape

SIZES

48, 51, 54, 56, 58, 61cm

SHIFTERS Shimano Ultegra

FRONT DERAILLEUR Shimano Ultegra braze-on

REAR DERAILLEUR Shimano Ultegra short cage

**CRANKSET** Shimano Ultegra

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Shimano Hollowtech

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 12-25T

BRAKE FRONT Shimano Ultegra dual pivot caliper

BRAKE REAR Shimano Ultegra direct mount

SADDLE Prologo Zero II T2.0

**SEATPOST** Felt Vibration Reducing Aero Road flip position UHC carbon fiber with 3T DiffLock™ Comfort Module internals.

48 - 51cm = 280mm length

54 - 61cm = 350mm length

WEIGHT

8.15kg, 17.97lbs.

RIMS/WHEELSET Shimano RS330

FRONT HUB Shimano RS330

REAR HUB Shimano RS330, 11-speed

TIRES Continental Grand Prix 4000 S II, 700c x 23c

**ACCESSORIES** Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers



Matte Black (Carbon, Fluoro Red)

**FRAME** Felt Aero Road UHC Performance carbon fiber, MMC with InsideOut construction, BSA threaded bottom bracket shell, carbon fiber dropouts, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Aero Road UHC Performance Carbon Fiber Monocoque Fork, AeroTaper 1.125" - 1.25" carbon fiber steer tube with integrated crown race, carbon fiber crown, blades and dropouts

**HEADSET** FSA No. 382/DJ integrated, 1.125" - 1.25" sealed cartridge bearing with Felt Variable-Height Cone Spacers (20mm PC, 4.5mm aluminum), 2 x 5mm + 1 x 10mm PC headset spacers, Felt compression device, carbon fiber top cap and aluminum bolt

STEM Felt SuperLite, ±7° rise, Ø31.8mm

48cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58cm = 110mm

61cm = 120mm

**HANDLEBAR** Felt Aero Road VariableShape, 80mm reach, 130mm drop, Ø31.8mm

48cm = 380mm

51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

**GRIPS** Felt Gel Tape

#### SIZES

48, 51, 54, 56, 58, 61cm

SHIFTERS Shimano 105

FRONT DERAILLEUR Shimano 105 braze-on

REAR DERAILLEUR Shimano 105 short cage

**CRANKSET** Shimano 105

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Shimano Hollowtech

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 12-25T

BRAKE FRONT Shimano 105 dual pivot caliper

BRAKE REAR Shimano 105 direct mount

SADDLE Prologo Zero II T2.0

**SEATPOST** Felt Vibration Reducing Aero Road flip position UHC carbon fiber with 3T DiffLock™ Comfort Module internals.

48 - 51cm = 280mm length

54 - 61cm = 350mm length

#### WEIGHT

8.01kg, 17.65lbs.

RIMS/WHEELSET Felt Aero R3

FRONT HUB Felt Aero R2, sealed cartridge bearing, 24H

**REAR HUB** Felt Aero R2, sealed cartridge bearing, 28H, 11-speed

TIRES Continental Grand Prix 4000 S II, 700c x 23c

**ACCESSORIES** Carbon assembly paste, chain plate protector, valve extenders, aero seatpost slot covers



FINISH
Matte TeXtreme (Charcoal, Red, Blue)

48, 51, 54, 56, 58, 61cm

SIZES

**WEIGHT** 1.695kg, 3.74lbs.

FRAME Felt Aero Road UHC Ultimate + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB30 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific (internal) cable routing

**FORK** Felt Aero Road UHC Ultimate + TeXtreme® carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steer tube with integrated crown race, carbon fiber crown, blades and dropouts

**HEADSET** FSA No. 382/DJ integrated, 1.125" - 1.25" sealed cartridge bearing with Felt Variable-Height Cone Spacers (20mm PC, 4.5mm aluminum), 2 x 5mm + 1 x 10mm PC headset spacers, Felt compression device, carbon fiber top cap and aluminum bolt

**SEATPOST** Felt VariMount Aero Road flip position UHC + TeXtreme® carbon fiber, 350mm length

**ACCESSORIES** Carbon assembly paste, chain plate protector, aero seatpost slot covers



FINISH
Matte TeXtreme (White, Race Red)

48, 51, 54, 56, 58, 61cm

SIZES

**WEIGHT** 1.795kg, 3.96lbs.

FRAME Felt Aero Road UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, BB30 bottom bracket shell and carbon
fiber dropouts, 7075 CNC aluminum replaceable
rear derailleur hanger, mechanical (internal) or
electronic (internal) cable routing

FORK Felt Aero Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steer tube with integrated crown race, carbon fiber crown, blades and dropouts

**HEADSET** FSA No. 382/DJ integrated, 1.125" - 1.25" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 2 x 5mm + 1 x 10mm PC headset spacers, Felt compression device, carbon fiber top cap and aluminum bolt

**SEATPOST** Felt Vibration Reducing Aero Road flip position UHC + TeXtreme carbon fiber with 3T DiffLock™ Comfort Module internals.

48 - 51cm = 280mm length 54 - 61cm = 350mm length

**ACCESSORIES** Carbon assembly paste, chain plate protector, aero seatpost slot covers



## **RACE**

### FR SERIES

The FR is the epitome of the modern road race bike. Featuring a refined version of Felt's legendary racing geometry that boasts impeccable handling characteristics, the FR also utilizes a precise level of compliance that ensures riders are fresh for a finish line sprint after a long day in the saddle. The FR also showcases several integration features that have been optimized for contemporary drivetrains and components, including an intuitive cable management system that complements the unique properties of wireless and wired electronic groups while maximizing the utility of mechanical drivetrains. And with high-performance tires pushing the limits of road frames, the FR Series boasts more frame clearance than any previous Felt road race bike, allowing riders to utilize tires up to size 28mm on select rims. And the FR is available in both rim brake- and disc brake-equipped versions, giving riders more equipment choices than ever before. With an incredible stiffness-to-weight ratio and compliant ride quality, the FR offers no compromise.



Matte TeXtreme (Pewter, Red)

FRAME Felt Race Road UHC Ultimate + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, wireless-specific cable routing

FORK Felt Race Road UHC Ultimate + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM 3T ARX II Team Stealth, ±6° rise, Ø31.8mm

43 - 47cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58cm = 110mm

61cm = 120mm

**HANDLEBAR** 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm

43 - 51cm = 400mm

54 - 56cm = 420mm 58 - 61cm = 440mm SIZES

47, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

**SHIFTERS** SRAM RED eTap with Blip remotes

FRONT DERAILLEUR SRAM RED eTap braze-on

REAR DERAILLEUR SRAM eTap

**CRANKSET** SRAM RED

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

**CHAINWHEEL SRAM RED 52/36T** 

**BOTTOM BRACKET** FSA PressFit ceramic BB30 cartridge bearings

CHAIN SRAM Red 22

FREEWHEEL/CASSETTE SRAM XG 1190, 11-28T

**BRAKE FRONT SRAM RED** 

BRAKE REAR TRP 850-1 direct mount

SADDLE Prologo Nago Evo PAS TiRox

SEATPOST 3T Stylus 25 Team Stealth, Ø27.2mm

48 - 51cm = 280mm

54 - 61cm = 350mm

**SEATPOST CLAMP** 7075-AL CNC Aluminum; Ti 5mm Bolt

WEIGHT

6.34kg, 13.9lbs

RIMS/WHEELSET MAVIC Ksyrium Pro Carbon SL C

FRONT HUB MAVIC Ksyrium Pro 18h

REAR HUB MAVIC Ksyrium Pro 24h, 11-speed

**TIRES** MAVIC Yksion Pro GripLink (front) & Power-Link (rear), 700c x 25c

ACCESSORIES Carbon assembly paste, chain plate protector, extra SRAM eTap battery, SRAM eTap charger, SRAM eTap dongle



Matte TeXtreme (Silver, Green)

FRAME Felt Race Road UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, carbon fiber BB386 bottom bracket
shell and 12 x 142mm Syntace style thru axle
carbon fiber dropouts, 7075 CNC aluminum
replaceable rear derailleur hanger, mechanical
(external) or electronic (internal) cable routing

FORK Felt Race Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** 3T ARX II Team Stealth, ±6° rise, Ø31.8mm 43 - 47cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm

#### SIZES

43, 47, 51, 54, 56, 58, 61cm

**HANDLEBAR** 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm

43 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

**SHIFTERS** SRAM RED eTap Hydro HC with Blip remotes

FRONT DERAILLEUR SRAM RED eTap braze-on

**REAR DERAILLEUR** SRAM eTap

CRANKSET SRAM RED BB386 Power-Ready

43 - 47cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL SRAM RED 52/36T

**BOTTOM BRACKET** SRAM BB PF30 68-92

CHAIN SRAM Red 22

FREEWHEEL/CASSETTE SRAM XG 1190, 11-28T

BRAKE FRONT SRAM HRD with 160mm rotor

BRAKE REAR SRAM HRD with 160mm rotor

#### WEIGHT

TBD

SADDLE Prologo Nago NAGO EVO PAS CPC TiRox

SEATPOST 3T Stylus 25 Team Stealth, Ø27.2mm

43 - 51cm = 280mm

54 - 61cm = 350mm

**SEATPOST CLAMP** 7075-AL CNC Aluminum; Ti 5mm Bolt

RIMS/WHEELSET Zipp 303 Disc

 $\textbf{FRONT HUB} \; \textbf{Zipp 303 Disc}$ 

REAR HUB Zipp 303 Disc

TIRES ONE RaceGuard, 700c x 25c

**ACCESSORIES** Carbon assembly paste, chain plate protector, extra SRAM eTap battery, SRAM eTap charger, SRAM eTap dongle



Matte TeXtreme (Charcoal, Light Blue)

FRAME Felt Race Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Ultimate + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM 3T ARX II Team Stealth, ±6° rise, Ø31.8mm

43 - 47cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58cm = 110mm

61cm = 120mm

**HANDLEBAR** 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm

43 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

#### SIZES

47, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

**SHIFTERS** Shimano Ultegra Di2 with secondary sprint shifters

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

**REAR DERAILLEUR** Shimano Ultegra Di2 short cage

**CRANKSET** Shimano Ultegra w/Pioneer Power Meter

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

BRAKE FRONT Shimano Ultegra dual pivot caliper

BRAKE REAR Tektro T851 direct mount caliper

**SADDLE** Prologo Nago Evo PAS TiRox

#### WEIGHT

7.31kg, 16.1lbs

SEATPOST 3T Stylus 25 Team Stealth, Ø27.2mm

48 - 51cm = 280mm

54 - 61cm = 350mm

**SEATPOST CLAMP** 7075-AL CNC Aluminum; Ti 5mm Bolt

RIMS/WHEELSET MAVIC Ksyrium Elite Blue 25

FRONT HUB MAVIC Ksyrium Elite

**REAR HUB** MAVIC Ksyrium Elite

TIRES MAVIC Yksion Pro GripLink 25mm

**ACCESSORIES** Pioneer Power Meter, Carbon assembly paste, chain plate protector, Di2 internal battery charging cables



Matte TeXtreme (Sky Blue, Red)

FRAME Felt Race Road UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, carbon fiber BB386 bottom bracket
shell and 12 x 142mm Syntace style thru axle
carbon fiber dropouts, 7075 CNC aluminum
replaceable rear derailleur hanger, mechanical
(external) or electronic (internal) cable routing

**FORK** Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** 3T ARX II Team Stealth, ±6° rise, Ø31.8mm 43 - 47cm = 80mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm

#### SIZES

43, 47, 51, 54, 56, 58, 61cm

**HANDLEBAR** 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm

43 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano R785 Di2

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

**REAR DERAILLEUR** Shimano Ultegra Di2 short cage

CRANKSET Rotor 3D30 UBB5

43 - 47cm = 167.5mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Rotor NoQ 52/36T

**BOTTOM BRACKET** Token For BB386 Frame

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

BRAKE FRONT Shimano RS805 with 160mm rotor

#### WEIGHT

TBD

BRAKE REAR Shimano RS805 with 140mm rotor

**SADDLE** Prologo Nago Evo PAS TiRox

SEATPOST 3T Stylus 25 Team Stealth, Ø27.2mm

43 - 51cm = 280mm

54 - 61cm = 350mm

**SEATPOST CLAMP** 7075-AL CNC Aluminum; Ti 5mm Bolt

RIMS/WHEELSET DT Swiss FC1600 DB

FRONT HUB DT Swiss 370 Straight Pull 24h black

REAR HUB DT Swiss 370 Straight Pull 24h black

TIRES Schwalbe One HS 448, 700c x 25c

**ACCESSORIES** Carbon assembly paste, chain plate protector, Di2 internal battery charging cables



Matte TeXtreme (Orange, Pewter)

FRAME Felt Race Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM 3T ARX II Pro Grey, ±6° rise, Ø31.8mm

43 - 51cm = 90mm

54 - 56cm = 100mm

58cm = 110mm

61cm = 120mm

**HANDLEBAR** 3T Ergosum Pro Grey, 89mm reach, 128mm drop, Ø31.8mm

43 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

#### SIZES

47, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano Ultegra 6800

**FRONT DERAILLEUR** Shimano Ultegra 6800 Braze-on

**REAR DERAILLEUR** Shimano Ultegra 6800 short cage

CRANKSET Shimano Ultegra 6800

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN Shimano11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

BRAKE FRONT Shimano Ultegra dual pivot caliper

BRAKE REAR Shimano Ultegra direct mount caliper

SADDLE Prologo Nago Evo PAS T2.0

**SEATPOST** Felt UHC Performance carbon fiber, Ø27.2mm, 300mm length

#### WEIGHT

7.65kg, 16.9lbs

**SEATPOST CLAMP** 6061 Forged Aluminum, Cr-mo 4mm Bolt

RIMS/WHEELSET Shimano WH-RS21

FRONT HUB Shimano WH-RS21

REAR HUB Shimano WH-RS21, 11-speed

TIRES Schwalbe DURANO RaceGuard, 700c x 25c



Matte TeXtreme (Red, Gloss Pewter)

FRAME Felt Race Road UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, carbon fiber BB386 bottom bracket
shell and 12 x 142mm Syntace style thru axle
carbon fiber dropouts, 7075 CNC aluminum
replaceable rear derailleur hanger, mechanical
(external) or electronic (internal) cable routing

FORK Felt Race Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** 3T ARX II Pro Grey, ±6° rise, Ø31.8mm 43 - 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm

#### SIZES

43, 47, 51, 54, 56, 58, 61cm

**HANDLEBAR** 3T Ergosum Pro Grey, 89mm reach, 128mm drop, Ø31.8mm

43 - 51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano R685 Hydro

FRONT DERAILLEUR Shimano Ultegra braze-on

REAR DERAILLEUR Shimano Ultegra short cage

CRANKSET Rotor 3D30 UBB5

43 - 47cm = 167.5mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Rotor NoQ 52/36T

**BOTTOM BRACKET** Token For BB386 Frame

CHAIN Shimano11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

**BRAKE FRONT** Shimano R805 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

**BRAKE REAR** Shimano R805 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

#### WEIGHT

TBD

**SADDLE** Prologo Nago Evo PAS T2.0

**SEATPOST** Felt UHC Performance carbon fiber, Ø27.2mm, 300mm length

**SEATPOST CLAMP** 6061 Forged Aluminum, Cr-mo 4mm Bolt

RIMS/WHEELSET DT Swiss F1800 DB

FRONT HUB DT Swiss 370 Straight Pull 24h black

REAR HUB DT Swiss 370 Straight Pull 24h black

TIRES Schwalbe One HS 448, 700c x 25c



Gloss Red (Carbon, White)

**FRAME** Felt Race Road UHC Advanced carbon fiber, MMC with InsideOut construction, threaded BB, carbon fiber dropouts, replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

**FORK** Felt Race Road UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube with integrated crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt VariableAngle, ± 8°/16° rise, Ø31.8mm

43cm = 70mm

47cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58=110mm

61=120mm

**HANDLEBAR** Felt Ergonomic SL Road Design, short 65mm reach, 125mm drop, Ø31.8mm

43 - 47cm = 380mm

51cm = 400mm

54 - 56cm = 420mm 58 - 61cm = 440mm SIZES

47, 51, 54, 56, 58, 61cm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano 105

FRONT DERAILLEUR Shimano 105 braze-on

**REAR DERAILLEUR** Shimano 105

**CRANKSET** Shimano 105

43 - 47cm = 165mm

51cm = 170mm 54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** Token BB386 for Shimano crankset

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

BRAKE FRONT Dual pivot caliper

BRAKE REAR Direct mount caliper

**SADDLE NAGO EVO PAS T2.0** 

**SEATPOST** Felt UHC Performance carbon fiber, Ø27.2mm, 300mm length

**SEATPOST CLAMP** 6061 Forged Aluminum, Cr-mo 4mm Bolt

WEIGHT

8.03kg, 17.7lbs

**RIMS/WHEELSET** Felt Road RSL3 (tubeless ready), 22mm Width, 28mm Depth

FRONT HUB Felt R3, sealed bearing, 28H

**REAR HUB** Felt R3, sealed cartridge bearing, 32H, 10-speed (11-speed compatible)

TIRES Schwalbe Lugano HS 471, 700c x 25c



Matte Pewter (Red-Orange Fade)

**FRAME** Felt Race Road UHC Advanced carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt VariableAngle, ± 8°/16° rise, Ø31.8mm

43cm = 70mm

47cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58=110mm

61=120mm

#### SIZES

47, 51, 54, 56, 58, 61cm

**HANDLEBAR** Felt Ergonomic SL Road Design, short 65mm reach, 125mm drop, Ø31.8mm

43 - 47cm = 380mm

51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano Tiagra

FRONT DERAILLEUR Shimano Tiagra braze-on

REAR DERAILLEUR Shimano Tiagra long cage

**CRANKSET** Shimano Tiagra

43 - 47cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** Shimano Hollowtech II

CHAIN KMC X-10, 10-speed

**FREEWHEEL/CASSETTE** Shimano 10-speed, 12-28T

BRAKE FRONT Dual pivot caliper

#### WEIGHT

8.37kg, 18.45lbs

**BRAKE REAR** Direct Mount caliper

**SADDLE** Felt SuperLite Road

**SEATPOST** Felt UHC Performance carbon fiber, Ø27.2mm, 300mm length

**SEATPOST CLAMP** 6061 Forged Aluminum, Cr-mo 4mm Bolt

**RIMS/WHEELSET** Felt Road RSL3 (tubeless ready), 22mm Width, 24mm Depth

FRONT HUB Felt R3, sealed bearing, 28H

**REAR HUB** Felt R3, sealed cartridge bearing, 32H, 10-speed (11-speed compatible)

TIRES Schwalbe LUGANO K-Guard, 700c x 25c



FINISH Matte Red (Black)

**FRAME** Felt Race Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, BB386 bottom bracket shell, replaceable rear

derailleur hanger

**FORK** Felt Race Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube, crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt VariableAngle, ± 8°/16° rise, Ø31.8mm

43cm = 70mm

47cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58=110mm

61=120mm

**HANDLEBAR** Felt Ergonomic SL Road, short 65mm reach, 125mm drop, Ø31.8mm

43 - 47cm = 380mm

51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

SIZES

47, 51, 54, 56, 58, 61cm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano 105

**FRONT DERAILLEUR** Shimano 105 clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano 105 short cage

**CRANKSET** Shimano 105

43 - 47cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

BRAKE FRONT Dual pivot caliper

BRAKE REAR Dual pivot caliper

SADDLE Prologo Nago Evo PAS T2.0

**SEATPOST** Felt UHC Performance carbon fiber, Ø27.2mm, 300mm length UHC + TeXtreme carbon fiber, 350mm length

WEIGHT

8.7kg, 19.2lbs

**SEATPOST CLAMP** 6061 Forged Aluminum, Cr-mo 4mm Bolt

RIMS/WHEELSET Felt Road RSL3 (tubeless ready), 22mm Width, 28mm Depth

FRONT HUB Felt R3, sealed bearing, 28H

**REAR HUB** Felt R3, sealed cartridge bearing, 28H, 11-speed compatible

TIRES Schwalbe DURANO RaceGuard, 700c x 25c



Matte Charcoal (Gloss Black)

**FRAME** Felt Race Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, BB386 bottom bracket shell, replaceable rear derailleur hanger

**FORK** Felt Race Road UHC Advanced carbon fiber blades and dropouts with size specific ControlTaper aluminum steer tube

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125" - 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VariableAngle, ± 8°/16° rise, Ø31.8mm

43cm = 70mm

47cm = 80mm

51cm = 90mm

54 - 56cm = 100mm

58=110mm

61=120mm

**HANDLEBAR** Felt SuperLite Road, short 65mm reach, 125mm drop, Ø31.8mm

43 - 47cm = 380mm

51cm = 400mm

54 - 56cm = 420mm

58 - 61cm = 440mm

#### SIZES

47, 51, 54, 56, 58, 61cm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano Tiagra 10-speed

**FRONT DERAILLEUR** Shimano Tiagra clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano Tiagra long cage

**CRANKSET** Shimano Tiagra

43 - 47cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN KMC X10

**FREEWHEEL/CASSETTE** Shimano 10-speed, 12-28T

BRAKE FRONT Shimano Tiagra dual pivot caliper

BRAKE REAR Shimano Tiagra dual pivot caliper

**SADDLE** Felt SuperLite Road

**SEATPOST** Felt Race Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

#### WEIGHT

9.21kg, 20.3lbs

**SEATPOST CLAMP** 6061 Forged Aluminum, Cr-mo 4mm Bolt

RIMS/WHEELSET Felt Road RSL3 (tubeless ready), 22mm Width, 24mm Depth

FRONT HUB Felt R3, sealed bearing, 28H

**REAR HUB** Felt R3, sealed cartridge bearing, 32H, 10-speed (11-speed compatible)

TIRES Schwalbe DURANO RaceGuard, 700c x 25c



Cyan (Red, Black)

**FRAME** Felt Race Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, threaded BSA bottom bracket shell, replaceable rear derailleur hanger

**FORK** Felt Race Road UHC Performance carbon fiber blades and dropouts with size specific ControlTaper aluminum steer tube

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VariableAngle, ± 8°/16° rise, Ø31.8mm

43cm = 70cm

47cm = 80cm

51cm = 90mm

54 - 56cm = 100mm

58=110mm

61=120mm

**HANDLEBAR** Felt Ergonomic SL Road, short 65mm reach, 125mm drop, Ø31.8mm

43cm=380mm

47cm=380mm

51cm=400mm

54cm-56cm=420mm

58-61cm=440mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SIZES

47, 51, 54, 56, 58, 61cm

**SHIFTERS** Shimano Claris

**FRONT DERAILLEUR** Shimano Claris clamp-on, Ø31.8mm

**REAR DERAILLEUR** Shimano Claris short cage

**CRANKSET** Shimano RS200

43-47cm=165mm

51-54cm = 170mm

56-61cm=175mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** FSA Square Tapered, 68 x 110.5mm

**CHAIN** KMC 8-Speed

FREEWHEEL/CASSETTE Shimano 8-speed, 12-32T

**BRAKE FRONT** Dual pivot caliper

BRAKE REAR Dual pivot caliper

**SADDLE** Felt SuperLite Road

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

SEATPOST CLAMP 6061 Aluminum with Cr-Mo bolt

WEIGHT

10.55kg, 23.3lbs

**RIMS/WHEELSET** Felt Road RSL3 (tubeless ready), 22mm Width, 24mm Depth

FRONT HUB Felt R4, sealed bearing, 28H

**REAR HUB** Shimano, sealed bearing, 32H, 9-speed (10-speed compatible)

**TIRES** Felt All Weather Road Design, Wire with PRB,  $700c \times 25c$ 



FINISH Matte Black (Sky Blue, White)

**FRAME** Felt Race Road FLite Custom Butted 6061 aluminum, Dynaform TlG-welded construction, threaded BB, replaceable rear derailleur hanger

**FORK** Felt Race Road UHC Performance carbon fiber blades and dropouts, 1.125" aluminum steer tube

**HEADSET** FSA IS-3E integrated, 1.125" sealed cartridge bearing with aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers and Felt top cap

STEM Felt SuperLite, ±7° rise, Ø26.0mm, 80mm

**HANDLEBAR** Felt K:1, 75mm reach, 120mm drop, Ø26.0mm, 360mm

**GRIPS** Felt Gel Tape

SHIFTERS microSHIFT Road Short Reach

**FRONT DERAILLEUR** microSHIFT Road clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano Sora short cage

CRANKSET FSA Tempo, 160mm

CHAINWHEEL FSA 50/34T

**BOTTOM BRACKET** FSA Square Tapered, 68 x 110.5mm

SIZES

43cm

CHAIN Shimano 9-speed

FREEWHEEL/CASSETTE SunRace 9-speed, 12-25T

BRAKE FRONT Dual pivot caliper

BRAKE REAR Dual pivot caliper

SADDLE Felt K:1

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 300mm length

RIMS/WHEELSET Alex R500

FRONT HUB Road Hub 24H

REAR HUB Road Hub 28H

TIRES Vittoria Rubino, 650c x 23c

ACCESSORIES Touch-up paint

WEIGHT

TBD



FINISH
Matte TeXtreme (White)

**SIZES** 47, 51, 54, 56, 58, 61cm

WEIGHT 1.18kg, 2.6lbs

FRAME Felt Race Road UHC Ultimate + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Race Road UHC Ultimate + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt



## RACE FRW SERIES

The FR is the culmination of years of engineering effort to create the ultimate bike for the modern female road racer. Featuring a refined version of Felt's legendary racing geometry designed with feedback from Felt's top professional female riders, the FRW boasts impeccable handling characteristics and a optimized level of compliance that ensures racers are fresh for a finish line sprint after a long day in the saddle. The FRW also features a variety of integration features that have been optimized for contemporary drivetrains and components, including an intuitive cable management system that complements the unique properties of wireless and wired electronic groups while maximizing the utility of mechanical drivetrains. And because the world's best racers demand the best equipment, Felt engineers have ensured that the FRW includes enough frame clearance to allow riders to utilize tires up to size 28mm on select rims. Available in both rim brake- and disc brake-equipped versions, the FRW gives female riders more choices than ever before for tackling a fast stage race, tough training ride or all-day riding adventure. With an incredible stiffness-to-weight ratio and compliant ride quality, the FRW offers no compromise.



Matte TeXtreme (Gloss Snorkel Blue, Shell Blue)

FRAME Felt Fit Woman Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Fit Woman Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM 3T ARX II Team Stealth,  $\pm 6^{\circ}$  rise, Ø31.8mm 43 - 47cm = 80mm 51cm = 90mm

54 - 56cm = 100mm

**HANDLEBAR** 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm 43-47 = 380mm

48 - 51cm = 400mm

54 - 56cm = 420mm

#### SIZES

43, 47, 51, 54, 56cm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

**SHIFTERS** Shimano Ultegra Di2 with secondary sprint shifters

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

**REAR DERAILLEUR** Shimano Ultegra Di2 short cage

**CRANKSET** Shimano Ultegra w/Pioneer Power Meter 43-47cm = 165mm 51cm = 170mm

54 - 56cm = 172.5mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

BRAKE FRONT Shimano Ultegra Dual Pivot caliper

BRAKE REAR Tektro T851 direct mount caliper

SADDLE Prologo NAGO EVO Space TiRox

**SEATPOST** 3T Stylus 25 Team Stealth, Ø27.2mm 48 - 51cm = 280mm

54 - 56cm = 350mm Ø27.2mm, 300mm length

#### WEIGHT

7.2kg, 15.87lbs

RIMS/WHEELSET Fulcrum Racing 5 aluminum clincher

FRONT HUB Fulcrum Racing 5

**REAR HUB** Fulcrum Racing 5

TIRES Schwalbe One V Guard, 700c x 23c

**ACCESSORIES** Pioneer Power Meter, Carbon assembly paste, chain plate protector, Di2 internal battery charging cables



Matte Textreme (Fiesta Red)

FRAME Felt Fit Woman Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and 12 x 142mm Syntace style thru axle carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Fit Woman Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum),  $1 \times 10mm + 2 \times 5mm$  PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** 3T ARX II Team Stealth,  $\pm 6^{\circ}$  rise, Ø31.8mm 43 - 47cm = 80mm 51cm = 90mm 54 - 56cm = 100mm

SIZES

43, 47, 51, 54, 56cm

**HANDLEBAR** 3T Ergosum Team Stealth carbon fiber, 89mm reach, 128mm drop, Ø31.8mm

43 - 51cm = 400mm

54 - 56cm = 420mm

54 - 56cm = 420mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano R785 Di2

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

**REAR DERAILLEUR** Shimano Ultegra Di2 short cage

**CRANKSET** Rotor 3D30+ UBB5 43 - 47cm = 167.5mm 51cm = 170mm 54 - 56cm = 172.5mm

CHAINWHEEL Rotor NoQ 52/36T

**BOTTOM BRACKET** Token For BB386 Frame

**CHAIN** Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

BRAKE FRONT Shimano RS805 with 160mm rotor

BRAKE REAR Shimano RS805 with 140mm rotor

WEIGHT

TBD

SADDLE Prologo NAGO EVO Space TiRox

SEATPOST 3T Stylus 25 Team Stealth, Ø27.2mm

43 - 51cm = 280mm

54 - 56cm = 350mm

RIMS/WHEELSET DT Swiss FC1600 DB

FRONT HUB DT Swiss 370 Straight Pull

REAR HUB DT Swiss 350 Straight Pull

TIRES Schwalbe One HS 448, 700c x 25c

**ACCESSORIES** Carbon assembly paste, chain plate protector, Di2 internal battery charging cables



Matte Carbon (Gloss Pewter, Agua Mist)

**FRAME** Felt Fit Woman Road UHC Advanced carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK Felt Fit Woman Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman SuperLite, Ø31.8mm 43cm = ±17° rise, 60mm 47cm = ±17° rise, 80mm 51cm = ±17° rise, 90mm 54 - 56cm = ±17° rise, 100mm

**HANDLEBAR** Felt Fit Woman SuperLite Road, short 65mm reach, 125mm drop, Ø31.8mm 43 - 47cm = 380mm 51cm = 400mm 54 - 56cm = 420mm

#### SIZES

43, 47, 51, 54, 56cm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano 105

FRONT DERAILLEUR Shimano 105 braze-on

REAR DERAILLEUR Shimano 105 short cage

**CRANKSET** Shimano 105 43 - 47cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

**BRAKE FRONT** Dual pivot caliper

**BRAKE REAR** Direct mount caliper

SADDLE Prologo Nago Evo Space T2.0

**SEATPOST** Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

#### WEIGHT

7.71kg, 17lbs

**RIMS/WHEELSET** Felt Fit Women Road WRSL3 (tubeless ready), 22mm Width, 24mm Depth

FRONT HUB Felt R3, sealed bearing, 28H

**REAR HUB** Felt R3, sealed cartridge bearing, 32H, 10-speed (11-speed compatible)

TIRES Schwalbe Durano Race Guard, 700c x 25c



Matte Merlot (White, Fiesta Red)

**FRAME** Felt Fit Woman Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, BB386 bottom bracket shell, replaceable rear derailleur hanger

**FORK** Felt Fit Woman Road UHC Advanced carbon fiber blades and dropouts with size specific ControlTaper aluminum steer tube

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt Fit Woman SuperLite, Ø31.8mm  $43cm = \pm 17^{\circ}$  rise, 60mm  $47cm = \pm 17^{\circ}$  rise, 80mm  $51cm = \pm 17^{\circ}$  rise, 90mm  $54 - 56cm = \pm 17^{\circ}$  rise, 100mm

**HANDLEBAR** Felt Fit Woman SuperLite Road, short 65mm reach, 125mm drop, Ø31.8mm 43 - 47cm = 380mm 51cm = 400mm 54 - 56cm = 420mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SIZES

43, 47, 51, 54, 56cm

SHIFTERS Shimano 105

**FRONT DERAILLEUR** Shimano 105 clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano 105 short cage

**CRANKSET** Shimano 105 43 - 47cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

**BRAKE FRONT** Dual pivot caliper

BRAKE REAR Dual pivot caliper

**SADDLE** Prologo Nago Evo Space T2.0

**SEATPOST** Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

**RIMS/WHEELSET** Felt Fit Women Road WRSL3 (tubeless ready), 22mm Width, 24mm Depth

WEIGHT

8.21kg, 18lbs

FRONT HUB Felt R3, sealed bearing, 28H

**REAR HUB** Felt R3, sealed cartridge bearing, 32H, 11-speed compatible

TIRES Schwalbe Durano Race Guard, 700c x 25c



Matte Pewter (Black, Magenta, Cyan)

FRAME Felt Fit Woman Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, BB386 bottom bracket shell, replaceable rear derailleur hanger

FORK Felt Fit Woman Road UHC Advanced carbon fiber blades and dropouts with size specific ControlTaper aluminum steer tube

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman SuperLite, Ø31.8mm  $43cm = \pm 17^{\circ} \text{ rise, } 60mm$  $47cm = \pm 17^{\circ}$  rise, 80mm $51cm = \pm 17^{\circ}$  rise, 90mm54 - 56cm =  $\pm 17$ ° rise, 100mm

HANDLEBAR Felt Fit Woman SuperLite Road, short 65mm reach, 125mm drop, Ø31.8mm 43 - 47cm = 380mm 51cm = 400mm54 - 56cm = 420mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano Tiagra 10-speed

SIZES

43, 47, 51, 54, 56cm

FRONT DERAILLEUR Shimano Tiagra clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano Tiagra long cage

**CRANKSET** Shimano Tiagra 43 - 47cm = 165mm 51cm = 170mm 54 - 56cm = 172.5mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

**CHAIN KMC X10** 

FREEWHEEL/CASSETTE Shimano 10-speed, 12-28T

BRAKE FRONT Shimano Tiagra dual pivot caliper

BRAKE REAR Shimano Tiagra dual pivot caliper

SADDLE Felt Fit Woman Road

SEATPOST Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

RIMS/WHEELSET Felt Fit Women Road WRSL3 (tubeless ready), 22mm Width, 22mm Depth

WEIGHT

8.84kg, 19.5lbs

FRONT HUB Felt R3, sealed bearing, 28H

REAR HUB Felt R3, sealed cartridge bearing, 32H, 10-speed (11-speed compatible)

TIRES Schwalbe Durano Race Guard, 700c x 25c



Matte Aqua Mist (Aqua, Electricity)

**FRAME** Felt Fit Woman Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, threaded BSA bottom bracket shell, replaceable rear derailleur hanger

**FORK** Felt Fit Woman Road UHC Performance carbon fiber blades and dropouts with size specific ControlTaper aluminum steer tube

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman SuperLite, Ø31.8mm  $43cm = \pm 17^{\circ}$  rise, 60mm  $47cm = \pm 17^{\circ}$  rise, 80mm  $51cm = \pm 17^{\circ}$  rise, 90mm  $54 - 56cm = \pm 17^{\circ}$  rise, 100mm

**HANDLEBAR** Felt Fit Woman SuperLite Road, short 65mm reach, 125mm drop, Ø31.8mm 43 - 47cm = 380mm 51cm = 400mm 54 - 56cm = 420mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano Claris

#### SIZES

43, 47, 51, 54, 56cm

**FRONT DERAILLEUR** Shimano Claris clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Claris short cage

**CRANKSET** Shimano RS200 43cm = 165mm 47 -54cm = 170mm 56cm = 175mm

CHAINWHEEL Shimano 50/34T

**BOTTOM BRACKET** FSA Square Tapered, 68 x 110.5mm

CHAIN KMC 8-Speed

FREEWHEEL/CASSETTE Shimano 8-speed, 12-32T

**BRAKE FRONT** Dual pivot caliper

BRAKE REAR Dual pivot caliper

SADDLE Felt Fit Woman Road

**SEATPOST** Felt Fit Woman SuperLite Road, Ø27.2mm, 300mm length

**RIMS/WHEELSET** Felt Fit Women Road WRSL3 (tubeless ready), 22mm Width, 22mm Depth

FRONT HUB Felt R4, sealed bearing, 28H

#### WEIGHT

9.58kg, 21.1lbs

**REAR HUB** Felt R4, sealed bearing, 32H, 8/9-speed (10-speed compatible)

**TIRES** Felt All Weather Road Design, Wire with PRB, 700c x 25c



SIZES

43, 47, 51, 54, 56cm

FINISH
Matte TeXtreme (Fiesta Red, Pewter)

FRAME Felt Fit Woman Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical

(external) or electronic (internal) cable routing


FORK Felt Fit Woman Road UHC Ultimate + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 54cm: FSA NO.382, 1.125"- 1.25" sealed cartridge bearing; 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**ACCESSORIES** Carbon assembly paste, chain plate protector

WEIGHT

1.32kg, 2.9lbs



## **ENDURANCE**

### **VR SERIES**

The VR Series represents the next step in the evolution of the endurance road bike. Featuring an ideal blend of compliance and performance-oriented stiffness, the VR incorporates an incredible degree of versatility befitting the modern endurance road cyclist. This means that the VR frame features enough clearance for utilizing a variety of tire widths, giving you the option of running narrow slick treads for fast road rides, knobby rubber for off-road excursions, and everything in between. Endurance-oriented geometry designed around an upright riding position, combined with a newly developed seat stay configuration, offers enhanced comfort and more confident handling characteristics for long days in the saddle. But a tapered head tube and robust bottom bracket shell ensure that the VR possesses the same performance credentials for which all Felt bikes are renowned. Extend your ride and enhance your experience with the Felt VR.



FINISH
Matte TeXtreme (Cyan, Orange)

FRAME Felt Variable Road UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, BB386 bottom bracket standard and
12 x 142mm with Syntace style thru axle dropouts,
flat-mount disc brake standard, replaceable rear
derailleur hanger, mechanical (internal) or electronic
(internal) cable routing

FORK Felt Variable Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** 3T ARX II Pro, ±6° rise, Ø31.8mm 43-51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm

58 - 61cm=440mm

HANDLEBAR 3T Ergonova Pro carbon fiber, 77mm reach, 123mm drop, Ø31.8mm 43-47cm = 380mm 51cm = 400mm 54 - 56cm = 420mm

SIZES

47, 51, 54, 56, 58, 61cm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano R785 Di2 Hydraulic

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

REAR DERAILLEUR Shimano Ultegra Di2 long cage

**CRANKSET** FSA SL-K Modular Adventure BB386EVO NEW

43-47cm=165mm; 51cm= 170mm 54-56cm= 172.5mm 58-61cm= 175mm

CHAINWHEEL FSA 46/30T

**BOTTOM BRACKET** FSA PF-30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-32T

**BRAKE FRONT** Shimano BR805 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

**BRAKE REAR** Shimano BR805 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

**SADDLE** Prologo Scratch 2 Space T2.0

WEIGHT

8.12kg, 17.9lbs



Matte TeXtreme (Gloss Charcoal, Chartreuse)

**FRAME** Felt Variable Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

FORK Felt Variable Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VR OS SuperLite,  $\pm 6^{\circ}$  rise, Ø35mm 43cm = 40cm 47 - 51cm = 42cm 54cm = 44cm 56 - 61cm = 46cm

HANDLEBAR Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, Ø35mm 43cm = 400mm 47 - 51cm = 420mm

47 - 51cm = 420mm 54cm = 440mm 56 - 61cm = 460mm

#### SIZES

47, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano R685 Hydraulic

FRONT DERAILLEUR Shimano Ultegra

REAR DERAILLEUR Shimano Ultegra long cage

CRANKSET Rotor 3D30 Adventure Crank 43-47cm=167.5mm; 51cm= 170mm 54-56cm= 172.5mm 58-61cm= 175mm

CHAINWHEEL Rotor 46/30T

**BOTTOM BRACKET** FSA PF30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-32T

**BRAKE FRONT** Shimano RS805 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

**BRAKE REAR** Shimano RS805 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

**SADDLE** Prologo Kapp Space T2.0

**SEATPOST** Felt VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

#### WEIGHT

8.39kg, 18.5lbs

RIMS/WHEELSET 3T Discus C35 Pro BLACK

**FRONT HUB** 3T oversize light alloy hub bodies, 12mm TA spindles – adjustable bearings – black satin anodized, Center Lock

**REAR HUB** 3T oversize light alloy hub bodies, 12mm TA spindles and freewheel body – adjustable bearings – black satin anodized, Center Lock

**TIRES** Challenge Paris-Roubiax OT, 300tpi, 700c x 27c



FINISH
Red (Carbon, White)

**FRAME** Felt Variable Road UHC Advanced carbon fiber, MMC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt VR OS SuperLite, ±6° rise, Ø35mm 43cm =60mm 47cm =80mm 51cm =90mm 54 - 56cm =100mm 58cm =110mm

61cm =120mm

SIZES

47, 51, 54, 56, 58, 61cm

**HANDLEBAR** Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, Ø35mm 43cm = 400mm 47 - 51cm = 420mm

54cm = 440mm 56 - 61cm = 460mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

**SHIFTERS** SRAM Rival 1 Hydraulic DoubleTap (11 Rear, 1 Front)

FRONT DERAILLEUR N/A

**REAR DERAILLEUR** SRAM Rival 1

**CRANKSET** SRAM Rival 1 GXP 43-47cm =165mm 51cm = 170mm 54-56cm = 172.5mm

58-61cm = 175mm

**CHAINWHEEL** SRAM Rival 1 XSYNC, 44T SRAM Rival 1 XSYNC, 38T

**BOTTOM BRACKET** Token For BB386 Frame with SRAM GXP Crankset

CHAIN SRAM 11-speed

**FREEWHEEL/CASSETTE** SRAM PG1130 11-speed, 11-42T

WEIGHT

TBD

BRAKE FRONT SRAM Rival Hydraulic Disc with SRAM Centerline 160mm 6-bolt rotor BRAKE REAR SRAM Rival Hydraulic Disc with SRAM Centerline 140mm 6-bolt rotor

**SADDLE** Prologo Kappa Space PAS T2.0

**SEATPOST** Felt VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Zipp 30 Course Disc Brake Clincher Alloy 28H Tubeless Ready

**FRONT HUB** Felt RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

**REAR HUB** Felt RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

**TIRES** Schwalbe S-One MicroSkin, TL-Easy, Folding 700c x 30c

**ACCESSORIES** SRAM Rival 1 XSYNC, 38T Chainring, valve cores, tubeless rim tape, sealant, carbon assembly paste, chain plate protector



Matte Carbon (Light Blue, Charcoal)

**FRAME** Felt Variable Road UHC Performance carbon fiber, MMC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat-mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt VR OS SuperLite, ±6° rise, Ø35mm 43cm =60mm 47cm =80mm 51cm =90mm 54 - 56cm =100mm 58cm =110mm

61cm =120mm

## SIZES

47, 51, 54, 56, 58, 61cm

HANDLEBAR Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, Ø35mm 43cm = 400mm

47 - 51cm = 420mm

54cm = 440mm

56 - 61cm = 460mm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano RS505 Hydraulic

FRONT DERAILLEUR Shimano 105 braze-on

REAR DERAILLEUR Shimano 105 long cage

**CRANKSET** New FSA Gossamer Pro ABS Adventure BB386 EVO

43-47cm =165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL FSA 48/32T

**BOTTOM BRACKET** FSA PF30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-32T

**BRAKE FRONT** Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

## WEIGHT

8.92kg, 19.6lbs

**BRAKE REAR** Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

SADDLE Prologo Kappa Space PAS

**SEATPOST** Felt VR UHC Advanced carbon fiber, Ø27.2mm, 330mm length

RIMS/WHEELSET Felt Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

**REAR HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

TIRES Challenge Paris-Roubaix OT, 300tpi, 700c x 27c



# **FINISH** Matte Black (Carbon, Magenta)

FRAME Felt Variable Road UHC Performance carbon fiber, MMC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

FORK Felt Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

HEADSET 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VR OS SuperLite, ±6° rise, Ø35mm 43cm =60mm 47cm =80mm

51cm =90mm 54 - 56cm =100mm 58cm =110mm

61cm =120mm

## SIZES

47, 51, 54, 56, 58, 61cm

HANDLEBAR Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, Ø35mm 43cm = 400mm

47 - 51cm = 420mm

54cm = 440mm

56 - 61 cm = 460 mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano RS405 Hydraulic

FRONT DERAILLEUR Shimano Tiagra braze-on

REAR DERAILLEUR Shimano Tiagra long cage

CRANKSET FSA Omega Adventure BB386 EVO 43-47cm =165mm

51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

**CHAINWHEEL FSA 46/30T** 

**BOTTOM BRACKET** FSA PF30

CHAIN KMC X-10, 10-speed

FREEWHEEL/CASSETTE Shimano 10-speed, 11-34T

BRAKE FRONT Shimano RS405 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

# WEIGHT

9.15kg, 20.17lbs

BRAKE REAR Shimano RS405 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

**SADDLE** Felt Variable Road

SEATPOST Felt VR UHC Advanced carbon fiber, Ø27.2mm, 330mm length

RIMS/WHEELSET Felt Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

FRONT HUB Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

REAR HUB Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

TIRES Vittoria Zaffiro Folding, 700c x 28c



Matte Cyan (Black, Red)

**FRAME** Felt Variable Road Disc FLite Custom Butted 6061 aluminum, Hydroform TIG-welded construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) cable routing

**FORK** Felt Variable Road Disc UHC Advanced carbon fiber construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VR OS SuperLite, ±6° rise, Ø35mm 51cm =90mm 54 - 56cm =100mm 58cm =110mm 61cm =120mm

HANDLEBAR Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, Ø35mm 43cm = 400mm 47 - 51cm = 420mm 54cm = 440mm 56 - 61cm = 460mm SIZES

47, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano RS505 Hydraulic

**FRONT DERAILLEUR** Shimano 105 clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano 105 long cage

**CRANKSET** FSA Omega Adventure BB386 EVO 43-47cm =165mm 51cm = 170mm 54 - 56cm = 172.5mm 58 - 61cm = 175mm

**CHAINWHEEL FSA 46/30T** 

**BOTTOM BRACKET** FSA PF30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-32T

**BRAKE FRONT** Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

**BRAKE REAR** Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

**SADDLE** Prologo Kappa Space

**SEATPOST** Felt VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

WEIGHT

9.64kg, 21.25lbs

**RIMS/WHEELSET** Felt Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

**REAR HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

TIRES Vittoria Zaffiro Folding, 700cx28c



Matte Acid Green (Black)

**FRAME** Felt Variable Road Disc FLite Custom Butted 6061 aluminum, Hydroform TIG-welded construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) cable routing

**FORK** Felt Variable Road Disc UHC Advanced carbon fiber construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VR OS SuperLite, ±6° rise, Ø35mm 43cm=50mm, 47cm= 80cm, 51cm =90mm 54 - 56cm =100mm 58cm =110mm 61cm =120mm

HANDLEBAR Felt VR OS SuperLite Road Variable-Shape, short 65mm reach, 125mm drop, Ø35mm 43cm = 400mm 47 - 51cm = 420mm 54cm = 440mm 56 - 61cm = 460mm SIZES

47, 51, 54, 56, 58, 61cm

**GRIPS** Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano Tiagra

**FRONT DERAILLEUR** Shimano Tiagra clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano Tiagra long cage

CRANKSET FSA Vero Pro Adventure BB386 EVO 43-47cm =165mm 51cm = 170mm

54 - 56cm = 172.5mm

58 - 61cm = 175mm

CHAINWHEEL FSA 48/32T

**BOTTOM BRACKET** FSA PF30 w/19mm Reducer

CHAIN KMC 10-speed

**FREEWHEEL/CASSETTE** Shimano 10-speed, 11-34T

**BRAKE FRONT** Rever Flat Mount Dual Movement Disc with 160mm rotor

**BRAKE REAR** Rever Flat Mount Dual Movement Disc with 140mm rotor

**SADDLE** Felt Variable Road

WEIGHT

9.9kg, 21.82lbs

**SEATPOST** Felt VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

**REAR HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

TIRES Vittoria Zaffiro Folding, 700cx28c



Matte Black (Orange, Chartreuse)

**FRAME** Felt Variable Road Disc FLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, Threaded BSA bottom bracket standard, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) cable routing

**FORK** Felt Variable Road UHC Advanced carbon fiber blades, size specific ControlTaper aluminum steer tube, carbon dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VR SuperLite, ±7° rise, Ø31.8mm 43cm = 60mm 48cm=80mm 51cm=90mm 54 - 56cm=100mm

58cm=110mm 61cm=120mm

**HANDLEBAR** Felt VR SuperLite Road, 86mm reach, 130mm drop, Ø31.8mm

43 - 51cm = 42/45cm 54cm = 44/47cm 56 - 61cm = 46/49cm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

## SIZES

47, 51, 54, 56, 58, 61cm

**SHIFTERS** Shimano Claris

**FRONT DERAILLEUR** Shimano Claris clamp-on, Ø31.8mm

**REAR DERAILLEUR** Shimano Claris short cage

**CRANKSET** FSA Tempo Adventure 43-47cm =165mm 51cm - 54cm = 170 58 - 61cm = 175mm

**CHAINWHEEL FSA 46/30T** 

**BOTTOM BRACKET** FSA Square Tapered, 68 x 120mm

**CHAIN KMC 8-speed** 

FREEWHEEL/CASSETTE Shimano 8-speed, 11-32T

**BRAKE FRONT** Promax Flat Mount Dual Movement Disc with 160mm rotor

**BRAKE REAR** Promax Flat Mount Dual Movement Disc with 160mm rotor

SADDLE Felt Lookin Basic ATHLETIC Saddle

 $\textbf{SEATPOST} \ \text{Felt SuperLite Road}, \ \emptyset 27.2 mm, \ 330 mm \\ \text{length}$ 

# WEIGHT

10.27kg, 22.65lbs

RIMS/WHEELSET Felt Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, QR, sealed bearing, 28H, 6-Bolt

**REAR HUB** Felt Variable Road RSL3 Disc, QR, sealed cartridge bearing, 28H, 8/9/10-speed, 6-Bolt

TIRES Vittoria Zaffiro Folding, 700cx28c



FINISH Matte Silver (Black, Cyan)

**FRAME** Felt Variable Road Disc FLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, Threaded BSA bottom bracket standard, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) cable routing

**FORK** Felt Variable Road UHC Advanced carbon fiber blades, size specific ControlTaper aluminum steer tube, carbon dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt VR SuperLite, ±7° rise, Ø31.8mm 43cm = 60mm 48cm=80mm 51cm=90mm 54 - 56cm=100mm 58cm=110mm

**HANDLEBAR** Felt VR SuperLite Road, 86mm reach, 130mm drop, Ø31.8mm 43 - 51cm = 42/45cm

54cm = 44/47cm 56 - 61cm = 46/49cm

61cm=120mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SIZES

47, 51, 54, 56, 58, 61cm

**SHIFTERS** Shimano Claris

**FRONT DERAILLEUR** Shimano Claris clamp-on, Ø31.8mm

**REAR DERAILLEUR** Shimano Claris short cage

**CRANKSET** FSA Tempo Adventure 43-47cm =165mm 51cm - 54cm = 170 58 - 61cm = 175mm

CHAINWHEEL FSA 46/30T

**BOTTOM BRACKET** FSA Square Tapered, 68 x 120mm

**CHAIN** KMC 8-speed

FREEWHEEL/CASSETTE Shimano 8-speed, 11-32T

**BRAKE FRONT** Promax Flat Mount Dual Movement Disc with 160mm rotor

**BRAKE REAR** Promax Flat Mount Dual Movement Disc with 160mm rotor

**SADDLE** Felt LookIn Basic ATHLETIC Saddle

 $\textbf{SEATPOST} \ \text{Felt SuperLite Road}, \ \emptyset 27.2 mm, \ 330 mm \\ \text{length}$ 

WEIGHT

10.27kg, 22.65lbs

RIMS/WHEELSET Felt Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, QR, sealed bearing, 28H, 6-Bolt

**REAR HUB** Felt Variable Road RSL3 Disc, QR, sealed cartridge bearing, 28H, 8/9/10-speed, 6-Bolt

TIRES Vittoria Zaffiro Folding, 700cx28c



FINISH Matte Aqua (TeXtreme, White)

**SIZES** 47, 51, 54, 56, 58, 61cm

WEIGHT 1.68kg, 3.7lbs

FRAME Felt Variable Road UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, BB386 bottom bracket standard and
12 x 142mm with Syntace style thru axle dropouts,
flat-mount disc brake standard, replaceable rear
derailleur hanger, mechanical (internal) or electronic
(internal) cable routing

FORK Felt Variable Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**ACCESSORIES** Carbon assembly paste, chain plate protector, 12x100 (front) and 12x142 (rear) thru-axles



# **ENDURANCE**

# **VRW SERIES**

The VRW is the ultimate endurance road bike for female riders to tackle their next adventure. Featuring an ideal blend of compliance and performance-oriented stiffness, the VRW offers the versatility befitting the modern endurance-minded, female road cyclist. This means that the VRW frame boasts enough clearance for a variety of tire widths, giving female riders the option of running narrow slick treads for fast road rides, knobby rubber for off-road excursions, and everything in between. The VRW's endurance-oriented geometry is honed for advanced and novice female riders, alike, and features an upright riding position combined with a newly developed seat stay configuration for enhanced comfort. Confident handling characteristics make for a stable ride for everything from short leisurely rides with friends to long days in the saddle. A tapered head tube and robust bottom bracket shell ensure that the VRW possesses the same performance credentials for which all Felt bikes are renowned. Enhance your riding experience with the Felt VRW, the perfect bike for any occasion.



TeXtreme (Shell Blue, Electricity Yellow)

**FRAME** Felt Fit Woman Variable Road UHC Advanced + TeXtreme® carbon fiber, MMC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Fit Woman Variable Road UHC Advanced + TeXtreme® carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt Fit Woman VR OS SuperLite, ±6° rise, Ø35mm

43cm = 60mm

47 = 80mm

51cm = 90mm

54cm = 100mm

56cm = 100mm

## SIZES

43, 47, 51, 54, 56cm

**HANDLEBAR** Felt Fit Woman VR OS SuperLite Road VariableShape, short 65mm reach, 125mm drop, Ø35mm

43cm = 400mm

47 - 51cm = 420mm

54cm = 440mm

56 = 460 mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano RS685

FRONT DERAILLEUR Shimano Ultegra

REAR DERAILLEUR Shimano Ultegra long cage

**CRANKSET** Rotor 3D30 Adventure Crank

43-47cm=167.5mm;

51cm= 170mm

54-56cm= 172.5mm

58-61cm= 175mm

CHAINWHEEL Rotor 46/30T

BOTTOM BRACKET FSA PF30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-32T

**BRAKE FRONT** Shimano RS805 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

# WEIGHT

8.38kg, 18.47lbs

**BRAKE REAR** Shimano RS805 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

SADDLE Prologo Kappa DEA2 T2.0

**SEATPOST** Felt Fit Woman VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

RIMS/WHEELSET Novatec 30 CL

FRONT HUB Novatec 30 hub, 12mm TA, Center Lock

REAR HUB Novatec 30 hub, 12mm TA, Center Lock

TIRES Challenge Paris-Roubiax OT, 300tpi, 700c x 27c



FINISH
White (Pearl)

**FRAME** Felt Fit Woman Variable Road UHC Advanced carbon fiber, MMC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Fit Woman Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman VR OS SuperLite, ±6° rise, Ø35mm 43cm = 60mm, 47 = 80mm, 51cm = 90mm,

54cm - 56cm = 100mm

SIZES

43, 47, 51, 54, 56cm

HANDLEBAR Felt Fit Woman VR OS SuperLite Road VariableShape, short 65mm reach, 125mm drop, Ø35mm

43cm = 400mm 47 - 51cm = 420mm 54cm = 440mm 56 = 460mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano RS505 Hydraulic

FRONT DERAILLEUR Shimano 105 braze-on

REAR DERAILLEUR Shimano 105 long cage

**CRANKSET** New FSA Gossamer Pro ABS Adventure BB386 EVO 43-47cm =165mm

43-47cm =165mm 51cm = 170mm

54 - 56cm = 172.5mm

**CHAINWHEEL FSA 48/32T** 

**BOTTOM BRACKET** FSA PF30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-32T

BRAKE FRONT Shimano RS505 Hydraulic

WEIGHT

8.7kg, 19.3lbs

BRAKE REAR Shimano RS505 Hydraulic Disc with Shimano Ice-Tech 160mm rotor SADDLE Prologo Kappa DEA2

**SEATPOST** Felt Fit Woman VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Fit Woman Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

**REAR HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

TIRES Challenge Paris-Roubaix, 300tpi, 700c x 27c



# FINISH Matte Aqua (Rasberry)

**FRAME** Felt Fit Woman Variable Road UHC Advanced carbon fiber, MMC with InsideOut construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Fit Woman Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat- mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman VR OS SuperLite, ±6° rise, Ø35mm 43cm = 60mm, 47 = 80mm,

51cm = 90mm, 54cm - 56cm = 100mm

#### SIZES

43, 47, 51, 54, 56cm

**HANDLEBAR** Felt Fit Woman VR OS SuperLite Road VariableShape, short 65mm reach, 125mm drop, Ø35mm

43cm = 400mm 47 - 51cm = 420mm 54cm = 440mm 56 = 460mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano RS405 Hydraulic

FRONT DERAILLEUR Shimano Tiagra braze-on

REAR DERAILLEUR Shimano Tiagra long cage

CRANKSET FSA Omega Adventure BB386 EVO 43-47cm =165mm 51cm = 170mm 54 - 56cm = 172.5mm

CHAINWHEEL FSA 46/30T

**BOTTOM BRACKET FSA PF30** 

CHAIN KMC 10-speed

FREEWHEEL/CASSETTE Shimano 10-speed, 11-34T

**BRAKE FRONT** Shimano RS405 Hydraulic Disc with Shimano Ice-Tech 160mm rotor

# WEIGHT

8.96kg, 19.7lbs

**BRAKE REAR** Shimano RS405 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

**SADDLE** Felt Fit Woman Variable Road

**SEATPOST** Felt Fit Woman VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Fit Woman Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

**REAR HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

TIRES Vittoria Zaffiro Folding, 700c x 28c



FINISH
Matte Fiesta Red (Peach)

**FRAME** Felt Fit Woman Variable Road Disc FLite Custom Butted 6061 aluminum, Hydroform TIG-welded construction, BB386 bottom bracket standard and 12 x 142mm with Syntace style thru axle dropouts, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) cable routing

**FORK** Felt Fit Woman Variable Road Disc UHC Advanced carbon fiber construction, size specific ControlTaper carbon fiber steer tube and carbon fiber steer tube, crown, blades with flat-mount disc standard and 12 x 100mm Maxle style dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 56cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

STEM Felt Fit Woman VR OS SuperLite, ±6° rise, Ø35mm 43cm = 60mm, 47 = 80mm, 51cm = 90mm,

54cm - 56cm = 100mm

SIZES

43, 47, 51, 54, 56cm

**HANDLEBAR** Felt Fit Woman VR OS SuperLite Road VariableShape, short 65mm reach, 125mm drop, Ø35mm

43cm = 400mm

47 - 51cm = 420mm

54cm = 440mm

56 = 460 mm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

SHIFTERS Shimano Tiagra

FRONT DERAILLEUR Shimano Tiagra clamp-on, Ø34.9mm

REAR DERAILLEUR Shimano Tiagra long cage

**CRANKSET** FSA Vero Pro Adventure BB386 EVO 43-47cm =165mm

51cm = 170mm

54 - 56cm = 172.5mm

CHAINWHEEL FSA 48/32T

BOTTOM BRACKET FSA PF30 w/19mm Reducer

CHAIN KMC 10-speed

**FREEWHEEL/CASSETTE** Shimano 10-speed, 11-34T

BRAKE FRONT REVER Road Disc with 160mm rotor

WEIGHT

9.67kg, 21.3lbs

BRAKE REAR REVER Road Disc with 160mm rotor

**SADDLE** Felt Fit Woman Variable Road

**SEATPOST** Felt Fit Woman VR UHC Performance carbon fiber, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed bearing, 28H, Center Lock

**REAR HUB** Felt Variable Road RSL3 Disc, 12mm Thru Axle, sealed cartridge bearing, 28H, 11-speed, Center Lock

TIRES Vittoria Zaffiro Folding, 700cx28c



Matte Fiesta Shell Blue (Fiesta Red)

**FRAME** Felt Fit WomanVariable Road Disc FLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, Threaded BSA bottom bracket standard, flat-mount disc brake standard, replaceable rear derailleur hanger, mechanical (internal) cable routing

**FORK** Felt Fit Woman Variable Road UHC Advanced carbon fiber blades, size specific ControlTaper aluminum steer tube, carbon dropouts

**HEADSET** 43 - 47cm: FSA IS-21 integrated, 1.125" sealed cartridge bearing; 51 - 61cm: FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing; w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt carbon fiber top cap and aluminum bolt

**STEM** Felt Fit Woman VR OS SuperLite, ±6° rise, Ø35mm

43cm = 60mm,

47 = 80 mm,

51cm = 90mm,

54cm - 56cm = 100mm

**HANDLEBAR** Felt Fit Woman VR SuperLite Road, 86mm reach, 130mm drop, Ø31.8mm

45 - 51cm = 42/45cm

54cm = 44/47cm

56cm = 46/49cm

# SIZES

43, 47, 51, 54, 56cm

GRIPS Felt VelvetGel Tape with 3M Reflective Base

**SHIFTERS** Shimano Claris

**FRONT DERAILLEUR** Shimano Claris clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Claris short cage

CRANKSET FSA Tempo Adventure 43-47cm =165mm 51cm = 170mm 54 - 56cm = 172.5mm

**CHAINWHEEL FSA 46/30T** 

**BOTTOM BRACKET** FSA Square Tapered, 68 x 120mm

**CHAIN** KMC 8-speed

FREEWHEEL/CASSETTE Shimano 8-speed, 12-32T

**BRAKE FRONT** Promax Flat Mount Dual Movement Disc with 160mm rotor

**BRAKE REAR** Promax Flat Mount Dual Movement Disc with 160mm rotor

**SADDLE** Felt LookIn Basic Ariel Saddle

## WEIGHT

10.2kg, 22.46lbs

**SEATPOST** Felt Fit Woman SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Fit Woman Variable Road VR19 Disc (tubeless ready), 19mm Width (Inner), 23mm Depth

**FRONT HUB** Felt Variable Road RSL3 Disc, QR, sealed bearing, 28H, 6-Bolt

**REAR HUB** Felt Variable Road RSL3 Disc, QR, sealed cartridge bearing, 28H, 8/9/10-speed, 6-Bolt

TIRES Vittoria Zaffiro Folding, 700cx28c



# TRIATHLON / TT

# **IA SERIES**

The IA is the most aerodynamic bicycle in the world. Designed specifically for triathlon racing at the highest level of competition, the IA was developed using computational fluid dynamics (CFD) software and countless hours of testing in the wind tunnel, and its industry-leading frame shapes and tube profiles combine for a bike that produces negative aerodynamic drag in certain situations. The IA also boasts a heretofore-unseen level of integration that includes an intuitive nutrition storage solution, user-friendly internal cable and wire routing and a cockpit design that offers a fit range to accommodate the needs of all athletes without sacrificing one gram of aerodynamic drag. The IA is so advanced that it has propelled Felt athletes to victories at the Kona World Championship three years in a row. Best of all, Felt has adapted the IA's revolutionary aerodynamic efficiency across a diverse line to accommodate the component preferences and budgets of every triathlete.



Matte TeXtreme (Charcoal, Fluoro Blue, Red, White)

CRA
48cm

**FRAME** Felt Aero Road UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber, MMC with InsideOut construction, carbon fiber BB30 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, electronic-specific (internal) cable routing

**FORK** Felt Dagger UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber monocoque construction, 1.125" carbon fiber steer with carbon fiber brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

**HEADSET** FSA TH-873-CB Integrated, 1.125" sealed ceramic ACB cartridge bearings with Felt compression device

**STEM** Felt Dagger

**HANDLEBAR** Felt Dagger UHC Ultimate + Nano base bar with Felt *f*-Bend carbon fiber 3-position extensions

**GRIPS** Felt VelvetGel Tape and Dimpled Gel Pads

SHIFTERS Shimano TT/Tri Di2, 2 Button

**FRONT DERAILLEUR** Shimano Dura-Ace Di2 braze-on

REAR DERAILLEUR Shimano Dura-Ace Di2

# SIZES

48, 51, 54, 56, 58cm

**CRANKSET** Rotor Flow Aero with Power

48cm = 165mm

51cm = 170mm

54 - 56cm = 172.5mm

58cm = 175mm

CHAINWHEEL Rotor Flow NoQ 52/36T

**BOTTOM BRACKET** Rotor BB30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano Dura-Ace, 11-25T

**BRAKE FRONT** Felt Aero Brake System with integrated cover

**BRAKE REAR** Felt Aero Brake System with integrated cover

**SADDLE** ISM PN 1.0 Ti

SEATPOST Felt Vibration Reducing Aero Tri UHC
Ultimate + TeXtreme® carbon fiber with 3T DiffLock™
Comfort Module internals, 300mm length

**RIMS/WHEELSET** Zipp 404 Firestrike carbon fiber (front); Zipp 404 Firestrike carbon fiber (rear)

FRONT HUB Zipp 88v10

# WEIGHT

8.37kg, 18.45lbs

REAR HUB Zipp 188v10, 11-speed

TIRES Felt Aero TTR1, 700c x 23c

ACCESSORIES Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, Di2 Interal battery charging cables, Dagger Stem Cover with 1/4-turn Garmin Mount, and valve extenders.



FINISH
Matte Carbon (White)

**FRAME** Felt Integrated Aero Tri UHC Advanced carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Dagger UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, with carbon fiber brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

**HEADSET** FSA TH-873-CB Integrated, 1.125" sealed ceramic ACB cartridge bearings with Felt compression device

**STEM** Felt Dagger

**HANDLEBAR** Felt Dagger UHC Ultimate + Nano base bar with Felt f-Bend carbon fiber 3-position extensions

**GRIPS** Felt SuperGel Tape and Dimpled Gel Pads

**SHIFTERS** SRAM RED eTap Blips (Basebar); Clics (Extensions)

FRONT DERAILLEUR SRAM RED eTap

REAR DERAILLEUR SRAM RED eTap

## SIZES

48, 51, 54, 56, 58cm

# **CRANKSET** SRAM RED

48 - 51cm = 165mm 54 - 56cm = 170mm 58cm = 172.5mm

**CHAINWHEEL SRAM 52/36T** 

**BOTTOM BRACKET SRAM RED BB30** 

CHAIN SRAM Red 22

FREEWHEEL/CASSETTE SRAM XG 1190, 11-26T

**BRAKE FRONT** Felt Aero Brake System with integrated cover

**BRAKE REAR** Felt Aero Brake System with integrated cover

**SADDLE ISM PN 1.0 STN** 

**SEATPOST** Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

RIMS/WHEELSET Zipp 404 Firecrest carbon fiber (front); Zipp 404 Firecrest carbon fiber (rear)

FRONT HUB Zipp 77

REAR HUB Zipp 177, 11s

## WEIGHT

8.93kg, 19.68lbs

TIRES Felt Aero TTR2, 700c x 23c

ACCESSORIES Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, extra SRAM eTap battery, SRAM eTap charger, SRAM eTap dongle, Dagger Stem Cover with 1/4-turn Garmin Mount, and valve extenders.



FINISH
Matte Carbon (Silver)

FRAME Felt Integrated Aero Tri UHC Advanced carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Dagger UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, with carbon fiber brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

**STEM** Felt Dagger

**HANDLEBAR** Felt Dagger UHC Ultimate + Nano base bar with Felt *f*-Bend 3-position extensions

**GRIPS** Felt VelvetGel Tape and Dimpled Gel Pads

SHIFTERS Shimano TT/Tri Di2, 2 Button

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

REAR DERAILLEUR Shimano Ultegra Di2

SIZES

48, 51, 54, 56, 58cm

**CRANKSET** Shimano Ultegra with Pioneer Power Meter

48 - 51cm = 165mm 54 - 56cm = 170mm 58cm = 172.5mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Token For BB30 Frame with Shimano Crankset, Alloy CNC Cups inserted with Sealed Bearings

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 12-25T

**BRAKE FRONT** Felt Aero Brake System with integrated cover

**BRAKE REAR** Felt Aero Brake System with integrated cover

**SADDLE ISM Adamo Attack STN** 

**SEATPOST** Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

RIMS/WHEELSET Felt TTR1 by Novatec, 24mm Width, 50mm Depth (front); Felt TTR0 by Novatec, 25mm Width, 90mm Depth (rear) WEIGHT

9.00kg, 19.84lbs

**FRONT HUB** Felt TTR1 by Novatec, sealed cartridge bearing, 20H

**REAR HUB** Felt TTR0 by Novatec, sealed cartridge bearing, 20H, 11-speed

TIRES Felt Aero TTR2, 700c x 23c

ACCESSORIES Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, Di2 Interal battery charging cables, Dagger Stem Cover with 1/4-turn Garmin Mount, and valve extenders; Pioneer Single-Leg Power Meter



FINISH
Matte Carbon (Silver)

FRAME Felt Integrated Aero Tri UHC Advanced carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Dagger UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, with carbon fiber brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

**STEM** Felt Dagger

**HANDLEBAR** Felt Dagger UHC Ultimate + Nano base bar with Felt *f*-Bend 3-position extensions

**GRIPS** Felt VelvetGel Tape and Dimpled Gel Pads

SHIFTERS Shimano TT/Tri Di2, 2 Button

FRONT DERAILLEUR Shimano Ultegra Di2 braze-on

REAR DERAILLEUR Shimano Ultegra Di2

## SIZES

48, 51, 54, 56, 58cm

**CRANKSET** Shimano Ultegra 48 - 51cm = 165mm

54 - 56cm = 170mm 58cm = 172.5mm

CHAINWHEEL Shimano 52/36T

**BOTTOM BRACKET** Token For BB30 Frame with Shimano Crankset, Alloy CNC Cups inserted with Sealed Bearings

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 12-25T

**BRAKE FRONT** Felt Aero Brake System with integrated cover

**BRAKE REAR** Felt Aero Brake System with integrated cover

**SADDLE** ISM Adamo Attack STN

**SEATPOST** Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

RIMS/WHEELSET Felt TTR1 by Novatec, 24mm Width, 50mm Depth (front); Felt TTR0 by Novatec, 25mm Width, 90mm Depth (rear)

# WEIGHT

9.00kg, 19.84lbs

**FRONT HUB** Felt TTR1 by Novatec, sealed cartridge bearing, 20H

**REAR HUB** Felt TTR0 by Novatec, sealed cartridge bearing, 20H, 11-speed

TIRES Felt Aero TTR2, 700c x 23c

ACCESSORIES Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, Di2 Interal battery charging cables, Dagger Stem Cover with 1/4-turn Garmin Mount, and valve extenders



Matte Carbon (Gloss Rorange, Cyan/White)

**FRAME** Felt Integrated Aero Tri UHC Advanced carbon fiber, MMC w/ InsideOut construction, BB30 & carbon horizontal dropouts w/ integrated chain tensioners, fully integrated proprietary braking system, internal cable routing (electronic compatible)

**FORK** Felt Dagger UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, brake covers, blades, dropouts, crown, fully integrated proprietary braking system

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings w/ Felt compression device

**STEM** Felt Dagger

**HANDLEBAR** Felt Dagger UHC Ultimate + Nano base bar w/ Felt *f*-Bend 3-position extensions

**GRIPS** Felt VelvetGel Tape and Dimpled Gel Pads

SHIFTERS microSHIFT TT 11-speed

FRONT DERAILLEUR Shimano Dura Ace braze-on

**REAR DERAILLEUR** Shimano Dura Ace short cage

**CRANKSET** Vision TriMax Pro TT BB30 48 - 51cm = 165mm 54 - 56cm = 170mm 58cm = 172.5mm

CHAINWHEEL Vision 52/38T

SIZES

48, 51, 54, 56, 58cm

**BOTTOM BRACKET** Vision BB30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 12-25T

**BRAKE FRONT** Felt Aero Brake System w/ integrated cover

**BRAKE REAR** Felt Aero Brake System w/ integrated cover

**SADDLE** ISM Adamo Attack

SEATPOST Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber w/ 3T DiffLock™ Comfort Module internals, 300mm length

**RIMS/WHEELSET** Felt TTR3, 22mm Width, 35mm Depth

**FRONT HUB** Felt TTR3, sealed cartridge bearing, 24H

**REAR HUB** Felt R3, sealed cartridge bearing, 28H, 11-speed

TIRES Felt Aero TTR2, 700c x 23c

**ACCESSORIES** Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, touch-up paint

WEIGHT

9.20kg, 20.28lbs



Matte Carbon (Gloss White, Charcoal, Blue)

**FRAME** Felt Integrated Aero TT / Tri UHC
Performance carbon fiber, MMC with InsideOut
construction, BB30 and carbon horizontal dropouts
with integrated dropout adjusters, aerodynamically
optimized for direct mount rear brake, mechanical
(internal) or electronic (internal) cable routing

**FORK** Felt UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, blades, dropouts, crown; aerodynamically optimized for a conventional brake

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Tri155

**HANDLEBAR** Felt Bayonet 3 base bar with Felt f-Bend 3-position extensions, Ø31.8mm 48 - 51cm = 390mm 54 - 58cm = 420mm

**GRIPS** Felt VelvetGel Tape, Felt Tri Tip Grips and Dimpled Gel Pads

SHIFTERS Shimano TT/Tri Di2, 2 Button

**FRONT DERAILLEUR** Shimano Ultegra Di2 brazeon

REAR DERAILLEUR Shimano Ultegra Di2

# SIZES

48, 51, 54, 56, 58, 61cm

CRANKSET Vision TriMax Pro TT BB30

48cm = 165mm 51cm = 167.5mm 54 - 56cm = 170mm 58cm = 172.5mm

CHAINWHEEL Vision 52/38T

**BOTTOM BRACKET** FSA BB30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

**BRAKE FRONT** Vision TriMax Aero Caliper

BRAKE REAR FSA Aero Direct Mount

**SADDLE** Prologo TGALE TiRox

SEATPOST Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

**RIMS/WHEELSET** Felt TTR3, 22mm Width, 35mm Depth

FRONT HUB Felt TTR3, sealed cartridge bearing, 24H

**REAR HUB** Felt R3, sealed cartridge bearing, 28H, 11-speed

# WEIGHT

9.58kg, 21.12lbs

TIRES Felt Aero TTR2, 700c x 23c

**ACCESSORIES** Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, Di2 Interal battery charging cables



Matte Carbon (Gloss Fluoro Green, Fluoro Blue)

**FRAME** Felt Integrated Aero TT / Tri UHC
Performance carbon fiber, MMC with InsideOut
construction, BB30 and carbon horizontal dropouts
with integrated dropout adjusters, aerodynamically
optimized for direct mount rear brake, mechanical
(internal) or electronic (internal) cable routing

**FORK** Felt UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, blades, dropouts, crown; aerodynamically optimized for a conventional brake

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Tri155

**HANDLEBAR** Felt Bayonet 3 base bar with Felt f-Bend 3-position extensions, Ø31.8mm 48 - 51cm = 390mm 54 - 58cm = 420mm

**GRIPS** Felt VelvetGel Tape, Felt Tri Tip Grips and Dimpled Gel Pads

SHIFTERS microSHIFT TT 11-speed

FRONT DERAILLEUR Shimano Ultegra

REAR DERAILLEUR Shimano Ultegra short cage

## SIZES

48, 51, 54, 56, 58cm

**CRANKSET** Vision TriMax Pro TT BB30

48cm = 165mm 51cm = 167.5mm 54 - 56cm = 170mm 58cm = 172.5mm

CHAINWHEEL Vision 52/38T

**BOTTOM BRACKET** FSA BB30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

BRAKE FRONT Vision TriMax Aero Caliper

BRAKE REAR FSA Aero Direct Mount

**SADDLE** Prologo TGALE TiRox

**SEATPOST** Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

**RIMS/WHEELSET** Felt TTR4, 22mm Width, 30mm Depth

FRONT HUB Felt R3, sealed bearing, 24H

**REAR HUB** Felt R3, sealed cartridge bearing, 28H, 11-speed

# WEIGHT

9.66kg, 21.30lbs

TIRES Felt Aero TTR2, 700c x 23c

**ACCESSORIES** Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac



FINISH
Matte Carbon (Silver, Fluoro Red)

FRAME Felt Integrated Aero TT / Tri UHC
Performance carbon fiber, MMC with InsideOut

construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, aerodynamically optimized for direct mount rear brake, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, blades, dropouts, crown; aerodynamically optimized for a conventional brake

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Tri155

**HANDLEBAR** Felt Bayonet 3 base bar with Felt *f*-Bend 3-position extensions, Ø31.8mm

48 - 51cm = 390mm

54 - 58cm = 420mm

**GRIPS** Felt VelvetGel Tape, Felt Tri Tip Grips and Dimpled Gel Pads

SHIFTERS microSHIFT TT 11-speed

FRONT DERAILLEUR Shimano 105

REAR DERAILLEUR Shimano 105 short cage

SIZES

48, 51, 54, 56, 58cm

CRANKSET FSA Omega BB30

48-51cm =165mm

54 - 56cm = 170mm

58 - 60cm = 172.5mm

CHAINWHEEL FSA 50/34T

**BOTTOM BRACKET FSA BB30** 

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano 11-speed, 11-28T

**BRAKE FRONT** Dual pivot caliper

BRAKE REAR Aero Direct Mount

SADDLE Prologo Zero Tri PAS T2.0

**SEATPOST** Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

**RIMS/WHEELSET** Felt TTR4, 22mm Width, 30mm Depth

FRONT HUB Felt R3, sealed bearing, 24H

**REAR HUB** Felt R3, sealed cartridge bearing, 28H, 11-speed

WEIGHT

TBD

TIRES Felt Aero TTR2, 700c x 23c

**ACCESSORIES** Carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac



Matte TeXtreme (Charcoal, Fluoro Blue, Red, White)

## SIZES

48, 51, 54, 56, 58cm

# WEIGHT

3.165kg, 6.98lbs

**FRAME** Felt Integrated Aero Tri UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, mechanical (internal) or electronic (internal) cable routing

FORK Felt Dagger UHC Ultimate + TeXtreme® carbon fiber monocoque construction, 1.125" carbon fiber steer with carbon fiber brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

**HEADSET** FSA TH-873-CB Integrated, 1.125" sealed ceramic ACB cartridge bearings with Felt compression device

**STEM** Felt Dagger

**HANDLEBAR** Felt Dagger UHC Ultimate + Nano base bar with Felt f-Bend carbon fiber 3-position extensions

**GRIPS** Dimpled Gel Pads

**BRAKE FRONT** Felt Aero Brake System with integrated cover

**BRAKE REAR** Felt Aero Brake System with integrated cover

SEATPOST Felt Vibration Reducing Aero Tri UHC
Ultimate + TeXtreme® carbon fiber with 3T DiffLock™
Comfort Module internals, 300mm length

ACCESSORIES In-line brake cable adjuster, electronic wire grommets, carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, valve extenders



FINISH
Matte Carbon (Charcoal, White)

**FRAME** Felt Integrated Aero Tri UHC Advanced carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Dagger UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, with carbon fiber brake covers, blades, dropouts, and crown; fully integrated proprietary braking system

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

**STEM** Felt Dagger

**HANDLEBAR** Felt Dagger UHC Ultimate + Nano base bar with Felt f-Bend 3-position extensions

**GRIPS** Dimpled Gel Pads

**BRAKE FRONT** Felt Aero Brake System with integrated cover

**BRAKE REAR** Felt Aero Brake System with integrated cover

SEATPOST Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

SIZES

48, 51, 54, 56, 58cm

ACCESSORIES In-line brake cable adjuster, electronic wire grommets, carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, valve extenders WEIGHT

4.02kg, 8.86lbs



FINISH
Matte Carbon (Gloss White, Charcoal, Blue)

FRAME Felt Integrated Aero TT / Tri UHC Performance carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, aerodynamically optimized for direct mount rear brake, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steer, blades, dropouts, crown; aerodynamically optimized for a conventional brake

**HEADSET** FSA IS Integrated, 1.125" sealed ACB cartridge bearings with Felt compression device

STEM Felt Tri155

**SEATPOST** Felt Vibration Reducing Aero Tri UHC Advanced carbon fiber with 3T DiffLock™ Comfort Module internals, 300mm length

ACCESSORIES Electric wire and mechanical cable grommets, carbon assembly paste, aero seatpost slot covers, IA Aeropac, IA Calpac, Felt Headset Upper Cap **SIZES** 48, 51, 54, 56, 58cm

WEIGHT 3.22kg, 7.10lbs



# TRIATHLON / TT

# **DA SERIES**

The DA has long been a favorite among triathletes and time trialists the world over. The latest edition of Felt's perennial time trial bike remains UCI-legal for all competitions, and includes the innovative vibration-reducing, aerodynamic seatpost design made popular by Felt's AR aero road bike series. Its integrated front end makes for a high level of adjustment that can accommodate a wide range of cockpit solutions and fit needs. And the DA's integrated front and rear brakes complement the frame's unique collection of aerodynamic tube profiles that give it a distinct aerodynamic advantage over comparable bikes with exposed brake calipers. Ideal for any TT or triathlon course, the DA is the ultimate weapon of choice for riders looking to beat the clock.



FINISH
Matte TeXtreme (Matte Charcoal, Gloss Cyan)

**SIZES** 51, 54, 56, 58cm

WEIGHT 2.86kg, 6.31lbs

FRAME Felt Integrated Aero Tri UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, internal cable routing (mechanical and electronic compatible)

**FORK** Felt Bayonet 4 UHC Ulitmate + TeXtreme<sup>®</sup> carbon fiber monocoque construction, cabon fiber brake cover, blades, dropouts, and crown with Felt compression device

**HEADSET** Felt Bayonet 4 integrated, 19mm sealed cartridge bearing

**STEM** Felt Bayonet 4 Fixed Position, 90 x 0mm, Ø31.8mm; Felt Bayonet 4 Fixed Position, 70 x 30mm, Ø31.8mm

**BRAKE FRONT** Felt Aero Brake System with integrated cover

BRAKE REAR Felt Aero TT / Tri, integrated

**SEATPOST** Felt DA/B Aero UHC carbon fiber, 350mm length

**ACCESSORIES** Carbon assembly paste, DA Aero Bottle System by TorHans™, Di2 Battery Cover



# TRIATHLON / TT

# **B SERIES**

Featuring many of the aerodynamic benefits of the iconic DA time trial bike, the B series offers triathletes another option for achieving their best bike split ever. Crafted from Felt's UHC Performance carbon fiber and incorporating several of the aerodynamically optimized tube shapes developed for Felt's most technologically advanced bikes, the B series bikes come complete with highly functional component selections that make them ready to race right from the start.



Gloss Carbon (Red, White)

**FRAME** Felt Dual Aero TT / Tri UHC Performance carbon fiber, MMC with InsideOut construction, BB30 and horizontal dropouts with integrated dropout adjusters, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Aero TT / Tri UHC Performance carbon fiber blades and dropouts, 1.125" aluminum steer tube

**HEADSET** FSA IS2 integrated, 1.125" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt top cap and aluminum bolt

**STEM** Felt SuperLite, ±17° rise, Ø31.8mm 47cm (650c) = 60mm 51cm = 80mm 54 - 56cm = 90mm 58cm = 100mm 61cm = 110mm

**HANDLEBAR** Felt Bayonet 3 base bar with Felt *f*-Bend 3-position extensions, Ø31.8mm 51 - 54cm = 390mm

56 - 58cm = 420mm 61cm = 440mm

**GRIPS** Felt VelvetGel Tape, Felt Tri Tip Grips and Dimpled Gel Pads

SHIFTERS microSHIFT TT 11-speed

## SIZES

47cm (650c), 51, 54, 56, 58, 61cm

FRONT DERAILLEUR Shimano Ultegra

REAR DERAILLEUR Shimano Ultegra short cage

**CRANKSET** FSA Omega BB30 47cm (650c) = 165mm 51cm = 167.5mm 54 - 56cm = 170mm 58 - 61cm = 172.5mm

**CHAINWHEEL FSA 50/34T** 

**BOTTOM BRACKET** FSA BB30

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

**BRAKE FRONT** Dual pivot caliper

BRAKE REAR Felt Aero TT / Tri

**SADDLE** Prologo Nago Evo Tri40 T2.0

**SEATPOST** Felt DA/B Aero UHC carbon fiber, 350mm length

**RIMS/WHEELSET** Felt TTR4, 22mm Width, 30mm Depth

FRONT HUB Felt R3, sealed bearing, 24H

## WEIGHT

9.44kg, 21.82lbs

**REAR HUB** Felt R3, sealed cartridge bearing, 28H, 11-speed

**TIRES** Vittoria Zaffiro Slick, 700c x 23c; Vittoria Rubino Pro, 650c x 23c

**ACCESSORIES** Carbon assembly paste



# S SERIES

# TRIATHLON/TT

Developed for those riders looking to get started in triathlon but don't want to sacrifice performance, the S series features a durable aluminum frame with aerodynamic shaping not normally found on comparably priced competitors' bikes. The S frame is paired with a bladed carbon fiber fork that adds even more aerodynamic benefits while offering stable, confidence-inspiring steering. Its highly functional selection of components makes it immediately ready to race while also providing plenty of upgrade potential for long-term service.



Matte Black (Silver, Red)

**FRAME** Felt TT / Tri AeroLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, machined threaded BB shell, and horizontal dropouts with integrated dropout adjusters, internal cable routing

**FORK** Felt Aero TT / Tri UHC Performance carbon fiber blades and dropouts, 1.125" aluminum steer tube

**HEADSET** FSA IS21 integrated, 1.125" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt top cap and aluminum bolt

**STEM** Felt SuperLite, ±7° rise, Ø31.8mm 47cm (650c) = 60mm 51cm = 80mm 54 - 56cm = 90mm 58cm = 100mm 61cm = 110mm

**HANDLEBAR** Felt Aero TT/Tri base bar with Felt f-Bend 3-position extensions, Ø31.8mm 47cm (650c) = 390mm 51cm = 390mm 54 - 58cm = 420mm 61cm = 440mm

**GRIPS** Felt VelvetGel Tape, Felt Tri Tip Grips and Dimpled Gel Pads

SIZES

47 (650c), 51, 54, 56, 58, 61cm

SHIFTERS microSHIFT TT 11-speed

FRONT DERAILLEUR Shimano 105

REAR DERAILLEUR Shimano 105 short cage

**CRANKSET** FSA Vero 47cm (650c) = 165mm 51 - 56cm = 170mm 58cm - 61cm = 172.5mm

**CHAINWHEEL** FSA 50/34T

**BOTTOM BRACKET** FSA Square Tapered, 68 x 103mm

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano 11-speed, 11-28T

**BRAKE FRONT** Dual pivot caliper

BRAKE REAR Felt Aero TT / Tri

SADDLE Felt TT / Tri

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 300mm length

**RIMS/WHEELSET** Felt Road RSL3 (tubeless ready), 22mm Width, 24mm Depth

WEIGHT

9.62kg, 21.21lbs

FRONT HUB Felt R3, sealed bearing, 28H

**REAR HUB** Felt R3, sealed cartridge bearing, 32H, 11-speed

**TIRES** Vittoria Zaffiro Slick, 700c x 23c; Vittoria Rubino, 650c x 23c



# **CROSS**

# **FX SERIES**

Mud, rocks, snow, sweat and pain. That's cyclocross. The toughest racecourses demand the best equipment, and that's why Felt created the Fx series. With geometry tuned for the demands of the world's top athletes, the Fx offers incredibly responsive handling, optimal pedaling stiffness and an oversize front triangle for easy shouldering when tackling technical run-up sections. The Fx series also boasts plenty of versatility thanks to its dual water bottle mounting locations and ample frame clearance that can accommodate most modern performance tires. Available in both high-performance carbon fiber and rugged aluminum, all Fx models feature disc brakes for maximum performance in any weather condition. Whatever the 'cross course throws your way, the Fx has you covered.



Matte TeXtreme (Gloss Fluoro Red)

FRAME Felt Cyclocross UHC Advanced + TeXtreme® carbon fiber, MMC w/ InsideOut construction, BB386 & 12 x 142mm w/ Syntace style thru axle dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, internal cable routing (mechanical compatible)

**FORK** Felt Cyclocross UHC Ultimate + TeXtreme® carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades w/ post mount disc tabs & 15 x 100mm Maxle style dropouts

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap & bolt

**STEM** 3T ARX II Team Stealth, +/-6° rise, Ø31.8mm 47 - 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm

**HANDLEBAR** 3T Ergoterra Team Stealth, 89mm reach, 127mm drop,  $\emptyset$ 31.8mm

47 - 50cm = 420 / 450mm

53 - 60cm = 440 / 470mm

**GRIPS** Felt CxGel Tape

SHIFTERS Shimano R785 Di2 Hydro

FRONT DERAILLEUR N/A

## SIZES

47, 50, 53, 55, 57, 60cm

#### REAR DERAILLEUR Shimano Dura Ace Di2

CRANKSET Rotor 3D+ CX1

47cm = 165mm

50cm = 170mm

53cm = 172.5mm

55 - 60cm = 175mm

**CHAINWHEEL** Rotor XC1 Q-Ring, 40T Roto XC1 NoQ-Ring, 40T

**BOTTOM BRACKET** Rotor BB386

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-28T

**BRAKE FRONT** Shimano R785 Hydraulic Disc w/ Shimano Ice-Tech 140mm rotor

**BRAKE REAR** Shimano R785 Hydraulic Disc w/ Shimano Ice-Tech 140mm rotor

SADDLE Prologo X Zero TiRox

**SEATPOST** 3T Ionic VR 25 Team Stealth, Ø27.2mm, 350mm length

RIMS/WHEELSET DT Swiss XCR1300 Carbon db

**FRONT HUB** DT SWISS 350 SP db Center Lock, 100 x 15mm thru axle

# WEIGHT

7.61kg, 16.78lbs

**REAR HUB** DT SWISS 350 SP db Center Lock, pawl drive system hub, 12 x 142mm thru axle

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

**ACCESSORIES** Carbon assembly paste, chain plate protector, Di2 internal battery charging cables, Felt CxR cowbell, touch-up paint



Matte TeXtreme (Gloss Fluoro Red)

FRAME Felt Cyclocross UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, BB386 and 12 x 142mm with Syntace
style thru axle dropouts, shoulder friendly top tube,
replaceable rear derailleur hanger, mechanical
(internal) or electronic (internal) cable routing

**FORK** Felt Cyclocross UHC Ultimate + TeXtreme® carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades with post mount disc tabs and 15 x 100mm Maxle style dropouts

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap and bolt

STEM 3T ARX II Team Stealth, ±6° rise, Ø31.8mm

47 - 53cm = 90mm

55cm = 100mm

57cm = 110mm60cm = 120mm

**HANDLEBAR** 3T Ergoterra Team Stealth, 89mm reach, 127mm drop, Ø31.8mm

47 - 50cm = 420 / 450mm

53 - 60cm = 440 / 470mm

**GRIPS** Felt CxGel Tape

**SHIFTERS** SRAM Force Cx1 Hydraulic DoubleTap

## SIZES

47, 50, 53, 55, 57, 60cm

#### FRONT DERAILLEUR N/A

REAR DERAILLEUR SRAM Force1 short cage

CRANKSET SRAM Force Cx1 BB30 for BB386 Frame

47cm = 165mm

50cm = 170mm

53cm = 172.5mm

55 - 60cm = 175mm

**CHAINWHEEL** SRAM Force XSYNC, 38T SRAM Force XSYNC, 42T

BOTTOM BRACKET FSA PF30 for BB386 Frame

CHAIN SRAM 11-speed

FREEWHEEL/CASSETTE SRAM, 11-28T

**BRAKE FRONT** SRAM Red Hydraulic Disc with SRAM 160mm rotor

**BRAKE REAR** SRAM Red Hydraulic Disc with SRAM 140mm rotor

**SADDLE** Prologo X Zero TiRox

SEATPOST 3T Ionic VR 25 Team Stealth, Ø27.2mm, 350mm length

RIMS/WHEELSET DT Swiss R24 SPLINE db

## WEIGHT

7.84kg, 17.28lbs

**FRONT HUB** DT Swiss R24 SPLINE db 6-bolt,  $100 \times 15 \text{mm}$  thru axle

**REAR HUB** DT Swiss R24 SPLINE db 6-bolt, pawl drive system hub, 12 x 142mm thru axle

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

**ACCESSORIES** Extra SRAM Force XSYNC 42T Chainring, Carbon assembly paste, chain plate protector, tubeless valve stems, Felt CxR cowbell



Matte TeXtreme (Gloss Paste Blue, Fluoro Red)

FRAME Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 and 12 x 142mm with Syntace style thru axle dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, mechanical (internal) or electronic (internal) cable routing

**FORK** Felt Cyclocross UHC Ultimate + TeXtreme® carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades with post mount disc tabs and 15 x 100mm Maxle style dropouts

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap and bolt

STEM 3T ARX II, ±6° rise, Ø31.8mm

47 - 53cm = 90mm

55cm = 100mm

57cm = 110mm60cm = 120mm

HANDLEBAR 3T Ergoterra Pro, 89mm reach,

127mm drop, Ø31.8mm

47 - 50cm = 420 / 450mm

53 - 60cm = 440 / 470mm

**GRIPS** Felt CxGel Tape

SHIFTERS Shimano R685 Hydro

## SIZES

47, 50, 53, 55, 57, 60cm

**FRONT DERAILLEUR** Shimano Ultegra clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Ultegra short cage

**CRANKSET** Shimano Ultegra

47cm = 165mm

50cm = 170mm

53cm = 172.5mm

55 - 60cm = 175mm

CHAINWHEEL Shimano 46/36T

**BOTTOM BRACKET** FSA PF30 with 24mm spindle reducers for BB386 Frame

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-28T

**BRAKE FRONT** Shimano R785 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

**BRAKE REAR** Shimano R785 Hydraulic Disc with Shimano Ice-Tech 140mm rotor

**SADDLE** Prologo Nago Evo X8 T2.0

**SEATPOST** 3T Ionic VR 25 Pro, Ø27.2mm, 350mm length

RIMS/WHEELSET DT Swiss R24 Classic db

## WEIGHT

8.47kg, 18.67lbs

**FRONT HUB** DT Swiss 340 Classic db Center Lock, 100 x 15mm thru axle

**REAR HUB** DT Swiss 340 Classic db Center Lock, 12 x 142mm thru axle

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

**ACCESSORIES** Carbon assembly paste, chain plate protector, tubeless valve stems, Felt CxR cowbell, touch-up paint



Gloss Pistachio (TeXtreme)

FRAME Felt Cyclocross UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, BB386 and 12 x 142mm with Syntace
style thru axle dropouts, shoulder friendly top tube,
replaceable rear derailleur hanger, mechanical
(internal) or electronic (internal) cable routing

**FORK** Felt Cyclocross UHC Advanced carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steer tube and crown, carbon fiber blades with post mount disc tabs, and 15 x 100mm Maxle style dropouts

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap and bolt

STEM Felt CXR SuperLite, ±7° rise, Ø31.8mm

47 - 53cm = 90mm

55cm = 100mm

57cm = 110mm

60cm = 120mm

**HANDLEBAR** Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm

47 - 50cm = 420 / 450mm

53 - 60cm = 440 / 470mm

**GRIPS** Felt CxGel Tape

SHIFTERS SRAM Rival Cx1 DoubleTap

SIZES

47, 50, 53, 55, 57, 60cm

FRONT DERAILLEUR N/A

REAR DERAILLEUR SRAM Force Cx1 medium Cage

CRANKSET SRAM S350 Cx1 GXP

47cm = 165mm

50cm = 170mm

53cm = 172.5mm

55 - 60cm = 175mm

CHAINWHEEL SRAM XSYNC, 40T

**BOTTOM BRACKET** Token For BB386 Frame with SRAM GXP Crankset

CHAIN SRAM 11-speed

FREEWHEEL/CASSETTE SRAM, 11-32T

**BRAKE FRONT** SRAM Rival Hydraulic Disc with SRAM 160mm rotor

**BRAKE REAR** SRAM Rival Hydraulic Disc with SRAM 160mm rotor

**SADDLE** Prologo Nago Evo X8 T2.0

SEATPOST Felt CxR2, Ø27.2mm, 300mm length

RIMS/WHEELSET Novatec 30 Disc

**FRONT HUB** Felt R2 Disc, sealed bearing, 24H, 100 x 15mm thru axle

WEIGHT

9.10kg, 20.06lbs

**REAR HUB** Felt R2 Disc, sealed bearing, 28H, 11-speed, 12 x 142mm thru axle

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

**ACCESSORIES** Carbon assembly paste, chain plate protector, Felt CxR cowbell



Matte Primer Grey (Black and Fluoro Red)

**FRAME** Felt Cyclocross FLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB386, replaceable rear derailleur hanger, internal cable routing

**FORK** Felt Cyclocross UHC Advanced carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steer tube and crown, carbon fiber blades with post mount disc tabs, and 15 x 100mm Maxle style dropouts

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum),  $1 \times 10$ mm +  $2 \times 5$ mm PC headset spacers, Felt top cap and bolt

**STEM** Felt CXR SuperLite, ±7° rise, Ø31.8mm

47 - 53cm = 90mm

55cm = 100mm

57cm = 110mm 60cm = 120mm

HANDLEBAR Felt CXR SuperLite, 86mm reach,

130mm drop, Ø31.8mm

47 - 50cm = 420 / 450mm

53 - 60cm = 440 / 470mm

**GRIPS** Felt CxGel Tape

SHIFTERS SRAM Rival Cx1 DoubleTap

FRONT DERAILLEUR N/A

### SIZES

47, 50, 53, 55, 57, 60cm

REAR DERAILLEUR SRAM Rival Cx1 medium cage

CRANKSET SRAM S350 Cx1 GXP

47cm = 165mm

50cm = 170mm

53cm = 172.5mm 55 - 60cm = 175mm

CHAINWHEEL SRAM XSYNC, 40T

**BOTTOM BRACKET** FSA PF30 with SRAM GXP spindle reducers for BB386 Frame

CHAIN SRAM 11-speed

FREEWHEEL/CASSETTE SRAM, 11-32T

**BRAKE FRONT** SRAM Rival Hydraulic Disc with SRAM 160mm rotor

**BRAKE REAR** SRAM Rival Hydraulic Disc with SRAM 160mm rotor

**SADDLE** Prologo Nago Evo X8 T2.0

SEATPOST Felt CxR2, Ø27.2mm, 300mm length

RIMS/WHEELSET Felt CxR3 Disc (tubeless ready)

FRONT HUB Felt R3 Disc, sealed bearing, 24H

**REAR HUB** Felt R3 Disc, sealed cartridge bearing, 28H, 11-speed

### WEIGHT

9.36kg, 20.64lbs

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

**ACCESSORIES** Chain plate protector, Felt CxR cowbell



Matte Black (Charcoal and Fluoro Red)

**FRAME** Felt Cyclocross Flite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB386, replaceable rear derailleur hanger, internal cable routing, rack mounts

**FORK** Felt Cyclocross UHC Advanced carbon fiber blades with fender mounts, ControlTaper 1.125" - 1.5" aluminum steer tube, and post mount disc tabs

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum),  $1 \times 10$ mm +  $2 \times 5$ mm PC headset spacers, Felt top cap and bolt

**STEM** Felt CXR SuperLite, ±7° rise, Ø31.8mm 47 - 53cm = 90mm

55cm = 100mm

57cm = 110mm

60cm = 120mm

**HANDLEBAR** Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm

47 - 50cm = 420 / 450mm

53 - 60cm = 440 / 470mm

**GRIPS** Felt CxGel Tape

SHIFTERS Shimano 105

**FRONT DERAILLEUR** Shimano 105 clamp-on, Ø34.9mm

SIZES

47, 50, 53, 55, 57, 60cm

REAR DERAILLEUR Shimano 105 short cage

**CRANKSET** FSA Gossamer BB386

47cm = 165mm

50cm = 170mm

53cm = 172.5mm

55 - 60cm = 175mm

**CHAINWHEEL FSA 46/36T** 

BOTTOM BRACKET FSA PF30 for BB386 Frame

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-28T

**BRAKE FRONT** TRP Spyre C with 160mm rotor

BRAKE REAR TRP Spyre C with 140mm rotor

**SADDLE** Prologo Nago Evo X10 T2.0

SEATPOST Felt CxR3, Ø27.2mm, 300mm length

RIMS/WHEELSET Felt CxR3 Disc (tubeless ready)

FRONT HUB Felt R3 Disc, sealed bearing, 24H

**REAR HUB** Felt R3 Disc, sealed cartridge bearing, 28H, 11-speed

TIRES Schwalbe X-One Evo, HS 467, 700c x 33c

WEIGHT

9.60kg, 21.16lbs

ACCESSORIES Felt CxR cowbell



Gloss Snozberry (Black, Blue, Fluoro Green)

**FRAME** Felt Cyclocross Flite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB386, replaceable rear derailleur hanger, internal cable routing, rack mounts

**FORK** Felt Cyclocross UHC Advanced carbon fiber blades with fender mounts, ControlTaper 1.125" - 1.5" aluminum steer tube, and post mount disc tabs

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum),  $1 \times 10$ mm +  $2 \times 5$ mm PC headset spacers, Felt top cap and bolt

**STEM** Felt CXR SuperLite, ±7° rise, Ø31.8mm 47 - 53cm = 90mm

55cm = 100mm

57cm = 110mm

60cm = 120mm

**HANDLEBAR** Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm

47 - 50cm = 420 / 450mm

53 - 60cm = 440 / 470mm

**GRIPS** Felt CxGel Tape

SHIFTERS Shimano Tiagra

**FRONT DERAILLEUR** Shimano Tiagra clamp-on, Ø34.9mm

### SIZES

47, 50, 53, 55, 57, 60cm

REAR DERAILLEUR Shimano Tiagra long cage

CRANKSET Shimano Cx50

47cm = 165mm

50 - 53cm = 170mm

55 - 60cm = 175mm

CHAINWHEEL Shimano 46/34T

**BOTTOM BRACKET** Token For BB386 Frame with Shimano Crankset

CHAIN KMC 10-speed

FREEWHEEL/CASSETTE Shimano, 11-34T

BRAKE FRONT Tektro Mira

BRAKE REAR Tektro Mira

**SADDLE** Felt CxR

SEATPOST Felt CxR3, Ø27.2mm, 300mm length

RIMS/WHEELSET Felt CxR3 Disc (tubeless ready)

FRONT HUB Shimano, sealed bearing, 32H

REAR HUB Shimano, sealed bearing, 32H, 10-speed

**TIRES** Schwalbe Rapid Rob HS 391,  $700c \times 35c$ 

### WEIGHT

10.50kg, 23.15lbs

ACCESSORIES Felt CxR cowbell



**FINISH** Matte Fluoro Red (Black)

FRAME Felt Cyclocross Flite Custom Butted 6061 aluminum, TIG-welded construction, threaded bottom bracket, replaceable rear derailleur hanger

**FORK** Felt Cyclocross tapered aluminum blades, crown and dropouts, 1.125" Cr-Mo steer tube

**HEADSET** FSA IS3E integrated, 1.125" sealed bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt top cap and aluminum bolt

STEM Felt SuperLite, ±7° rise, Ø26.0mm, 80mm

HANDLEBAR Felt K:1, 75mm reach, 120mm drop, Ø26.0mm, 360mm

**GRIPS** Felt CxGel Tape

SHIFTERS microSHIFT Road short reach

FRONT DERAILLEUR microSHIFT Road clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Sora short cage

CRANKSET Felt CxR:K Road, 155mm

CHAINWHEEL Felt 40/28T

**BOTTOM BRACKET** Square Tapered

CHAIN KMC 9-speed

SIZES

39cm

FREEWHEEL/CASSETTE Shimano, 11-32T

BRAKE FRONT Mini V-Brake

BRAKE REAR Mini V-Brake

SADDLE Felt CxR:K

SEATPOST Felt CxR3, Ø27.2mm

RIMS/WHEELSET Felt CxR:K

FRONT HUB Felt R4, sealed bearing, 24H

REAR HUB Felt R4, sealed bearing, 28H, 9-speed

TIRES Kenda Happy Medium, 24" x 1.125"

**ACCESSORIES** Felt CxR cowbell

WEIGHT

9.48kg, 20.90lbs



FINISH
Matte TeXtreme (Charcoal, Fluoro Red, Fluoro Blue)

**SIZES** 47, 50, 53, 55, 57, 60cm

**WEIGHT** 1.457kg, 3.21lbs

FRAME Felt Cyclocross UHC Ultimate + TeXtreme® carbon fiber, MMC with InsideOut construction, BB386 and 12 x 142mm with Syntace style thru axle dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, internal cable routing (mechanical and electronic compatible)

**FORK** Felt Cyclocross UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades with post mount disc tabs and 15 x 100mm Maxle style dropouts

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap and bolt

**ACCESSORIES** Carbon assembly paste, chain plate protector



FINISH
Matte TeXtreme (Gloss Fluoro Red)

**SIZES** 47, 50, 53, 55, 57, 60cm

WEIGHT TBD

FRAME Felt Cyclocross UHC Advanced +
TeXtreme® carbon fiber, MMC with InsideOut
construction, BB386 and 12 x 142mm with Syntace
style thru axle dropouts, shoulder friendly top tube,
replaceable rear derailleur hanger, mechanical
(internal) or electronic (internal) cable routing

FORK Felt Cyclocross UHC Ultimate + TeXtreme® carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades with post mount disc tabs and 15 x 100mm Maxle style dropouts

**HEADSET** FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1 x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap and bolt

**ACCESSORIES** Carbon assembly paste, chain plate protector



# **TRACK**

### TA FRD / TK SERIES

Felt's track bikes have been ridden to world championships and Olympic medals, and they're ideal for both the sport's top athletes and anyone looking to experience the thrill of racing inside the velodrome. The top-of-the-line TA FRD is crafted from Ultimate + TeXtreme® carbon fiber and features aerodynamic tube shapes gleaned from Felt's decades-long experience developing the world's most aerodynamic bicycles. The TK series includes other models crafted from rugged aluminum frames for the durability and stiffness demanded by the purest form of bike racing where power reigns supreme.





FINISH
Matte TeXtreme (Silver, White)

**SIZES** One Size WEIGHT TBD

**FRAME** Felt Track Aero, UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber

**FORK** Felt TA FRD, UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber

**AEROBAR** Felt TA FRD, UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber

**CRANKSET** Proprietary "Race" Vision Metron Track with Stages Cycling power meter & proprietary "Train" Vision Track

**CHAINWHEEL** Proprietary "Race" Vision Metron Track & proprietary "Train" Vision Track

**BOTTOM BRACKET** CeramicSpeed BB30 Coated

RIMS/WHEELSET Proprietary "Race" HED Volo Track Discs with CeramicSpeed Coated bearings & proprietary "Train" HED Stinger 6 with proprietary Phil Wood Track Hubs



Matte TeXtreme (Charcoal, Fluoro Blue, Red, White)

SIZES

52, 55, 57, 60cm

WEIGHT

6.88kg, 15.17lbs

FRAME Felt Integrated Aero Tri UHC Ultimate + TeXtreme<sup>®</sup> carbon fiber, MMC with InsideOut construction, BB30 and carbon horizontal dropouts with integrated dropout adjusters, fully integrated proprietary braking system, internal cable routing (mechanical and electronic compatible)

**FORK** Felt Aero Track UHC Ultimate carbon fiber monocoque construction, 1.125" carbon fiber steer tube, crown, blades and dropouts with aluminum steer tube plug

**HEADSET** FSA IS integrated, 1.125" sealed cartridge bearing with custom TK1 cone spacer, 1 x 10mm + 1 x 5mm PC headset spacers, Felt top cap and aluminum bolt

**STEM** 3T Team Stem with titanium bolts, ±10° rise, Ø31.8mm, 100mm

**HANDLEBAR** 3T SCATTO LTD carbon fiber, Ø31.8mm

**GRIPS** Felt VelvetGel Tape

CRANKSET Rotor 3D24 TRACK

52cm = 165mm

55cm = 167.5mm

57cm = 170mm

60cm = 170mm

CHAINWHEEL Rotor 49T x 1/8"

**BOTTOM BRACKET** Rotor

CHAIN KMC X101 1-Speed

FREEWHEEL/CASSETTE 15T x 1/8" with lockring

**SADDLE** Prologo Zero II CPC TiRox

**SEATPOST** Felt Tk1 carbon fiber with 3T DiffLock<sup>TM</sup> internals

 $\textbf{RIMS/WHEELSET} \ \ \text{Felt TkR1 by Reynolds tubular}$ 

**FRONT HUB** Felt TkR1, sealed cartridge bearing, 24H

**REAR HUB** Felt TkR1, sealed cartridge bearing, 24H, double-threaded fixed / fixed

**TIRES** Challenge Pista Ultra, I 1000+tpi Silk casing, 28" x 22mm

**ACCESSORIES** Carbon Assembly Paste, Vittoria Mastik One Tubular Glue



Matte Black (Shadow, Silver, Blue)

**FRAME** Felt Aero Track UltraLite Custom Butted 7005 aluminum, threaded BB shell, horizontal dropouts with cast steel surfaces and integrated chain tensioners

**FORK** Felt Aero Track UHC Performance carbon fiber blades and dropouts, 1.125" aluminum steer tube

**HEADSET** FSA IS21 integrated, 1.125" sealed cartridge bearing with aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap and aluminum bolt

**STEM** 3T Pro Stem,  $\pm 6^{\circ}$  rise, Ø31.8mm 51 - 56cm = 85mm

58 - 61cm = 100mm

**HANDLEBAR** Felt TKR-MSO, Ø31.8mm 51cm = 360mm 54 - 58cm = 390mm 61cm = 420mm

**GRIPS** Felt Gel Tape

**CRANKSET** TruVativ Omnium GXP 51 - 54cm = 165mm 56cm = 167.5mm 58 - 61cm = 170mm

CHAINWHEEL TruVativ 48T x 1/8"

SIZES

51, 54, 56, 58, 61cm

**BOTTOM BRACKET** Felt TkR GXP compatible 68mm threaded by Token

CHAIN KMC Z510HX 1-Speed

FREEWHEEL/CASSETTE 15T x 1/8" with lockring

SADDLE Prologo Zero II T2.0

**SEATPOST** Felt TkR bladed carbon fiber, Ø27.2mm, 300mm

RIMS/WHEELSET MAVIC ELLIPSE Clincher

FRONT HUB Mavic, QRM+ sealed cartridge bearing,

**REAR HUB** Mavic, QRM+ sealed cartridge bearing, 20H, double-threaded fixed/fixed

TIRES Challenge Pista OT, 320tpi, 700c x 23c

**ACCESSORIES** Carbon Assembly Paste

WEIGHT

7.44kg, 16.40lbs



Matte Black Shadow (Silver, Aqua)

**FRAME** Felt Aero Track UltraLite Custom Butted 7005 aluminum, threaded BB shell, horizontal dropouts with cast steel surfaces and integrated chain tensioners

**FORK** Felt Aero Track UHC Performance carbon fiber blades and dropouts, 1.125" aluminum steer tube

**HEADSET** FSA IS integrated, 1.125" sealed cartridge bearing with aluminum 9mm cone spacer, 20mm optional secondary cone spacer, 2 x 10mm + 1 x 5mm PC headset spacers, Felt top cap and aluminum bolt

**STEM** Felt SuperLite, ±7° rise, Ø31.8mm 51cm = 90mm 54 - 56cm = 100mm 58cm = 110mm 61cm = 120mm

**HANDLEBAR** Felt TKR-MSO, Ø31.8mm 51cm = 360mm 54 - 58cm = 390mm 61cm = 420mm

**GRIPS** Felt Gel Tape

**CRANKSET** Felt Track, 144mm BCD 51 - 54cm = 165mm 56cm = 167.5mm 58 - 61cm = 170mm SIZES

51, 54, 56, 58, 61cm

CHAINWHEEL Felt 48T x 3/32"

**BOTTOM BRACKET** FSA Square Tapered, 68mm

CHAIN KMC Z610HX 1-Speed

FREEWHEEL/CASSETTE 15T x 3/32" with lockring

**SADDLE** Felt SuperLite

SEATPOST Felt TkR, Ø27.2mm, 300mm

RIMS/WHEELSET Felt TkR4

FRONT HUB Felt TkR4, sealed cartridge bearing, 28H

**REAR HUB** Felt TkR4, sealed cartridge bearing, 28H, double-threaded fixed/fixed

TIRES Vittoria Zaffiro Pro Slick, 700c x 23c

**ACCESSORIES N/A** 

WEIGHT

8.06kg, 17.77lbs



FINISH
Matte TeXtreme (Charcoal, Gloss White, Red)

**SIZES** 52, 55, 57, 60cm

WEIGHT TBD

FRAME Felt Aero Track UHC Advanced + Nano + TeXtreme<sup>®</sup> carbon fiber, MMC with InsideOut construction, threaded BB, horizontal dropouts with titanium surfaces and integrated chain tensioners

**FORK** Felt Aero Track UHC Ultimate + Nano + TeXtreme<sup>®</sup> carbon fiber monocoque construction, Bayonet steer tube, carbon fiber crown, blades and dropouts

**HEADSET** FSA IS integrated, 1.125" sealed cartridge bearing with custom TK cone spacer

STEM Felt Exclusive Adjustable TK External Steerer Design, 2D Forge 6061 Aluminum. 12 Piece Design. EACH BIKE WILL COME WITH 9 STEM EXTEN-SIONS

**SEATPOST** Felt Tk1 carbon fiber with 3T DiffLock<sup>TM</sup> internals

**ACCESSORIES** 9 Stem Extensions, Carbon Assembly Paste



# **ENDURO/ALL MOUNTAIN**

## **COMPULSION SERIES**

Designed for Enduro racing but versatile enough for everyday trail riding, the Compulsion is most at home on technical descents. Featuring 160mm of suspension travel and Felt's revolutionary Equilink technology that maximizes pedaling efficiency while handling anything the trail throws your way, the Compulsion makes even the roughest, rock-laden, root-strewn terrain accessible. Its 27.5-inch wheels have become the industry standard and combine with the Compulsion's unique geometry to make it a better climbing companion than other bikes in its class. For those riders looking to take on the challenge of Enduro racing, or for those who simply want one bike that's capable of handling any ride, then the Compulsion is the ideal choice to conquer any trail, any terrain, anytime.



Matte Lime Punch (Cyan, Grey)

FRAME Felt All-Mountain, double-butted 6061 aluminum, Hydroform,160mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch Plus RC3, DebonAir with High Volume eyelet, custom tune, 216 x 63

**FORK** Rock Shox Pike RCT3 Dual Position Air, 160mm

**HEADSET** FSA DX Pro semi integrated tapered headset, external lower cup w/8mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 50mm

MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS SRAM X01 11-speed

FRONT DERAILLEUR N/A

### SIZES

SM (16"), MD (18"), LG (20"), XL (22")

#### **REAR DERAILLEUR SRAM X01**

**CRANKSET** Race Face Turbine SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 32T

**BOTTOM BRACKET** Race Face 73mm

**CHAIN SRAM XX1** 

**FREEWHEEL/CASSETTE** SRAM XG1180, 11-speed, 10-42T

**BRAKE FRONT** SRAM Guide RSC w/ carbon lever, 180mm rotor

**BRAKE REAR** SRAM Guide RSC w/ carbon lever, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST KS LEV Integra SM/MD - Ø30.9 x 342mm - 100mm travel LG/XL - Ø30.9 x 392mm - 125mm travel

RIMS/WHEELSET WTB KOM i23

FRONT HUB Novatec, 6-bolt, 15x100

**REAR HUB** Novatec, 6-bolt, 12x142, XD driver for SRAM 1x11

### WEIGHT

13.2kg / 29.1lb

**TIRES** Ft: Schwalbe Hans Dampf Snakeskin, TL-ready, folding,  $27.5 \times 2.35$  Rr: Schwalbe Rock Razor Snakeskin, TL-ready, folding,  $27.5 \times 2.35$ 



Matte Cement (Grey, Yellow)

**FRAME** Felt All-Mountain, double-butted 6061 aluminum, Hydroform,160mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch RT3, DebonAir with High Volume eyelet, custom tune, 216 x 63

FORK Rock Shox Pike RC Solo Air, 160mm

**HEADSET** FSA DX Pro semi integrated tapered headset, external lower cup w/8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 50mm

MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano XT 11-speed

FRONT DERAILLEUR N/A

### SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR** Shimano XT 11-speed Shadow Plus, Medium cage

CRANKSET Race Face Aeffect SL SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 32T

**BOTTOM BRACKET** Race Face 73mm

CHAIN Shimano HG700

**FREEWHEEL/CASSETTE** Shimano XT 11-speed, 11-46T

BRAKE FRONT Shimano SLX, 180mm rotor

BRAKE REAR Shimano SLX, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

**SEATPOST** KS Drop Zone w/ remote SM/MD - Ø30.9 x 350mm -100mm travel LG - Ø30.9 x 385mm - 125mm travel XL - Ø30.9 x 420mm - 125mm travel

RIMS/WHEELSET WTB Speed Disc i23

FRONT HUB Forged aluminum, 6-bolt, 15x100

REAR HUB Forged aluminum, 6-bolt, 12x142

### WEIGHT

13.49kg / 29.74lb

**TIRES** Ft: Schwalbe Hans Dampf Snakeskin, TL-ready, folding, 27.5 x 2.35 Rr: Schwalbe Rock Razor Snakeskin, TL-ready, folding, 27.5 x 2.35



Matte Graphite Blue (Olive, Lime)

FRAME Felt All-Mountain, double-butted 6061 aluminum, Hydroform,160mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch RT, DebonAir with High Volume eyelet, custom tune, 216 x 63

FORK SR Suntour Aion RL-R, 160mm

**HEADSET** FSA DX Pro semi integrated tapered headset, external lower cup w/8mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 50mm

MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 25mm rise x 6° sweep x 9° bend (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano Deore 2x10

**FRONT DERAILLEUR** Shimano Deore, high direct mount

### SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR** Shimano XT 10-speed Shadow Plus, long cage

**CRANKSET** Shimano Deore 2x10 SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 36/22T

**BOTTOM BRACKET** Shimano 73mm

**CHAIN** Shimano HG54

**FREEWHEEL/CASSETTE** Shimano Deore 10-speed, 11-36T

BRAKE FRONT Shimano Deore M506, 180mm rotor

BRAKE REAR Shimano Deore M506, 160mm rotor

**SADDLE** WTB Volt Comp - Steel rails

**SEATPOST** KS Drop Zone SM/MD - Ø30.9 x 350mm -100mm travel LG - Ø30.9 x 385mm - 125mm travel

XL - Ø30.9 x 420mm - 125mm travel RIMS/WHEELSET WTB Speed Disc i23

FRONT HUB Forged aluminum, 6-bolt, 15x100

**REAR HUB** Forged aluminum, 6-bolt, 12x142

### WEIGHT

14.35kg / 31.64lb

**TIRES** Ft: Schwalbe Hans Dampf Performance, folding,  $27.5 \times 2.35$  Rr: Schwalbe Rock Razor Snakeskin, TL-ready, folding,  $27.5 \times 2.35$ 

## FRAMESET: COMPULSION10



FINISH
Matte Lime Punch (Cyan, Grey)

FRAME Felt All-Mountain, double-butted 6061 aluminum, Hydroform,160mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm

**SHOCK** Rock Shox Monarch Plus RC3, DebonAir with High Volume eyelet, custom tune, 216 x 63

seatpost size, high direct FD mount

**HEADSET** FSA DX Pro semi integrated tapered headset, external lower cup w/8mm custom cone spacer

**SIZES** SM (16"), MD (18"), LG (20"), XL (22")

**WEIGHT** 3.7kg / 8.15lb



# **TRAIL 27.5**

## **DECREE SERIES**

Meet the ultimate trail bike. The Decree is a no-compromise machine that utilizes the modern 27.5-inch wheel platform and Felt Active Stay Technology (FAST) suspension to allow for cross-country-like climbing and incredible descending prowess. Its geometry is characterized by a low bottom bracket height, long front end and slack head angle, all of which combine for enhanced stability at high speeds. Riders also have the freedom to tune the Decree's geometry thanks to Felt's innovative Flip Chip system. Changing the orientation of these eccentric chips in the seat stay pivot will raise or lower the bottom bracket height by 10mm and slacken or steepen the head angle by one degree, allowing riders to personalize the Decree to their unique riding style. Along with internal cable routing, a removable front derailleur mount and accommodation for dropper posts, the Decree is the one trail bike for all occasions.



Matte Textreme (Blue, Red)

FRAME Felt Trail, UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch Plus RC3, Debonair with High Volume evelet, custom tune, 200 x 57

**FORK** Rock Shox Pike RCT3 Dual Position Air, 150mm

**HEADSET** FSA FSA DX Pro semi integrated tapered headset, external lower cup w/8mm custom cone spacer

STEM Race Face Turbine-R threadless 1-1/8", +/-6° rise for Ø35mm handlebar SM/MD - 40mm LG/XL - 50mm

**HANDLEBAR** Race Face Next carbon, Ø35mm, 20mm rise, 5° bend, 8° sweep, (760mm)

GRIPS ESI Racers Edge

SHIFTERS SRAM X01 EAGLE 12-speed

FRONT DERAILLEUR N/A

SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR SRAM X01 EAGLE** 

CRANKSET SRAM X01 EAGLE XS/SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 34T

**BOTTOM BRACKET** SRAM 73mm

**CHAIN SRAM X01 EAGLE** 

**FREEWHEEL/CASSETTE** SRAM XG1295, 12-speed, 10-50T

**BRAKE FRONT** SRAM Guide Ultimate w/ carbon lever, 180mm rotor

**BRAKE REAR** SRAM Guide Ultimate w/ carbon lever, 160mm rotor

SADDLE WTB SL8 Carbon - Carbon rails

SEATPOST Rock Shox Reverb Stealth SM/MD - Ø30.9 x 340mm - 100mm travel LG/XL - Ø30.9 x 390mm - 125mm travel

RIMS/WHEELSET DT Swiss XMC1200 Carbon

**FRONT HUB** DT Swiss XMC1200, Centerlock, 15x100

**REAR HUB** DT Swiss XMC1200, Centerlock, 12x142, XD driver for SRAM 1x11

WEIGHT

10.92kg / 24.07lb

**TIRES** Schwalbe Nobby Nic Snakeskin, TL-ready, Folding, 27.5 x 2.35





Matte Tinted Green Textreme (DVO Green)

FRAME Felt Trail, UHC Advanced + TeXtreme® carbon fiber, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

SHOCK DVO Topaz rear shock, 200 x 57

FORK DVO Diamond, 150mm

**HEADSET** FSA FSA DX Pro semi integrated tapered headset, external lower cup w/8mm custom cone spacer

STEM Spank Oozy Trail threadless 1-1/8", 0° rise for Ø31.8mm handlebar SM/MD - 40mm LG/XL - 50mm

**HANDLEBAR** Spank Oozy 760 Trail riser w/ Vibrocore, Ø31.8mm, 15mm rise x 4°Up / 6°Back, (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS SRAM X01 EAGLE 12-speed

FRONT DERAILLEUR N/A

### SIZES

SM (16"), MD (18"), LG (20"), XL (22")

#### **REAR DERAILLEUR SRAM X01 EAGLE**

**CRANKSET** SRAM Descendant Carbon EAGLE XS/SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 34T

**BOTTOM BRACKET SRAM 73mm** 

**CHAIN SRAM X01 EAGLE** 

**FREEWHEEL/CASSETTE** SRAM XG1295, 12-speed, 10-50T

**BRAKE FRONT** SRAM Guide RSC w/ carbon lever, 180mm rotor

**BRAKE REAR** SRAM Guide RSC w/ carbon lever, 180mm rotor

SADDLE WTB Volt Race - Cr-mo rails

**SEATPOST** KS LEV Integra with Southpaw remote SM/MD - Ø30.9 x 342mm - 125mm travel LG/XL - Ø30.9 x 392mm - 150mm travel

RIMS/WHEELSET Spank Oozy Trail

FRONT HUB Spank Oozy Trail, 6-bolt, 15x100

**REAR HUB** Spank Oozy Trail, 6-bolt, 12x142, XD driver for SRAM 1x11

### WEIGHT

N/A

TIRES Maxxis Minion DHR II, Folding,  $27.5 \times 2.4$ 





Matte Textreme (Orange)

FRAME Felt Trail, UHC Advanced + TeXtreme® carbon fiber, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch Plus RC3, Debonair with High Volume eyelet, custom tune, 200 x 57

FORK Rock Shox Pike RC Solo Air, 150mm

**HEADSET** FSA FSA DX Pro semi integrated tapered headset, external lower cup w/8mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB carbon riser, Ø31.8mm, 15mm rise x 9° sweep, (760mm)

**GRIPS** ESI Racers Edge

SHIFTERS SRAM X01 11-speed

FRONT DERAILLEUR N/A

SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR SRAM X01** 

**CRANKSET** SRAM X01 SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 32T

**BOTTOM BRACKET SRAM 73mm** 

**CHAIN SRAM X1** 

**FREEWHEEL/CASSETTE** SRAM XG1175, 11-speed, 10-42T

**BRAKE FRONT** SRAM Guide RSC w/ carbon lever, 180mm rotor

**BRAKE REAR** SRAM Guide RSC w/ carbon lever, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST Rock Shox Reverb Stealth SM/MD - Ø30.9 x 340mm - 100mm travel LG/XL - Ø30.9 x 390mm - 125mm travel

RIMS/WHEELSET DT Swiss M1800

FRONT HUB DT Swiss M1800, 6-bolt, 15x100

**REAR HUB** DT Swiss M1800, 6-bolt, 12x142, XD driver for SRAM 1x11

WEIGHT

11.6kg / 25.57lb

**TIRES** Schwalbe Nobby Nic Snakeskin, TL-ready, Folding, 27.5 x 2.35



Fluoro Red (Lime Green, Black)

FRAME Felt Trail, UHC Performance carbon fiber, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch RT3, Debonair with High Volume eyelet, custom tune, 200 x 57

FORK Rock Shox Pike RC Solo Air, 150mm

**HEADSET** FSA SX semi integrated tapered headset, external lower cup w/8mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/M - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano XT 11-speed

FRONT DERAILLEUR N/A

SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR** Shimano XT 11-speed Shadow Plus, Medium cage

**CRANKSET** Race Face Ride SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 32T

**BOTTOM BRACKET** Race Face 73mm

CHAIN Shimano HG700

**FREEWHEEL/CASSETTE** Shimano XT 11-speed, 11-46T

BRAKE FRONT Shimano Deore M615, 180mm rotor

BRAKE REAR Shimano Deore M615, 160mm rotor

SADDLE WTB Volt Race - Steel rails

SEATPOST KS LEV Integra DX SM/MD - Ø30.9 x 342mm - 100mm travel LG/XL - Ø30.9 x 392mm - 125mm travel

**RIMS/WHEELSET** Aluminum double wall, 21mm inside

FRONT HUB Forged aluminum, 6-bolt, 15x100

**REAR HUB** Forged aluminum, 6-bolt, 12x142

WEIGHT

12.33kg / 27.18lb

**TIRES** Schwalbe Nobby Nic Evo, TL-ready, Folding, 27.5 x 2.35



Matte Panzer Grey (Black & Aqua)

FRAME Felt Trail, 6061 front triangle with UHC Performance carbon fiber swingarm, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch RT, Debonair with High Volume eyelet, custom tune, 200 x 57

**FORK** Rock Shox Revelation RL Solo Air, 150mm travel

**HEADSET** FSA SX semi integrated tapered headset, external lower cup w/8mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano Deore 2x10

**FRONT DERAILLEUR** Shimano Deore, high direct mount

### SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR** Shimano XT 10-speed Shadow Plus, long cage

**CRANKSET** Shimano Deore 2x10 SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL 36/22T

**BOTTOM BRACKET** Shimano 73mm

CHAIN Shimano HG54

**FREEWHEEL/CASSETTE** Shimano Deore 10-speed, 11-36T

BRAKE FRONT Shimano M355, 180mm rotor

BRAKE REAR Shimano M355, 160mm rotor

SADDLE WTB Volt Comp - Steel rails

**SEATPOST** KS Drop Zone SM/MD - Ø30.9 x 350mm -100mm travel LG - Ø30.9 x 385mm - 125mm travel XL - Ø30.9 x 420mm - 125mm travel

RIMS/WHEELSET Aluminum double wall, 21mm incide

FRONT HUB Shimano Deore, centerlock, 15x100

### WEIGHT

13.22kg / 29.15lb

**REAR HUB** Shimano Deore, centerlock, 12x142

**TIRES** Schwalbe Nobby Nic Evo, TL-ready, Folding, 27.5 x 2.35



FINISH
Matte Black (Aqua)

FRAME Felt Trail, 6061 front triangle with UHC Performance carbon fiber swingarm, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch RT, Debonair with High Volume eyelet, custom tune, 200 x 57

**FORK** Rock Shox Revelation RL Solo Air, 150mm travel

**HEADSET** FSA SX semi integrated tapered headset, external lower cup w/8mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano Deore 2x10

**FRONT DERAILLEUR** Shimano Deore, high direct mount

### SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR** Shimano XT 10-speed Shadow Plus, long cage

CRANKSET Shimano Deore 2x10 SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL 36/22T

**BOTTOM BRACKET** Shimano 73mm

CHAIN Shimano HG54

**FREEWHEEL/CASSETTE** Shimano Deore 10-speed, 11-36T

BRAKE FRONT Shimano M355, 180mm rotor

BRAKE REAR Shimano M355, 160mm rotor

SADDLE WTB Volt Comp - Steel rails

**SEATPOST** KS Drop Zone SM/MD - Ø30.9 x 350mm -100mm travel LG - Ø30.9 x 385mm - 125mm travel XL - Ø30.9 x 420mm - 125mm travel

RIMS/WHEELSET Aluminum double wall, 21mm inside

FRONT HUB Shimano Deore, centerlock, 15x100

### WEIGHT

13.22kg / 29.15lb

**REAR HUB** Shimano Deore, centerlock, 12x142

**TIRES** Schwalbe Nobby Nic Evo, TL-ready, Folding,  $27.5 \times 2.35$ 

## FRAMESET: DECREEFRD



FINISH Matte Textreme (Blue, Red)

FRAME Felt Trail, UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm

threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

FORK Rock Shox Monarch Plus RC3, Debonair with High Volume eyelet, custom tune, 200 x 57

**HEADSET** FSA NO.42/CF/ACB-A w/8.7mm Carbon custom cone spacer

**SIZES** SM (16"), MD (18"), LG (20"), XL (22")

**WEIGHT** 2.38kg / 5.25lb

## FRAMESET: DECREE1



FINISH
Matte Textreme (Orange)

SM (16"), MD (18"), LG (20"), XL (22")

SIZES

**WEIGHT** 2.48kg / 5.47lb

FRAME Felt Trail, UHC Advanced + TeXtreme® carbon fiber, MMC w/ InsideOut construction, Full carbon dropouts, 140mm travel, FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount

**SHOCK** Rock Shox Monarch Plus RC3, Debonair with High Volume eyelet, custom tune, 200 x 57

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer



# TRAIL HARDTAIL 27.5"

## **SURPLUS SERIES**

Wider tires equal increased traction, greater stability and more fun. That's what the Surplus is all about. Built around a rugged yet lightweight 6061 aluminum frame, the Surplus features the 27.5+ wheel platform prized by riders looking to enhance their ride quality with bigger tires to tackle tougher terrain without sacrificing the impeccable handling characteristics for which Felt hardtail mountain bikes are known. The Surplus is everything you want in a mountain bike, and more.



Matte Cement Grey (Purple, Black)

FRAME Felt 27.5+, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, BB92 press fit bottom bracket, BOOST 148mm OLD, Ø30.9mm seatpost

**FORK** Rock Shox REBA 27.5+, tapered steerer, 15x110 BOOST, 120mm

**HEADSET** FSA NO.57E/62 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts: XS/SM/MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB carbon riser, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano Deore 10-speed

FRONT DERAILLEUR N/A

**REAR DERAILLEUR** Shimano Deore 10-speed Shadow, long cage

CRANKSET Race Face Aeffect (BOOST) XS/SM - 170mm MD/LG/XL - 175mm SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

**CHAINWHEEL** 30T

**BOTTOM BRACKET** Race Face BB92

CHAIN Shimano HG54

**FREEWHEEL/CASSETTE** Sunrace CSMX3, 10 speed, 11-40T

BRAKE FRONT Shimano Deore M615, 180mm rotor

BRAKE REAR Shimano Deore M615, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

**SEATPOST** KS Drop Zone w/ remote XS - Ø30.9 x 300mm -70mm travel SM - Ø30.9 x 350mm -100mm travel MD - Ø30.9 x 385mm - 125mm travel L/XL - Ø30.9 x 420mm - 125mm travel

RIMS/WHEELSET ALEX Aluminum double wall, 35mm inside

**FRONT HUB** Forged Aluminum, 6-bolt, 15x110 (BOOST)

**REAR HUB** Forged Aluminum, 6-bolt, 12x148 (BOOST)

**TIRES** Schwalbe Rocket Ron Performance, Folding,  $27.5 \times 2.8$ 

WEIGHT

12.84kg / 28.3lb



Matte Dark blue (Light Blue, Black)

FRAME Felt 27.5+, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, BB92 press fit bottom bracket, BOOST 148mm OLD, Ø30.9mm seatpost

**FORK** SR Suntour Raidon 27.5+, tapered steerer, 15x110 BOOST, 120mm

**HEADSET** FSA NO.57E/62 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts: XS/SM/MD - 60mm LG/XL - 70mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 5mm rise x 9° sweep (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano Deore 10-speed

FRONT DERAILLEUR Shimano Deore

**REAR DERAILLEUR** Shimano Deore 10-speed Shadow, long cage

CRANKSET Shimano 2x10 XS/SM - 170mm MD/LG/XL - 175mm SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

**CHAINWHEEL 36/22T** 

**BOTTOM BRACKET** Shimano BB92

CHAIN Shimano HG54

**FREEWHEEL/CASSETTE** Shimano 10-speed, 11-36T

BRAKE FRONT Tektro FEH-01, 180mm rotor

BRAKE REAR Tektro FEH-01, 160mm rotor

**SADDLE** Felt MTB performance

**SEATPOST** Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9 SM (350MM) MD/LG (400MM)

**RIMS/WHEELSET** Aluminum double wall, 35mm inside

**FRONT HUB** Forged Aluminum, 6-bolt, 15x110 (BOOST)

**REAR HUB** Forged Aluminum, 6-bolt, 12x148 (BOOST)

**TIRES** Schwalbe Rocket Ron Performance, Folding,  $27.5 \times 2.8$ 

WEIGHT

13.58kg / 29.93lb



# XC FULL SUSPENSION

## **EDICT SERIES**

Felt Bicycles was born from racing. And for the cross-country course, the Edict is our crowning achievement. A race bike must be lightweight, and Felt's decades-long history of carbon fiber engineering has placed the Edict in a weight class well below those of our nearest competitors. A race bike requires impeccable handling, so Felt's engineers gifted the Edict with precision geometry that allows for precise steering, yet is incredibly stable at high speeds. A race bike must be able to handle anything the course throws its way, and so the Edict features Felt Active Stay Technology (FAST) suspension with 120mm of front and 100m of rear travel, which means that even the roughest racing lines are no longer off limits. Optimized for racing yet versatile enough for your local trails, the Edict has been issued.



Matte Textreme (Blue, Red)

FRAME Felt FRD XC, UHC Ultimate + TeXtreme® carbon fiber, DMC w/ InsideOut construction, full carbon dropouts, 100mm FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable routing, Ø30.9mm seatpost size, Shimano E-type low direct FD mount

**SHOCK** Rock Shox Monarch XX with Full Sprint remote, High Volume eyelet, custom tune, 165 x 38

FORK Rock Shox RS1, Full Sprint remote, 120mm

**HEADSET** FSA NO.42/CF/ACB-A w/8.7mm Carbon custom cone spacer

**STEM** Race Face Turbine threadless stem 1-1/8", +/-6° rise for Ø31.8mm handlebar SM/MD - 70mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Race Face Next carbon Flat bar, Ø31.8mm, 9° sweep, (720mm)

**GRIPS**ESI Racers Edge

SHIFTERS SRAM XX1 EAGLE 12-speed

FRONT DERAILLEUR N/A

**REAR DERAILLEUR SRAM XX1 EAGLE** 

SIZES

SM (16"), MD (18"), LG (20"), XL (22")

CRANKSET SRAM XX1 EAGLE

XS/SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL 34T** 

**BOTTOM BRACKET** SRAM 73mm

**CHAIN SRAM XX1 EAGLE** 

FREEWHEEL/CASSETTE SRAM XG1295, 12-speed, 10-50T

BRAKE FRONT SRAM Level Ultimate, 180mm rotor

BRAKE REAR SRAM Level Ultimate, 160mm rotor

**SADDLE** WTB SL8 Carbon - Carbon rails

**SEATPOST** Race Face Next SL carbon, Ø30.9 (400mm)

RIMS/WHEELSET DT Swiss XRC1200

FRONT HUB DT Swiss XRC1200, 6-bolt, 15x110 for RS1 fork

**REAR HUB** DT Swiss XRC1200, 6-bolt, 12x142, XD driver for SRAM 1x11

**TIRES** Schwalbe Racing Ralph Evo, TL-ready, folding, 29 x 2.10

WEIGHT

10.12kg / 22.31lb





Matte Textreme (Blue, Cyan)

FRAME Felt XC, UHC Performance + TeXtreme® carbon fiber, DMC w/ InsideOut construction, full carbon dropouts, 100mm FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable routing, Ø30.9mm seatpost size, Shimano E-type low direct FD mount

**SHOCK** Rock Shox Monarch RT3, High Volume eyelet, custom tune, 165 x 38

**FORK** Rock Shox SID RL, Oneloc remote, tapered steerer, 120mm

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (720mm

**GRIPS** ESI Racers Edge

SHIFTERS SRAM X1 11-speed

FRONT DERAILLEUR N/A

SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR SRAM X01** 

CRANKSET SRAM X01 SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 32T

**BOTTOM BRACKET** SRAM 73mm

**CHAIN SRAM X1** 

**FREEWHEEL/CASSETTE** SRAM XG1175, 11-speed, 10-42T

BRAKE FRONT SRAM X0, 180mm rotor

BRAKE REAR SRAM X0, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt carbon shaft w/ forged head, microadjust, 15mm offset, Ø30.9 SM (350MM) MD/LG/XL (400MM)

RIMS/WHEELSET DT Swiss X1800

FRONT HUB DT Swiss X1800, 6-bolt, 15x100

**REAR HUB** DT Swiss X1800, 6-bolt, 12x142, XD driver for SRAM 1x11

WEIGHT

10.81kg / 23.83lb

**TIRES** Schwalbe Racing Ralph Evo, TL-ready, folding,  $29 \times 2.10$ 



FINISH
Matte Carbon (Orange)

**FRAME** Felt XC, UHC Performance carbon fiber, DMC w/ InsideOut construction, full carbon dropouts, 100mm FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable routing, Ø30.9mm seatpost size, Shimano E-type low direct FD mount

**SHOCK** Rock Shox Monarch RT, High Volume eyelet, custom tune, 165 x 38

**FORK** Rock Shox Reba RL Solo Air, Tapered steerer, Oneloc remote, 120mm

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 Flat top, Ø31.8mm, 5mm rise x 9° sweep (720mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano XT 11-speed

FRONT DERAILLEUR N/A

SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR** Shimano XT 11-speed Shadow Plus, long cage

CRANKSET Race Face Aeffect SL SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 30T

**BOTTOM BRACKET** Race Face 73mm

CHAIN Shimano HG700

**FREEWHEEL/CASSETTE** Shimano XT 11-speed, 11-46T

BRAKE FRONT Shimano Deore M615, 180mm rotor

BRAKE REAR Shimano Deore M615, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt butted 6061, dual-bolt w/ forged head, micro-adjust, 15mm offset, Ø30.9 SM (350MM) MD/LG/XL (400MM)

**RIMS/WHEELSET** Aluminum double wall, 21mm inside

FRONT HUB Forged aluminum, centerlock, 15x100

**REAR HUB** Forged aluminum, centerlock, 12x142

WEIGHT

11.91kg / 26.26lb

**TIRES** Schwalbe Rapid Rob, folding,  $29 \times 2.25$ 





Matte Carbon (Matte Red)

**FRAME** Felt XC, UHC Performance carbon fiber, DMC w/ InsideOut construction, full carbon dropouts, 100mm FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable routing, Ø30.9mm seatpost size, Shimano E-type low direct FD mount

**SHOCK** Rock Shox Monarch R, High Volume eyelet, custom tune, 165 x 38

FORK SR Suntour Raidon-XC-LOR, 120mm

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 Flat top, Ø31.8mm, 5mm rise x 9° sweep (720mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano Deore 2x10

**FRONT DERAILLEUR** Shimano Deore, e-type w/o plate, dual pull, top swing

SIZES

SM (16"), MD (18"), LG (20"), XL (22")

**REAR DERAILLEUR** Shimano Deore 10-speed Shadow, long cage

**CRANKSET** Shimano Deore 2x10 SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL 36/22T

**BOTTOM BRACKET** Shimano 73mm

CHAIN Shimano HG54

**FREEWHEEL/CASSETTE** Shimano Deore 10-speed, 11-36T

BRAKE FRONT Shimano M355, 180mm rotor

BRAKE REAR Shimano M355, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9 SM (350MM) MD/LG/XL (400MM)

**RIMS/WHEELSET** Aluminum double wall, 21mm inside

FRONT HUB Forged aluminum, Centerlock, 15x100

REAR HUB Forged aluminum, Centerlock, 12x142

WEIGHT

13.09kg / 28.86lb

**TIRES** Schwalbe Rapid Rob, folding,  $29 \times 2.25$ 



FINISH Matte Textreme (Blue, Red)

FRAME Felt FRD XC, UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, 100mm FAST suspension, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable routing, Ø30.9mm seatpost size, Shimano E-type low direct FD mount

SHOCK Rock Shox Monarch RT3, High Volume eyelet, custom tune, 165 x 38

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

**SIZES** SM (16"), MD (18"), LG (20"), XL (22")

**WEIGHT** 2.26kg / 4.98lb



FINISH
Matte Textreme (Blue, Cyan)

**FRAME** Felt XC, UHC Performance + TeXtreme<sup>®</sup> carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, 100mm FAST suspension, ControlTaper head tube, post disc mount, replaceable

derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable routing, Ø30.9mm seatpost size, Shimano E-type low direct FD mount

SHOCK Rock Shox Monarch RT3, High Volume eyelet, custom tune, 165 x 38

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

**SIZES** SM (16"), MD (18"), LG (20"), XL (22")

**WEIGHT** 2.34kg / 5.16lb



## XC HARDTAIL 29"

## **NINE SERIES**

When the cross-country racecourse demands the lightest bike possible, Felt's team of world-class athletes reach for the Nine. Its hardtail design combined with Felt's extensive materials expertise has yielded a series of bikes that are among the lightest in their class with maximum pedaling efficiency. Imbued with Felt's legendary racing geometry that begets the most precise handling available, the Nine can tackle any switchback-laden climb or technical singletrack descent with confidence. And with its 29-inch wheels and suspension fork with 100mm of travel, the Nine can double as a capable trail bike.



Matte Textreme (Blue, Red)

FRAME Felt XC, UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, 140mm post disc mounts, standard 73mm threaded bottom bracket, Syntace style12x142mmm through axle, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

FORK Rock Shox RS1, Sprint remote, 100mm

**HEADSET** FSA NO.42/CF/ACB-A w/8.7mm Carbon custom cone spacer

STEM Race Face Turbine threadless stem 1-1/8", +/-6° rise for Ø31.8mm handlebar SM/MD - 70mm LG - 90mm

XL - 100mm

**HANDLEBAR** Race Face Next carbon Flat bar, Ø31.8mm, 9° sweep, (720mm)

**GRIPS** ESI Racers Edge

SHIFTERS SRAM XX1 EAGLE 12-speed

FRONT DERAILLEUR N/A

**REAR DERAILLEUR SRAM XX1 EAGLE** 

SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

XS/SM - 170mm MD/LG/XL - 175mm CHAINWHEEL 34T

BOTTOM BRACKET SRAM 73mm

**CRANKSET SRAM XX1 EAGLE** 

**CHAIN SRAM XX1 EAGLE** 

FREEWHEEL/CASSETTE SRAM XG1295, 12-speed, 10-50T

BRAKE FRONT SRAM Level Ultimate, 180mm rotor

BRAKE REAR SRAM Level Ultimate, 160mm rotor

**SADDLE** WTB SL8 Carbon - Carbon rails

**SEATPOST** Race Face Next SL carbon, Ø27.2 (400mm)

RIMS/WHEELSET DT Swiss XRC1200

FRONT HUB DT Swiss XRC1200, 6-bolt, 15x110 for RS1 fork

**REAR HUB** DT Swiss XRC1200, 6-bolt, 12x142, XD driver for SRAM 1x11

**TIRES** Schwalbe Racing Ralph Evo, TL-ready, folding, 29 x 2.10

WEIGHT

8.94kg / 19.71lb



Matte Textreme (Gloss Black, Red)

FRAME Felt XC, UHC Advanced + TeXtreme® carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, 140mm post disc mounts, standard 73mm threaded bottom bracket, Syntace style12x142mmm through axle, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

**FORK** Rock Shox SID RL, Oneloc remote, tapered steerer, 100mm

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm

SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (720mm)

**GRIPS** ESI Racers Edge

SHIFTERS SRAM X01 11-speed

FRONT DERAILLEUR N/A

**REAR DERAILLEUR SRAM X01** 

#### SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

#### **CRANKSET SRAM X01**

XS/SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL 30T** 

**BOTTOM BRACKET** SRAM 73mm

**CHAIN SRAM X1** 

FREEWHEEL/CASSETTE SRAM XG1180, 11-speed, 10-42T

BRAKE FRONT SRAM Level TLM, 180mm rotor

BRAKE REAR SRAM Level TLM, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt carbon shaft w/ forged head, micro-adjust, 15mm offset, Ø27.2 XS/SM (350MM) MD/LG/XL (400MM)

RIMS/WHEELSET DT Swiss X1800

FRONT HUB DT Swiss X1800, 6-bolt, 15x100

**REAR HUB** DT Swiss X1800, 6-bolt, 12x142, XD driver for SRAM 1x11

**TIRES** Schwalbe Racing Ralph Evo, TL-ready, folding, 29 x 2.10

## WEIGHT

9.51kg / 20.96lb



Matte Carbon (Aquamarine, Red)

FRAME Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 142mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

**FORK** Rock Shox Reba RL Solo Air, Tapered steerer, Oneloc remote, 100mm

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm

SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 Flat top, Ø31.8mm, 5mm rise x 9° sweep (720mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano XT 11-speed

FRONT DERAILLEUR N/A

**REAR DERAILLEUR** Shimano XT 11-speed Shadow Plus, long cage

SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

WEIGHT

10.82kg / 23.85lb

**CRANKSET** Race Face Aeffect SL XS/SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL 30T** 

**BOTTOM BRACKET** Shimano HG700

CHAIN Shimano Dura-Ace 11-speed

FREEWHEEL/CASSETTE Shimano XT 11-speed, 11-46T

BRAKE FRONT Shimano Deore M615, 180mm rotor

BRAKE REAR Shimano Deore M615, 160mm rotor

**SADDLE** WTB Silverado Race - Cr-mo rails

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø27.2 XS/SM (350MM) MD/LG/XL (400MM)

**RIMS/WHEELSET** Aluminum double wall, 21mm inside

FRONT HUB Forged aluminum, 6-bolt, 15x100

REAR HUB Forged aluminum, 6-bolt, 12x142

**TIRES** Schwalbe Racing Ralph Performance, folding, 29 x 2.25





Matte Carbon (Charcoal)

FRAME Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

**FORK** Rock Shox Recon Silver RL Solo Air, tapered steerer, Oneloc remote, 100mm

**HEADSET** FSA NO.42/47/ACB w/4mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm

SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 butted riser, Ø31.8mm, 15mm rise x 9° sweep (720mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano Deore 2x10

**FRONT DERAILLEUR** Shimano Deore, high clamp 34.9, dual pull, down swing

**REAR DERAILLEUR** Shimano Deore 10-speed Shadow, long cage

SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

**CRANKSET** Shimano Deore 2x10 XS/SM - 170mm MD/LG/XL - 175mm

**CHAINWHEEL** 36/22T

BOTTOM BRACKETShimano 73mm

CHAIN Shimano HG54

FREEWHEEL/CASSETTE Shimano Deore 10-speed, 11-36T

BRAKE FRONT Shimano M355, 180mm rotor

BRAKE REAR Shimano M355, 160mm rotor

SADDLE WTB Silverado Race - Cr-mo rails

SEATPOST Felt butted 6061, dual-bolt w/ forged head, micro-adjust, 15mm offset, Ø27.2 XS/SM (350MM) MD/LG/XL (400MM)

**RIMS/WHEELSET** Aluminum double wall, 19mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

**TIRES** Schwalbe Rapid Rob Kevlarguard, folding, 29 x 2.25

WEIGHT

12.23kg / 26.96lb



Matte Metallic Red (Carbon)

FRAME Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

FORK Rock Shox 30 Silver, 100mm

**HEADSET** FSA NO.42/47/ACB w/4mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm

SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (720mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano Alivio 3x9

**FRONT DERAILLEUR** Shimano Alivio, high clamp 34.9, dual pull, down swing

**REAR DERAILLEUR** Shimano Deore 9-speed Shadow, long cage

SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

CHAINWHEEL 40/30/22T

XS/SM - 170mm

MD/LG/XL - 175mm

CRANKSET Shimano Alivio 3x9

**BOTTOM BRACKET** Shimano 73mm

**CHAIN** Sunrace M94

FREEWHEEL/CASSETTE Sunrace CSM96, 9-speed, 11-36T

BRAKE FRONT Tektro FHDC01, 180mm rotor

BRAKE REAR Tektro FHDC01, 160mm rotor

SADDLE WTB Silverado Comp - Steel rails

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø27.2 XS/SM (350MM) MD/LG/XL (400MM)

**RIMS/WHEELSET** Aluminum double wall, 19mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

TIRES Schwalbe Rapid Rob Kevlarguard, 29 x 2.25

WEIGHT

13.13kg / 28.95lb



Matte Black (Shadow, Orange)

FRAME Felt XC, butted 6061 aluminum, Hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur

FORK Rock Shox XC30, tapered steerer, 100mm

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm

SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (720mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano Acera 3x9

**FRONT DERAILLEUR** Shimano Acera, low clamp 34.9, dual pull, top swing

**REAR DERAILLEUR** Shimano Deore 9-speed Shadow, long cage

**CRANKSET** Suntour XCR XS/SM - 170mm MD/LG/XL - 175mm

### SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

#### CHAINWHEEL 44/32/22T

**BOTTOM BRACKET** Square taper

**CHAIN** Sunrace M94

**FREEWHEEL/CASSETTE** Sunrace CSM96, 9-speed, 11-36T

BRAKE FRONT Shimano M355, 180mm rotor

BRAKE REAR Shimano M355, 160mm rotor

**SADDLE** Felt MTB performance

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9 XS/SM (350MM) MD/LG/XL (400MM)

RIMS/WHEELSET Aluminum double wall, 19mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

**TIRES** Schwalbe Rapid Rob Kevlarguard, folding, 29 x 2.1

### WEIGHT

14.61kg / 32.21lb (w/pedals)



Matte Blue (Black)

**FRAME** Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur

FORK SR Suntour XCT, Preload, 100mm

**HEADSET** FSA NO.10 w/16.2mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm

SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (720mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano Altus 3x8

**FRONT DERAILLEUR** Shimano Altus, low clamp 34.9, dual pull, top swing

REAR DERAILLEUR Shimano Acera, long cage

**CRANKSET** Shimano TY501 XS/SM - 170mm MD/LG/XL - 175mm SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

CHAINWHEEL 42/32/22T

**BOTTOM BRACKET** Square taper

**CHAIN** Sunrace M84

**FREEWHEEL/CASSETTE** Sunrace CSM56, 8-speed, 11-34T

**BRAKE FRONT** Tektro M285 hydraulic disc, 180mm rotor

**BRAKE REAR** Tektro M285 hydraulic disc, 160mm rotor

**SADDLE** Felt MTB performance

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9 XS/SM (350MM) MD/LG/XL (400MM)

**RIMS/WHEELSET** Aluminum double wall, 18mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

TIRES Schwalbe Rapid Rob Kevlarguard, 29 x 2.1

WEIGHT

14.31kg / 31.55lb (w/pedals)



FINISH Matte Textreme (Blue, Red)

FRAME Felt XC, UHC Ultimate + TeXtreme® carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, 140mm post disc mounts, standard 73mm threaded bottom

bracket, Syntace style12x142mmm through axle, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

**HEADSET** FSA NO.42/CF/ACB-A w/8.7mm Carbon custom cone spacer

SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

WEIGHT

0.96kg / 2.12lb



FINISH Matte TeXtreme (Charcoal, Red, Blue)

FRAME Felt XC, UHC Advanced + TeXtreme®

carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, 140mm post disc mounts, standard 73mm threaded bottom bracket, Syntace style12x142mmm through axle, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount

**HEADSET** FSA NO.42ACB-A w/7.8mm custom cone spacer

48, 51, 54, 56, 58, 61cm

WEIGHT

6.89kg, 15.19lbs



## XC HARDTAIL 27.5"

## 7 SERIES

Mountain bike technology has evolved dramatically over the years, and the 7 represents the very best core attributes of the sport's history. Chief among those is its 27.5-inch wheel platform, which gives riders the ideal balance between optimum rolling capabilities and quick, precision handling. The 7 is built around 6061 aluminum frame for durability and functionality, and its hardtail design has proven to be a capable trail companion for riders of all skill levels. A suspension fork with 100mm of travel softens the 7's already impressive ride quality, and value-laden component selections include wide-range gearing for taking on any terrain.



Matte Grey (Red)

**FRAME** Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur

FORK SR Suntour XCT, Preload, 100mm

**HEADSET** FSA NO.10 w/16.2mm custom cone spacer

STEM Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm

SM/MD - 80mm

LG - 90mm

XL - 100mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 15mm rise x 6° sweep x 9° bend (720mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano Altus 3x8

**FRONT DERAILLEUR** Shimano Altus, low clamp 34.9, dual pull, top swing

REAR DERAILLEUR Shimano Acera, long cage

**CRANKSET** Shimano TY501 XS/SM - 170mm MD/LG/XL - 175mm SIZES

XXS (12"), XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

WEIGHT

14.37kg / 31.69lb (w/pedals)

CHAINWHEEL 42/32/22T

**BOTTOM BRACKET** Square taper

**CHAIN** Sunrace M84

**FREEWHEEL/CASSETTE** Sunrace CSM56, 8-speed, 11-34T

**BRAKE FRONT** Tektro M285 hydraulic disc, 180mm rotor

**BRAKE REAR** Tektro M285 hydraulic disc, 160mm rotor

**SADDLE** Felt MTB performance

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9 XS/SM (350MM) MD/LG/XL (400MM)

**RIMS/WHEELSET** Aluminum double wall, 19mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

TIRES Schwalbe Rapid Rob Kevlarguard, 27.5 x 2.1



Matte Black (Grey, Red)

**FRAME** Felt XC, 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur

FORK SR Suntour 3030, preload, 75mm

**HEADSET NECO H115H-1** 

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts:

XXS/XS - 70mm SM/MD - 70mm LG/XL - 80mm

**HANDLEBAR** Felt MTB 6061 riser, Ø31.8mm, 20mm rise x 6° sweep x 9° bend (720mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano ST-EF41-L 3x7

FRONT DERAILLEUR Shimano Tourney

**REAR DERAILLEUR** Shimano Altus

**CRANKSET** Suntour XCC XS/SM - 170mm MS/LG/XL-175mm SIZES

XS (14"), SM (16"), MD (18"), LG (20"), XL (22")

CHAINWHEEL 44/32/22T

**BOTTOM BRACKET** Square taper

**CHAIN** KMC Z51

FREEWHEEL/CASSETTE Sunrace 7-speed cassette, 11-34T

**BRAKE FRONT** Tektro M280 mechanical disc, 180mm rotor

**BRAKE REAR** Tektro M280 mechanical disc, 160mm rotor

**SADDLE** Felt MTB performance

**SEATPOST** Felt 6061, single bolt, 15mm offset, Ø30.9 (300MM)

**RIMS/WHEELSET** Aluminum double wall, 19mm inside

FRONT HUB Forged aluminum, 6-bolt, QRx100

REAR HUB Forged aluminum, 6-bolt, QRx135

TIRES MTB knobby design, 27.5 x 1.95

WEIGHT

14.71kg / 32.42lb (w/pedals)



# **FAT BIKE**

## **DD SERIES**

The fat bike is the biggest revolution in mountain biking technology, and the Felt DD has proven to be the ultimate machine for riders looking to conquer any ride, any terrain, any weather, anytime. The DD features a rugged 6061 aluminum frame designed for dependability, with a finely tuned geometry for all-day comfort and stable handling over the roughest terrain. Its massive tires provide jaw-dropping traction, even in deep sand and icy snow. No matter where your ride takes you, the DD will perform beyond your expectations.



Matte Cyan (Yellow, Blue)

FRAME Felt Fat, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 100mm threaded bottom bracket, 190mm OLD, Ø30.9mm seatpost, Ø34.9mm clamp adaptor for high direct type front derailleur mount

FORK Rock Shox BLUTO RL A2, 100mm

**HEADSET** FSA NO.57 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ Cr-Mo bolts:

SM - 60mm

MD - 70mm

LG - 80mm

**HANDLEBAR** Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano XT 11-speed

FRONT DERAILLEUR N/A

**REAR DERAILLEUR** Shimano XT 11-speed Shadow Plus, long cage

SIZES

SM (16"), MD (18.5"), LG (21")

**CRANKSET** Race Face Ride SM - 170mm

MD/LG - 175mm

**CHAINWHEEL 30T** 

**BOTTOM BRACKET** Race Face 100mm

CHAIN Shimano HG700

**FREEWHEEL/CASSETTE** Shimano XT 11-speed, 11-46T

BRAKE FRONT Shimano Deore M615, 180mm rotor

BRAKE REAR Shimano Deore M615, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST Felt carbon shaft w/ forged head, microadjust, 15mm offset, Ø30.9 SM (350MM) MD/LG/XL (400MM)

RIMS/WHEELSET Single-wall w/ machined cutouts, 80mm inside, 26"

FRONT HUB Forged Aluminum fat hub, 15x150

**REAR HUB** Forged Aluminum fat hub, 12x197

TIRES Schwalbe Jumbo Jim EVO, folding, 26 x 4.0

WEIGHT

14.72kg / 32.45lb (w/pedals)



Gloss Red (matte black, gloss cyan)

FRAME Felt Fat, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 100mm threaded bottom bracket, 190mm OLD, Ø30.9mm seatpost, Ø34.9mm clamp adaptor for high direct type front derailleur mount

**FORK** Felt Fat hydroformed 6061 aluminum, tapered steerer, 150 x 15mm front axle, post-mount, rack mounts

**HEADSET** FSA NO.57E/62 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ Cr-Mo bolts:

SM - 60mm

MD - 70mm

LG - 80mm

**HANDLEBAR** Felt MTB carbon Flat top, Ø31.8mm, 8mm rise x 9° sweep, (760mm)

GRIPS Felt Wing lock-on grip

SHIFTERS Shimano Deore 2x10

**FRONT DERAILLEUR** Shimano Deore, high direct mount

**REAR DERAILLEUR** Shimano Deore10-speed Shadow Plus, long cage

### SIZES

SM (16"), MD (18.5"), LG (21")

**CRANKSET** Race Face Turbine SM - 170mm MD/LG - 175mm

**CHAINWHEEL** 36/22T

**BOTTOM BRACKET** Race Face 100mm

**CHAIN** Shimano HG54

FREEWHEEL/CASSETTE Shimano Deore 10-speed, 11-36T

BRAKE FRONT Shimano Deore M615, 180mm rotor

BRAKE REAR Shimano Deore M615, 160mm rotor

SADDLE WTB Volt Race - Cr-mo rails

SEATPOST Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9 SM (350MM) MD/LG (400MM)

**RIMS/WHEELSET** Single-wall w/ machined cutouts, 80mm inside, 26", Tubeless Ready

**FRONT HUB** Forged Aluminum fat hub, 15x150

**REAR HUB** Forged Aluminum fat hub, 12x197

TIRES Schwalbe Jumbo Jim EVO, folding, 26 x 4.0

### WEIGHT

14.8kg / 32.63lb (w/pedals)



Matte Grey (Black, Magenta)

FRAME Felt Fat, double butted 6061 aluminum, Hydroform, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 100mm threaded bottom bracket, 190mm OLD, Ø30.9mm seatpost, Ø34.9mm clamp adaptor for high direct type front derailleur mount

**FORK** Felt Fat hydroformed 6061 aluminum, tapered steerer, 150 x 15mm front axle, post-mount, rack mounts

**HEADSET** FSA NO.57E/62 semi Integrated internal upper cup, external lower cup w/5.3mm custom cone spacer

**STEM** Felt MTB 3D-forged threadless 1-1/8" +/-  $7^{\circ}$  rise for Ø31.8mm handlebar w/ Cr-Mo bolts:

SM - 60mm

MD - 70mm

LG - 80mm

**HANDLEBAR** Felt MTB 6061 Flat top, Ø31.8mm, 5mm rise x 9° sweep (760mm)

GRIPS Felt Wing Grip, double-density

SHIFTERS Shimano Deore 3x9

 $\begin{tabular}{ll} \textbf{FRONT DERAILLEUR} & \textbf{Shimano SLX}, \textbf{ high direct} \\ \textbf{mount} \\ \end{tabular}$ 

**REAR DERAILLEUR** Shimano Alivio 9-speed, long cage

SIZES

SM (16"), MD (18.5"), LG (21")

**CRANKSET** Race Face Ride SM - 170mm MD/LG - 175mm

CHAINWHEEL 44/32/22T

**BOTTOM BRACKET** Race Face 100mm

**CHAIN** Sunrace M94

FREEWHEEL/CASSETTE Sunrace CSM96, 9-speed, 11-36T

**BRAKE FRONT** Tektro Novella mechanical disc, 180mm rotor

**BRAKE REAR** Tektro Novella mechanical disc, 160mm rotor

**SADDLE** Felt MTB performance

**SEATPOST** Felt butted 6061, dual-bolt micro-adjust 15mm offset, Ø30.9 SM (350MM) MD/LG (400MM)

**RIMS/WHEELSET** Single-wall, 80mm inside, 26", Tubeless Ready

FRONT HUB Forged Aluminum fat hub, 15x150

**REAR HUB** Forged Aluminum fat hub, 12x197

TIRES Schwalbe Jumbo Jim EVO, folding, 26 x 4.0

WEIGHT

15.68kg / 34.57lb (w/pedals)



# **FITNESS**

## **VERZA SPEED**

If a solid workout is your goal, the Verza Speed is your bike. With a lightweight aluminum frame inspired by Felt's performance range of road bikes, the Verza Speed is built to go fast. And thanks to its flat handlebar and comfortable riding position, it's an ideal companion for cruising around town. Its wide-range gearing gives you the ability to conquer any mountain ascent or steep city climb, while its disc brakes provide you with enough stopping power for any riding situation. Also a capapble commuter, the Verza Speed is among Felt's most popular bikes.



Matte Carbon (Red, Charcoal)

FRAME Felt Fitness UHC Performance carbon fiber, MMC w/ InsideOut construction, threaded BB & carbon dropouts, thru-axle, flat mount disc, replaceable rear derailleur hanger, mechanical internal cable routing (electronic compatible)

**FORK** Felt Fitness Disc UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steer tube w/ integrated crown race, crown, blades w/ flat mount disc & 12mm thru-axle dropouts

**HEADSET** FSA NO.38-NO.42B-Cup, 1.125" - 1.5" internal threadless w/ cone washer, Felt aluminum top cap

STEM Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51-54cm = 100mm 56-58cm = 110mm 61cm = 120mm

**HANDLEBAR** Felt Flatbar Road, Carbon, 8° sweep, Ø31.8mm

51-56cm = 640mm 58-61cm = 680mm

**GRIPS** Felt Ergonomic triple density w/ integrated bar end

**SHIFTERS** Shimano Metrea 11-speed Rapidfire Plus

FRONT DERAILLEUR Shimano Metrea, braze-on

SIZES

51, 54, 56, 58, 61cm

**REAR DERAILLEUR** Shimano Metrea

**CRANKSET** Shimano Metrea, integrated BB axle, 46/32T

51-54cm = 170mm 56-61cm = 175mm

**BOTTOM BRACKET** Shimano external

CHAIN Shimano Dura-Ace 11-speed

**FREEWHEEL/CASSETTE** Shimano,11-32T, 11-speed

**BRAKE FRONT** Shimano Metrea flat mount hydraulic disc

**BRAKE REAR** Shimano Metrea flat mount hydraulic disc.

**SADDLE** Selle Royal Look In Sport

**SEATPOST** Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

RIMS/WHEELSET Shimano Metrea

FRONT HUB Shimano Metrea, 24H

**REAR HUB** Shimano Metrea, 24H, 11-speed cassette

**TIRES** Vittoria Rubino Pro folding, Speed Shielding puncture protection, 700 x 28c

WEIGHT

9.93kg, 21.9lbs



Matte Carbon (Orange, White)

**FRAME** Felt Fitness UHC Performance carbon fiber, MMC w/ InsideOut construction, threaded BB & carbon dropouts, thru-axle, flat mount disc, replaceable rear derailleur hanger, mechanical internal cable routing (electronic compatible)

**FORK** Felt Fitness Disc UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steer tube w/ integrated crown race, crown, blades w/ flat mount disc & 12mm thru-axle dropouts

**HEADSET** FSA NO.38-NO.42B-Cup, 1.125" - 1.5" internal threadless w/ cone washer, Felt aluminum top cap

**STEM** Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 51-54cm = 90mm 56-58cm = 100mm 61cm = 110mm

**HANDLEBAR** Felt SuperLite Flatbar Road, Butted Aluminum, 10° sweep, Ø31.8mm 51cm = 600mm 54-56cm = 620mm 58-61cm = 640mm

**GRIPS** Felt Ergonomic triple density w/ integrated bar end

SHIFTERS Shimano Sora 9-speed Rapidfire Plus

FRONT DERAILLEUR Shimano Sora, braze-on

SIZES

51, 54, 56, 58, 61cm

REAR DERAILLEUR Shimano Sora

**CRANKSET** Shimano Sora, integrated BB axle, 50/34T

51-54cm = 170mm 56-61cm = 175mm

**BOTTOM BRACKET** Shimano external

CHAIN Shimano 9-speed

FREEWHEEL/CASSETTE Shimano,11-34T, 9-speed

BRAKE FRONT Tektro flat mount hydraulic disc

BRAKE REAR Tektro flat mount hydraulic disc

**SADDLE** Selle Royal Look In Sport

**SEATPOST** Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

**RIMS/WHEELSET** Felt Road Disc double wall (tubeless ready), 19mm width, 23mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 32H, 9-speed cassette

TIRES Vittoria Zaffiro Pro folding, 700 x 28c

ACCESSORIES N/A

WEIGHT

9.93kg, 21.9lbs



Matte Black (Reflective)

**FRAME** Felt Verza Speed, FLite Custom Triple Butted 6061 aluminum, Hydroform Smooth TIGwelded construction, IS mount disc tabs, replaceable hanger

**FORK** Felt Adventure Road Disc UHC Advanced carbon fiber blades w/ IS mount disc tabs, ControlTaper 1.125" - 1.5" aluminum steer tube

**HEADSET** FSA NO.38-NO.42B-Cup, 1.125" - 1.5" internal threadless w/ cone washer, Felt aluminum top cap

**STEM** Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 48cm = 80mm

51-54cm = 90mm 56-58cm = 100mm

61cm = 110mm

**HANDLEBAR** Felt SuperLite Flatbar Road, Butted Aluminum, 10° sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic triple density w/ integrated bar end

**SHIFTERS** Shimano Ultegra 11-speed Rapidfire Plus

**FRONT DERAILLEUR** Shimano Ultegra, clamp-on, Ø31.8mm

SIZES

48, 51, 54, 56, 58, 61cm

REAR DERAILLEUR Shimano Ultegra

**CRANKSET** Shimano non-series, integrated BB axle, 50/34T

48cm = 165mm

51cm = 170mm

54-56cm = 172.5mm

58-61cm = 175mm

**BOTTOM BRACKET** Shimano external

CHAIN Shimano 11-speed

**FREEWHEEL/CASSETTE** Shimano,11-32T, 11-speed

BRAKE FRONT Shimano Deore hydraulic disc

BRAKE REAR Shimano Deore hydraulic disc

**SADDLE** Selle Royal Look In Sport

**SEATPOST** Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

RIMS/WHEELSET Felt Road Disc double wall (tubeless ready), 17mm width, 24mm depth

FRONT HUB Felt, sealed bearing, 32H

**REAR HUB** Felt, sealed bearing, 32H, 11-speed cassette

WEIGHT

10.45kg, 23lbs

**TIRES** Vittoria Voyager Hyper folding, Speed Shielding puncture protection, w/ reflective stripe, 700 x 32c



Matte Obsidian Grey (Silver, Red)

**FRAME** Felt Verza Speed, FLite Custom Triple Butted 6061 aluminum, Hydroform Smooth TIGwelded construction, IS mount disc tabs, replaceable hanger

**FORK** Felt Adventure Road Disc UHC Advanced carbon fiber blades w/ IS mount disc tabs, ControlTaper 1.125" - 1.5" aluminum steer tube

**HEADSET** FSA NO.38-NO.42B-Cup, 1.125" - 1.5" internal threadless w/ cone washer, Felt aluminum top cap

**STEM** Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 48cm = 80mm

51-54cm = 90mm 56-58cm = 100mm

61cm = 110mm

**HANDLEBAR** Felt SuperLite Flatbar Road, Butted Aluminum, 10° sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic triple density w/ integrated bar end

**SHIFTERS** Shimano Tiagra 10-speed Rapidfire Plus

**FRONT DERAILLEUR** Shimano Tiagra, clamp-on, Ø31.8mm

SIZES

48, 51, 54, 56, 58, 61cm

REAR DERAILLEUR Shimano Tiagra

CRANKSET FSA Omega, 50/34T

48cm = 165mm

51cm = 170mm

54-56cm = 172.5mm

58-61cm = 175mm

**BOTTOM BRACKET** FSA MegaExo

CHAIN KMC 10-speed

**FREEWHEEL/CASSETTE** Shimano,11-34T, 10-speed

BRAKE FRONT Tektro Auriga hydraulic disk

BRAKE REAR Tektro Auriga hydraulic disk

**SADDLE** Selle Royal Look In Athletic

**SEATPOST** Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

RIMS/WHEELSET Felt Road Disc double wall (tubeless ready), 17mm width, 24mm depth

FRONT HUB Felt, sealed mech, 32H

**REAR HUB** Felt, sealed mech, 32H, 10-speed cassette

TIRES Vittoria Zaffiro folding, 700 x 32c

WEIGHT

11kg, 24.25lbs



Matte Putty (Orange, Black)

**FRAME** Felt Verza Speed, FLite Custom Triple Butted 6061 aluminum, Hydroform TIG-welded construction, IS mount disc tabs, replaceable hanger

**FORK** Felt Adventure Road Disc 6061 aluminum blades w/ IS mount disc tabs, ControlTaper 1.125" - 1.5" Cr-Mo steer tube

**HEADSET** FSA NO.38-NO.42B-Cup, 1.125" - 1.5" internal threadless w/ cone washer, Felt aluminum top cap

**STEM** Felt VariableAngle, +/- 8°/16° rise, Ø31.8mm 48cm = 80mm

51-54cm = 90mm

56-58cm = 100mm

61cm = 110mm

**HANDLEBAR** Felt SuperLite Flatbar Road, Butted Aluminum, 10° sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic triple density w/ integrated bar end

SHIFTERS Shimano Sora 9-speed Rapidfire Plus

FRONT DERAILLEUR Shimano Sora clamp-on, Ø31.8mm

SIZES

48, 51, 54, 56, 58, 61cm

**REAR DERAILLEUR** Shimano Sora

CRANKSET FSA Tempo, 50/34T

48cm = 165mm

51cm = 170mm

54-56cm = 172.5mm

58-61cm = 175mm

**BOTTOM BRACKET** FSA Square Tapered, 68 x 110.5mm

CHAIN KMC 9-speed

FREEWHEEL/CASSETTE Shimano, 11-32T, 9-speed

BRAKE FRONT Tektro Auriga hydraulic disk

BRAKE REAR Tektro Auriga hydraulic disk

**SADDLE** Selle Royal Look In Athletic

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road Disc double wall (tubeless ready), 17mm width, 24mm depth

FRONT HUB Felt, sealed mech, 32H

REAR HUB Felt, sealed mech, 32H, 9-speed cassette

TIRES Vittoria Zaffiro wire, 700 x 32c

WEIGHT

11.47kg, 25.28lbs



Matte Moss Grey (Black, Red)

**FRAME** Felt Verza Speed, Flite Custom Triple Butted 6061 aluminum, Hydroform TIG-welded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road 6061 aluminum blades w/ v-type brake mounts, 1.125" CR-Mo steer tube

**HEADSET** FSA NO.10P, semi-integrated, 1.125" threadless w/ cone washer, Felt Tornado aluminum top cap

**STEM** Felt SuperLite, +/-17° rise, Ø31.8mm 48cm = 80mm

51-54cm = 90mm

56-58cm = 100mm

61cm = 110mm

**HANDLEBAR** Felt SuperLite Flatbar Road, Butted Aluminum, 10° sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic double density

**SHIFTERS** Shimano Altus 8-speed Rapidfire Plus

**FRONT DERAILLEUR** Shimano Altus clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Acera

SIZES

48, 51, 54, 56, 58, 61cm

CRANKSET SR/Suntour XCC, 28/38/48T

48cm = 160mm

51-54cm = 170mm

56-61cm = 175mm

**BOTTOM BRACKET** FSA Square Tapered, 68 x 118mm

**CHAIN** KMC 8-speed

FREEWHEEL/CASSETTE Shimano,11-34T, 8-speed

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Look In Athletic

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall (tubeless ready), 22mm width, 22mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 8-speed cassette

TIRES Vittoria Zaffiro wire, 700 x 32c

ACCESSORIES N/A

WEIGHT

10.97kg, 24.18lbs



Matte Fluorescent Orange (Black)

**FRAME** Felt Verza Speed, Flite Custom Triple Butted 6061 aluminum, Hydroform TIG-welded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road 6061 aluminum blades w/v-type brake mounts, 1.125" CR-Mo steer tube

**HEADSET** FSA NO.10P, semi-integrated, 1.125" threadless w/ cone washer, Felt Tornado aluminum top cap

STEM Felt SuperLite, +/-17° rise, Ø31.8mm

48cm = 80mm

51-54cm = 90mm

56-58cm = 100mm

61cm = 110mm

**HANDLEBAR** Felt SuperLite Flatbar Road, Butted Aluminum, 10° sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic double density

SHIFTERS Shimano Altus 8-speed Rapidfire Plus

**FRONT DERAILLEUR** Shimano Altus clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Acera

SIZES

48, 51, 54, 56, 58, 61cm

CRANKSET SR/Suntour XCC, 28/38/48T

48cm = 160mm

51-54cm = 170mm

56-61cm = 175mm

**BOTTOM BRACKET** FSA Square Tapered, 68 x 118mm

CHAIN KMC 8-speed

FREEWHEEL/CASSETTE Shimano,11-34T, 8-speed

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Look In Athletic

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall (tubeless ready), 22mm width, 22mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 8-speed cassette

TIRES Vittoria Zaffiro wire, 700 x 32c

**ACCESSORIES N/A** 

WEIGHT

10.97kg, 24.18lbs



White Pearl (Silver, Aqua)

**FRAME** Felt Verza Speed, Flite Custom Triple Butted 6061 aluminum, Hydroform TIG-welded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road 6061 aluminum blades w/ v-type brake mounts, 1.125" CR-Mo steer tube

**HEADSET** FSA NO.10P, semi-integrated, 1.125" threadless w/ cone washer, Felt Tornado aluminum top cap

**STEM** Felt Fit Women SuperLite, +/-17° rise, Ø31.8mm

45cm(P) = 60mm

48cm(S) = 70mm

51cm(M) = 80mm

54cm(T) = 90mm

**HANDLEBAR** Felt SuperLite Flatbar Road, Butted Aluminum, 10° sweep, Ø31.8mm

45-48cm = 580mm

51cm = 600mm

54cm = 620mm

**GRIPS** Felt Ergonomic double density

**SHIFTERS** Shimano Altus 8-speed Rapidfire Plus

**FRONT DERAILLEUR** Shimano Altus clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Acera

SIZES

P (45), S (48), M (51), T (54)cm

CRANKSET SR/Suntour XCC, 28/38/48T

45-48cm = 160mm

51-54cm = 170mm

**BOTTOM BRACKET** FSA Square Tapered, 68 x 118mm

CHAIN KMC 8-speed

FREEWHEEL/CASSETTE Shimano,11-34T, 8-speed

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Ariel Women's specific w/ Royal

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall (tubeless ready), 22mm width, 22mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 8-speed cassette

TIRES Vittoria Zaffiro wire, 700 x 32c

**ACCESSORIES N/A** 

WEIGHT

10.73kg, 23.67lbs



Pewter (Black)

**FRAME** Felt Verza Speed, 6061 aluminum, TIGwelded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road steel blades w/ v-type brake mounts, 1.125" steel steer tube

**HEADSET** Semi-integrated, 1.125" threadless w/ cone washer, Felt aluminum top cap

STEM Felt aluminum, +/-15° rise, Ø31.8mm

45cm = 60mm

48cm = 80mm

51-54cm = 90mm

56-58cm = 100mm

61cm = 110mm

HANDLEBAR Felt Flatbar Road, Aluminum, 10°

sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic

SHIFTERS Shimano Altus 7-speed EZ Fire Plus

**FRONT DERAILLEUR** Shimano Tourney clamp-on, Ø31.8mm

**REAR DERAILLEUR** Shimano Altus

SIZES

48, 51, 54, 56, 58, 61cm

CRANKSET SR/Suntour XCC, 28/38/48T

48cm = 160mm

51-54cm = 170mm

56-61cm = 175mm

**BOTTOM BRACKET** Square Tapered, 68 x 122.5mm

**CHAIN** Sunrace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

SADDLE Selle Royal Freccia w/ Royal Gel

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall, 23.4mm width, 20.3mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 7-speed

TIRES Kenda Kwick Roller, wire, 700 x 32c

**ACCESSORIES N/A** 

WEIGHT

12.15kg, 26.79lbs



Matte Glacier Blue (Black)

**FRAME** Felt Verza Speed, 6061 aluminum, TIGwelded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road steel blades w/ v-type brake mounts, 1.125" steel steer tube

**HEADSET** Semi-integrated, 1.125" threadless w/ cone washer, Felt aluminum top cap

STEM Felt aluminum, +/-15° rise, Ø31.8mm

45cm = 60mm

48cm = 80mm

51-54cm = 90mm

56-58cm = 100mm

61cm = 110mm

HANDLEBAR Felt Flatbar Road, Aluminum, 10°

sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic

SHIFTERS Shimano Altus 7-speed EZ Fire Plus

 $\begin{array}{l} \textbf{FRONT DERAILLEUR} \text{ Shimano Tourney clamp-on,} \\ \textbf{\emptyset} \textbf{31.8mm} \end{array}$ 

**REAR DERAILLEUR** Shimano Altus

SIZES

48, 51, 54, 56, 58, 61cm

CRANKSET SR/Suntour XCC, 28/38/48T

48cm = 160mm

51-54cm = 170mm

56-61cm = 175mm

**BOTTOM BRACKET** Square Tapered, 68 x 122.5mm

CHAIN Sunrace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

SADDLE Selle Royal Freccia w/ Royal Gel

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall, 23.4mm width, 20.3mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 7-speed

TIRES Kenda Kwick Roller, wire, 700 x 32c

**ACCESSORIES N/A** 

WEIGHT

12.15kg, 26.79lbs



Matte Navy (Cyan)

**FRAME** Felt Verza Speed, 6061 aluminum, TIGwelded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road steel blades w/ v-type brake mounts, 1.125" steel steer tube

**HEADSET** Semi-integrated, 1.125" threadless w/ cone washer, Felt aluminum top cap

STEM Felt aluminum, +/-15° rise, Ø31.8mm

45cm = 60mm

48cm = 80mm

51-54cm = 90mm

56-58cm = 100mm

61cm = 110mm

HANDLEBAR Felt Flatbar Road, Aluminum, 10°

sweep, Ø31.8mm

48cm = 580mm

51cm = 600mm

54-56cm = 620mm

58-61cm = 640mm

**GRIPS** Felt Ergonomic

SHIFTERS Shimano Altus 7-speed EZ Fire Plus

**FRONT DERAILLEUR** Shimano Tourney clamp-on, Ø31.8mm

**REAR DERAILLEUR** Shimano Altus

SIZES

48, 51, 54, 56, 58, 61cm

CRANKSET SR/Suntour XCC, 28/38/48T

48cm = 160mm

51-54cm = 170mm

56-61cm = 175mm

**BOTTOM BRACKET** Square Tapered, 68 x 122.5mm

**CHAIN** Sunrace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

SADDLE Selle Royal Freccia w/ Royal Gel

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall, 23.4mm width, 20.3mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 7-speed

TIRES Kenda Kwick Roller, wire, 700 x 32c

**ACCESSORIES N/A** 

WEIGHT

12.15kg, 26.79lbs



Black Pearl (Mint, Aqua)

**FRAME** Felt Verza Speed, 6061 aluminum, TIGwelded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road steel blades w/ v-type brake mounts, 1.125" steel steer tube

**HEADSET** Semi-integrated, 1.125" threadless w/ cone washer, Felt aluminum top cap

STEM Felt aluminum, +/-15° rise, Ø31.8mm

45cm = 60mm

48cm = 70mm

51cm = 80mm

54cm = 90mm

**HANDLEBAR** Felt Flatbar Road, Aluminum, 10° sweep, Ø31.8mm

45-48cm = 580mm

51cm = 600mm

54cm = 620mm

**GRIPS** Felt Ergonomic

SHIFTERS Shimano Altus 7-speed EZ Fire Plus

**FRONT DERAILLEUR** Shimano Tourney clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Altus

SIZES

P (45), S (48), M (51), T (54)cm

CRANKSET SR/Suntour XCC, 28/38/48T

45-48cm = 160mm

51-54cm = 170mm

**BOTTOM BRACKET** Square Tapered, 68 x 122.5mm

**CHAIN** Sunrace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Ariel Women's specific w/ Royal

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall, 23.4mm width, 20.3mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 7-speed

TIRES Kenda Kwick Roller, wire, 700 x 32c

**ACCESSORIES N/A** 

WEIGHT

11.84kg, 26.12lbs



Matte Mint (Charcoal)

**FRAME** Felt Verza Speed, 6061 aluminum, TIGwelded construction, IS disc and v-type brake mounts, replaceable hanger

**FORK** Felt Adventure Road steel blades w/ v-type brake mounts, 1.125" steel steer tube

**HEADSET** Semi-integrated, 1.125" threadless w/ cone washer, Felt aluminum top cap

STEM Felt aluminum, +/-15° rise, Ø31.8mm

45cm = 60mm

48cm = 70mm

51cm = 80mm

54cm = 90mm

**HANDLEBAR** Felt Flatbar Road, Aluminum, 10° sweep, Ø31.8mm

45-48cm = 580mm

51cm = 600mm

54cm = 620mm

**GRIPS** Felt Ergonomic

SHIFTERS Shimano Altus 7-speed EZ Fire Plus

**FRONT DERAILLEUR** Shimano Tourney clamp-on, Ø31.8mm

**REAR DERAILLEUR** Shimano Altus

**CRANKSET** SR/Suntour XCC, 28/38/48T 45-48cm = 160mm

SIZES

P (45), S (48), M (51), T (54)cm

51-54cm = 170mm

**BOTTOM BRACKET** Square Tapered, 68 x 122.5mm

CHAIN Sunrace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Ariel Women's specific w/ Royal Gel

**SEATPOST** Felt SuperLite Road, Ø27.2mm, 330mm length

**RIMS/WHEELSET** Felt Road double wall, 23.4mm width, 20.3mm depth

FRONT HUB Felt, sealed mech, 28H

REAR HUB Felt, sealed mech, 28H, 7-speed

TIRES Kenda Kwick Roller, wire, 700 x 32c

**ACCESSORIES N/A** 

WEIGHT

11.84kg, 26.12lbs



# **FITNESS**

## **VERZA PATH**

Equally at home on both paved roads and dirt trails, the Verza Path is one of the most versatile bikes in the Felt range. The Verza Path's upright riding position gives it a high level of comfort while its wide gear range means that no landscape is off-limits. Perfect for leisurely weekend rides and workday commutes, alike, the Verza Path seamlessly transitions into any riding situation with its comfort, stability and timeless style.



FINISH Burnt Orange

**FRAME** Felt Verza Path, Buttted 6061 aluminum w/forged dropouts, replaceable hanger, fender and carrier compatible

**FORK** SR NEX, 63mm suspension, 1.125" steerer tube, hydraulic lockout

**HEADSET** 1.125" semi-integrated threadless w/ Felt aluminum top cap

**STEM** 3D forged aluminum, +/-17° rise, Ø25.4mm SM = 70mm

MD = 90mm

LG/XL = 100mm

**HANDLEBAR** Felt aluminum bar, Ø25.4mm, 45mm rise, 700mm wide, 15 degrees back-sweep

GRIPS Felt Kraton rubber double density

**SHIFTERS** Shimano Acera 27-speed Rapid Fire Plus

**FRONT DERAILLEUR** Shimano Alivio, 31.8mm band-type

REAR DERAILLEUR Shimano Alivio SGS cage

**CRANKSET** SR/Suntour XCR, 3-piece forged aluminum arms, 28/38/48T w/ aluminum outer ring, 170mm

SIZES

S (16), M (18), L (20), XL (22)

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 73mm

CHAIN SunRace 9-speed

FREEWHEEL/CASSETTE SunRace 9-speed cassette 11x34T

**BRAKE FRONT** Tektro M280 cable actuated mechanical disc caliper, 160mm rotor

**BRAKE REAR** Tektro M280 cable actuated mechanical disc caliper, 160mm rotor

**SADDLE** Selle Royal Freeway, vacuum formed gel padding, scuff guards

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 350mm

RIMS/WHEELSET Alex double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism Q/R 32H

**REAR HUB** Aluminum cold-forged sealed mechanism Q/R 32H, cassette

TIRES Kenda Cosmos, 60tpi, 700x42c

**ACCESSORIES N/A** 

WEIGHT

14.1kg, 31lbs



Navy Blue

**FRAME** Felt Verza Path, Buttted 6061 aluminum w/forged dropouts, replaceable hanger, fender and carrier compatible

**FORK** SR NEX, 63mm suspension, 1.125" steerer tube

**HEADSET** 1.125" semi-integrated threadless w/ Felt aluminum top cap

**STEM** 3D forged aluminum, +/-17° rise, Ø25.4mm SM = 70mm

MD = 90mm

LG/XL = 100mm

**HANDLEBAR** Felt aluminum bar, Ø25.4mm, 45mm rise, 700mm wide, 15 degrees back-sweep

GRIPS Felt Kraton rubber double density

**SHIFTERS** Shimano Acera 24-speed EZ-Fire Plus

**FRONT DERAILLEUR** Shimano Altus, 31.8mm band-type

REAR DERAILLEUR Shimano Acera SGS cage

CRANKSET SR/Suntour XCE, 3-piece aluminum arms, 28/38/48T w/ aluminum outer ring SM/MD = 170mm LG/XL = 175mm

SIZES

S (16), M (18), L (20), XL (22)

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 73mm

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace 8-speed cassette 13x34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Freeway, vacuum formed gel padding, scuff guards

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 350mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism Q/R 32H

**REAR HUB**Aluminum cold-forged sealed mechanism Q/R 32H, cassette

TIRES Kenda Cosmos, 30tpi, 700x42c

**ACCESSORIES N/A** 

WEIGHT

13.6kg, 29.9lbs



Robin Egg Blue

**FRAME** Felt Verza Path, Buttted 6061 aluminum w/forged dropouts, replaceable hanger, fender and carrier compatible

FORK SR NEX, 63mm suspension, 1.125" steerer tube

**HEADSET** 1.125" semi-integrated threadless w/ Felt aluminum top cap

STEM 3D forged aluminum, +/-17° rise, Ø25.4mm

SM = 70mm

MD = 90mm

Tall = 100mm

**HANDLEBAR** Felt aluminum bar, Ø25.4mm, 45mm rise, 620mm wide, 30 degrees back-sweep

GRIPS Felt Kraton rubber double density

SHIFTERS Shimano Acera 24-speed EZ-Fire Plus

**FRONT DERAILLEUR** Shimano Altus, 31.8mm band-type

REAR DERAILLEUR Shimano Acera SGS cage

**CRANKSET** SR/Suntour XCE, 3-piece aluminum arms, 28/38/48T w/ aluminum outer ring SM/MD = 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 73mm

SIZES

S (13), M (16), T (19)

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace 8-speed cassette 13x34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Freeway, vacuum formed gel padding, scuff guards

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism Q/R 32H

**REAR HUB**Aluminum cold-forged sealed mechanism Q/R 32H, cassette

TIRES Kenda Cosmos, 30tpi, 700x42c

**ACCESSORIES N/A** 

WEIGHT

13.5kg, 29.7lbs



Silver

**FRAME** Felt Verza Path, Buttted 6061 aluminum w/forged dropouts, replaceable hanger, fender and carrier compatible

**FORK** Felt Verza Path steel uni-crown, 1.125" steerer tube, tapered blades

**HEADSET** 1.125" semi-integrated threadless w/ Felt aluminum top cap

**STEM** Aluminum, +/-25° rise, Ø25.4mm SM/MD = 90mm LG/XL = 105mm

**HANDLEBAR** Felt aluminum bar, Ø25.4mm, 45mm rise, 700mm wide, 15 degrees back-sweep

**GRIPS** Felt Kraton rubber double density

SHIFTERS Shimano Altus 21-speed EZ-Fire Plus

**FRONT DERAILLEUR** Shimano Tourney 31.8mm band-type

REAR DERAILLEUR Shimano Altus SGS cage

CRANKSET SR/Suntour XCC, 3-piece aluminum arms, 28/38/48T SM/MD = 170mm LG/XL = 175mm SIZES

S (16), M (18), L (20), XL (22)

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 73mm

CHAIN SunRace 7-speed

**FREEWHEEL/CASSETTE** SunRace 7-speed freewheel 14x34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Freeway, vacuum formed padding

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 350mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism Q/R 32H

**REAR HUB** Aluminum cold-forged sealed mechanism Q/R 32H, thread-on freewheel

TIRES Kenda Cosmos, 22tpi, 700x42c

**ACCESSORIES N/A** 

WEIGHT

13.1kg, 28.8lbs



Charcoal

**FRAME** Felt Verza Path, Buttted 6061 aluminum w/forged dropouts, replaceable hanger, fender and carrier compatible

**FORK** Felt Verza Path steel uni-crown, 1.125" steerer tube, tapered blades

**HEADSET** 1.125" semi-integrated threadless w/ Felt aluminum top cap

STEM Aluminum, +/-25° rise, Ø25.4mm SM/MD = 90mm LG/XL = 105mm

**HANDLEBAR** Felt steel bar, Ø25.4mm, 45mm rise, 620mm wide, 30 degrees back-sweep

GRIPS Felt Kraton rubber double density

SHIFTERS Shimano Altus 21-speed EZ-Fire Plus

**FRONT DERAILLEUR** Shimano Tourney 31.8mm band-type

REAR DERAILLEUR Shimano Altus SGS cage

**CRANKSET** SR/Suntour XCC, 3-piece aluminum arms, 28/38/48T SM/MD = 170mm

SIZES

S (13), M (16), T (19)

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 73mm

CHAIN SunRace 7-speed

**FREEWHEEL/CASSETTE** SunRace 7-speed freewheel 14x34T

BRAKE FRONT Tektro RX1.0 v-type

BRAKE REAR Tektro RX1.0 v-type

**SADDLE** Selle Royal Freeway, vacuum formed padding

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 350mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism Q/R 32H

**REAR HUB** Aluminum cold-forged sealed mechanism Q/R 32H, thread-on freewheel

TIRES Kenda Cosmos, 22tpi, 700x42c

**ACCESSORIES N/A** 

WEIGHT

12.7kg, 28lbs



# **FITNESS**

## **VERZA CAFE**

With its relaxed riding position and all-day comfort, the Verza Café is ideal for leisurely rides and running errands around town. Its classic style was inspired by the incredibly popular city bikes of Europe, and will undoubtedly turn heads wherever you go. And with its upright riding position and plenty of gears at its disposal, the Verza Café is capable of comfortably traversing any urban or rural landscape.



Matte Gunpowder

**FRAME** Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

**FORK** Felt Café bonded crown, 1.125" 4130 Cr-Mo steerer tube & aluminum blades

**HEADSET** 1.125" semi-integrated threaded

STEM Aluminum quill adjustable height melt-forged single bolt, Ø25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

**SHIFTERS** Shimano Revo 24-speed twist

**FRONT DERAILLEUR** Shimano Altus, 31.8mm band-type

REAR DERAILLEUR Shimano Claris GS cage

**CRANKSET** Polished 3-piece aluminum arms, 22/32/42T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

MD (17"), LG (19"), XL (21")

**CHAIN** SunRace 8-speed

**FREEWHEEL/CASSETTE** Sunrace 8-speed cassette 11-32T

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H, cassette

**TIRES** Felt Café 60tpi skinwall, puncture resistant 700 x 38c

**FENDERS** Aluminum w/stainless steel struts & hardware

**ACCESSORIES** Felt aluminum cup holder, clip-on saddle bag, safety bell

WEIGHT



Celadon Green

**FRAME** Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café bonded crown, 1.125" 4130 Cr-Mo steerer tube & aluminum blades

**HEADSET** 1.125" semi-integrated threaded

**STEM** Aluminum quill adjustable height melt-forged single bolt,  $\emptyset$ 25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

**SHIFTERS** Shimano Revo 24-speed twist

**FRONT DERAILLEUR** Shimano Altus, 31.8mm band-type

REAR DERAILLEUR Shimano Claris GS cage

**CRANKSET** Polished 3-piece aluminum arms, 22/32/42T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

SM (16"), MD (18")

**CHAIN** SunRace 8-speed

FREEWHEEL/CASSETTE Sunrace 8-speed cassette 11-32T

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H, cassette

**TIRES** Felt Café 60tpi skinwall, puncture resistant 700 x 38c

**FENDERS** Aluminum w/stainless steel struts & hardware

**ACCESSORIES** Felt aluminum cup holder, clip-on saddle bag, safety bell

WEIGHT



FINISH Pistachio

**FRAME** Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café bonded crown, 1.125" 4130 Cr-Mo steerer tube & aluminum blades

**HEADSET** 1.125" semi-integrated threaded

**STEM** Aluminum quill adjustable height melt-forged single bolt,  $\emptyset$ 25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 24-speed twist

**FRONT DERAILLEUR** Shimano Altus, 31.8mm band-type

REAR DERAILLEUR Shimano Claris GS cage

**CRANKSET** Polished 3-piece aluminum arms, 22/32/42T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

SM (16"), MD (18")

**CHAIN** SunRace 8-speed

FREEWHEEL/CASSETTE Sunrace 8-speed cassette 11-32T

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H, cassette

**TIRES** Felt Café 60tpi skinwall, puncture resistant 700 x 38c

**FENDERS** Aluminum w/stainless steel struts & hardware

**ACCESSORIES** Felt aluminum cup holder, clip-on saddle bag, safety bell

WEIGHT



FINISH Matte Blue

**FRAME** Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

**FORK** Felt Café bonded crown, 1.125" 4130 Cr-Mo steerer tube & aluminum blades

**HEADSET** 1.125" semi-integrated threaded

STEM Aluminum quill adjustable height melt-forged single bolt, Ø25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 24-speed twist

**FRONT DERAILLEUR** Shimano Altus, 31.8mm band-type

REAR DERAILLEUR Shimano Claris GS cage

**CRANKSET** Polished 3-piece aluminum arms, 22/32/42T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

SM (16"), MD (18")

**CHAIN** SunRace 8-speed

**FREEWHEEL/CASSETTE** Sunrace 8-speed cassette 11-32T

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H, cassette

**TIRES** Felt Café 60tpi skinwall, puncture resistant 700 x 38c

**FENDERS** Aluminum w/stainless steel struts & hardware

**ACCESSORIES** Felt aluminum cup holder, clip-on saddle bag, safety bell

WEIGHT



Cream

**FRAME** Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café bonded crown, 1.125" 4130 Cr-Mo steerer tube & aluminum blades

**HEADSET** 1.125" semi-integrated threaded

STEM Aluminum quill adjustable height melt-forged single bolt, Ø25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 24-speed twist

**FRONT DERAILLEUR** Shimano Altus, 31.8mm band-type

REAR DERAILLEUR Shimano Claris GS cage

**CRANKSET** Polished 3-piece aluminum arms, 22/32/42T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

SM (16"), MD (18")

**CHAIN** SunRace 8-speed

**FREEWHEEL/CASSETTE** Sunrace 8-speed cassette 11-32T

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H, cassette

**TIRES** Felt Café 60tpi skinwall, puncture resistant 700 x 38c

**FENDERS** Aluminum w/stainless steel struts & hardware

**ACCESSORIES** Felt aluminum cup holder, clip-on saddle bag, safety bell

WEIGHT



FINISH Matte Blackout

**FRAME** Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

**FORK** Felt Café uni-crown, 1.125" 4130 Cr-Mo steerer tube & blades

**HEADSET** 1.125" semi-integrated threaded

**STEM** Aluminum quill adjustable height melt-forged single bolt,  $\emptyset$ 25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Claris SS cage

**CRANKSET** Polished 3-piece aluminum arms, double chainguard, 38T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

CHAIN SunRace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 13-30T

SIZES

MD (17"), LG (19"), XL (21")

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H

TIRES Felt Café 30tpi skinwall 700 x 38c

**ACCESSORIES** Felt aluminum cup holder, safety bell in brake lever

WEIGHT

12.8kg, 28.1lbs



Candy Apple Red

**FRAME** Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

**FORK** Felt Café uni-crown, 1.125" 4130 Cr-Mo steerer tube & blades

**HEADSET** 1.125" semi-integrated threaded

STEM Aluminum quill adjustable height melt-forged single bolt, Ø25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Claris SS cage

**CRANKSET** Polished 3-piece aluminum arms, double chainguard, 38T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

CHAIN SunRace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 13-30T

SIZES

SM (16"), MD (18")

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H

TIRES Felt Café 30tpi skinwall 700 x 38c

**ACCESSORIES** Felt aluminum cup holder, safety bell in brake lever

WEIGHT



Robin Egg Blue

**FRAME** Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

**FORK** Felt Café uni-crown, 1.125" 4130 Cr-Mo steerer tube & blades

**HEADSET** 1.125" semi-integrated threaded

STEM Aluminum quill adjustable height melt-forged single bolt, Ø25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Claris SS cage

**CRANKSET** Polished 3-piece aluminum arms, double chainguard, 38T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

CHAIN SunRace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 13-30T

SIZES

SM (16"), MD (18")

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H

TIRES Felt Café 30tpi skinwall 700 x 38c

**ACCESSORIES** Felt aluminum cup holder, safety bell in brake lever

WEIGHT



Stardust Black

**FRAME** Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

**FORK** Felt Café uni-crown, 1.125" 4130 Cr-Mo steerer tube & blades

**HEADSET** 1.125" semi-integrated threaded

STEM Aluminum quill adjustable height melt-forged single bolt, Ø25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Claris SS cage

**CRANKSET** Polished 3-piece aluminum arms, double chainguard, 38T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

CHAIN SunRace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 13-30T

SIZES

SM (16"), MD (18")

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H

TIRES Felt Café 30tpi skinwall 700 x 38c

**ACCESSORIES** Felt aluminum cup holder, safety bell in brake lever

WEIGHT



Violet

FRAME Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

**FORK** Felt Café uni-crown, 1.125" 4130 Cr-Mo steerer tube & blades

**HEADSET** 1.125" semi-integrated threaded

STEM Aluminum quill adjustable height melt-forged single bolt, Ø25.4mm MD = 60mm LG, XL = 80mm

**HANDLEBAR** Felt aluminum touring bar, Ø25.4mm, 30mm rise, 695mm wide, genderspecific shape

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Claris SS cage

**CRANKSET** Polished 3-piece aluminum arms, double chainguard, 38T, 170mm

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

CHAIN SunRace 7-speed

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 13-30T

SIZES

SM (16"), MD (18")

**BRAKE FRONT** Tektro 855 aluminum v-type, antirust hardware w/ power modulator

**BRAKE REAR** Tektro 855 aluminum v-type, anti-rust hardware

**SADDLE** Felt Café, vacuum formed comfort gel & foam, gender-specific shapes

**SEATPOST** Aluminum micro-adjust, Ø27.2mm x 330mm

RIMS/WHEELSET Double-wall aluminum

**FRONT HUB** Aluminum cold-forged sealed mechanism QR 32H

**REAR HUB** Aluminum cold-forged sealed mechanism QR 32H

TIRES Felt Café 30tpi skinwall 700 x 38c

**ACCESSORIES** Felt aluminum cup holder, safety bell in brake lever

WEIGHT



## **LIFESTYLE**

## **URBAN SERIES**

The urban jungle is unlike any other cycling environment, and it requires a very special bike. Durability, functionality and style take precedent over all other attributes. And that's why Felt has created a full line of urban bikes for the commuter, the messenger, the student, the artist, the shopkeeper, the delivery person, and anyone else passionate about riding, be them city-dweller or otherwise.

Drawing on Felt's decades-long history of crafting the world's leading high-performance road and mountain bikes, Felt engineers crafted each and every model in the Urban series from high-strength materials for durability. Each bike also features precision steering for stable, confident handling, as well as ergonomic components for maximum comfort and functionality. Felt's fixed-gear and single-speed Urban bikes have also been optimized with the ideal gearing for conquering steep climbs and cruising along flat streets.

An impeccable ride quality and high performance are only parts of the equation, however. For a bike to be truly loved, it must be eye-catching yet subtle, and emblematic of its landscape. That's why Felt's artists finished off the Urban series with minimal graphics that blend seamlessly with their componentry, creating a uniquely understated yet bold aesthetic package. From city streets to suburban thoroughfares, country roads to beachside boardwalks, Felt Urban bikes are built to perform and look incredible doing it.



Matte Metallic Charcoal

**FRAME** Felt single speed custom butted 4130 TIG-welded Cr-Mo tubes, butted top tube and down tube, tapered seatstays w/ horizontal forged Cr-Mo dropouts, rack & water bottle mounts

**FORK** Felt sloping crown design, 100% Cr-Mo, 1.125" threadless steerer & ovalized straight blades, 43mm offset

**HEADSET** 1.125" threadless, aluminum spacer, Felt Lifestyle aluminum top cap

**STEM** Aluminum forged, 4-bolt clamp, +/-7° rise, Ø31.8mm

51-54cm = 80mm 56cm = 90mm

58-61cm = 110mm

**HANDLEBAR** Aluminum riser bar, 52mm rise, 550mm wide, Ø31.8mm

GRIPS Superlight VGL

CRANKSET Forged aluminum w/ 144mm BCD

51 - 54cm = 165mm

56 - 61cm = 170mm

CHAINWHEEL Aluminum 47T x 3/32"

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

51, 54, 56, 58, 61cm

**PEDALS** Aluminum w/ steel toe clips & leather toe straps

**CHAIN** KMC Z610 3/32"

FREEWHEEL/CASSETTE Freewheel 17T x 3/32" & Fixed cog 17T x 3/32" w/ lock ring

BRAKE LEVERS Tektro aluminum front & rear

**BRAKE FRONT** Tektro dual pivot caliper, stainless hardware

**BRAKE REAR** Tektro dual pivot caliper, stainless hardware

CABLES Felt Slick brake

SADDLE Felt classic road turbo, steel rails

SEATPOST Aluminum micro-adjust, Ø27.2 x 330mm

**SEATPOST CLAMP** Aluminum single bolt w/ nutbar, Ø29.9mm

**RIMS/WHEELSET** Double-wall aluminum, 30mm deep V-section aero rim

FRONT HUB Aluminum hi-flange, track nuts, 32H

**REAR HUB** Aluminum, flip-flop fixed / freewheel, hi-flange, track nuts, 32H

WEIGHT

10kg, 22lbs (w/o brakes)

SPOKES 2.0mm stainless steel

**TIRES** Vittoria Randonneur II, w/ reflective stripe, 700 x 28c

ACCESSORIES Aluminum head badge



Cockateal

**FRAME** Felt single speed custom butted 4130 TIG-welded Cr-Mo tubes, butted top tube and down tube, tapered seatstays w/ horizontal forged Cr-Mo dropouts, rack & water bottle mounts

**FORK** Felt sloping crown design, 100% Cr-Mo, 1.125" threadless steerer & ovalized straight blades, 43mm offset

**HEADSET** 1.125" threadless, aluminum spacer, Felt Lifestyle aluminum top cap

**STEM** Aluminum forged, 4-bolt clamp, +/-7° rise, Ø31.8mm

51-54cm = 80mm 56cm = 90mm

58-61cm = 110mm

**HANDLEBAR** Aluminum riser bar, 52mm rise, 550mm wide, Ø31.8mm

GRIPS Superlight VGL

CRANKSET Forged aluminum w/ 144mm BCD

51 - 54cm = 165mm

56 - 61cm = 170mm

CHAINWHEEL Aluminum 47T x 3/32"

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

51, 54, 56, 58, 61cm

**PEDALS** Aluminum w/ steel toe clips & leather toe straps

**CHAIN** KMC Z610 3/32"

FREEWHEEL/CASSETTE Freewheel 17T x 3/32" & Fixed cog 17T x 3/32" w/ lock ring

BRAKE LEVERS Tektro aluminum front & rear

**BRAKE FRONT** Tektro dual pivot caliper, stainless hardware

**BRAKE REAR** Tektro dual pivot caliper, stainless hardware

CABLES Felt Slick brake

SADDLE Felt classic road turbo, steel rails

SEATPOST Aluminum micro-adjust, Ø27.2 x 330mm

**SEATPOST CLAMP** Aluminum single bolt w/ nutbar, Ø29.9mm

**RIMS/WHEELSET** Double-wall aluminum, 30mm deep V-section aero rim

FRONT HUB Aluminum hi-flange, track nuts, 32H

**REAR HUB** Aluminum, flip-flop fixed / freewheel, hi-flange, track nuts, 32H

WEIGHT

10kg, 22lbs (w/o brakes)

SPOKES 2.0mm stainless steel

**TIRES** Vittoria Randonneur II, w/ reflective stripe, 700 x 28c

ACCESSORIES Aluminum head badge



Steel Blue

**FRAME** Felt single speed custom butted 4130 TIG-welded Cr-Mo tubes, butted top tube and down tube, tapered seatstays w/ horizontal forged Cr-Mo dropouts, rack & water bottle mounts

**FORK** Felt sloping crown design, 100% Cr-Mo, 1.125" threadless steerer & ovalized straight blades, 43mm offset

**HEADSET** 1.125" threadless, aluminum spacer, Felt Lifestyle aluminum top cap

**STEM** Aluminum forged, 4-bolt clamp, +/-7° rise, Ø31.8mm

51-54cm = 70mm

56 - 61cm = 80mm

**HANDLEBAR** Aluminum, TT bend, 420mm wide, Ø31.8mm

**GRIPS** EVA foam tape

CRANKSET Forged aluminum w/ 144mm BCD

51 - 54cm = 165mm

56 - 61cm = 170mm

CHAINWHEEL Aluminum 47T x 3/32"

**BOTTOM BRACKET** Sealed cartridge, square taper axle, 68mm

SIZES

51, 54, 56, 58, 61cm

**PEDALS** Aluminum w/ steel toe clips & leather toe straps

**CHAIN** KMC Z610 3/32"

**FREEWHEEL/CASSETTE** Freewheel 17T x 3/32" & Fixed cog 17T x 3/32" w/ lock ring

**BRAKE LEVERS** Tektro top mount 2-finger, aluminum front & rear

**BRAKE FRONT** Tektro dual pivot caliper, stainless hardware

**BRAKE REAR** Tektro dual pivot caliper, stainless hardware

**CABLES** Felt Slick brake

**SADDLE** Felt road race, steel rails

SEATPOST Aluminum micro-adjust, Ø27.2 x 350mm

**SEATPOST CLAMP** Aluminum single bolt w/ nutbar, Ø29.9mm

**RIMS/WHEELSET** Double-wall aluminum, 30mm deep V-section aero rim

FRONT HUB Aluminum hi-flange, track nuts, 32H

WEIGHT

10kg, 22lbs (w/o brakes)

**REAR HUB** Aluminum, flip-flop fixed / freewheel, hi-flange, track nuts, 32H

SPOKES 2.0mm stainless steel

**TIRES** Vittoria Randonneur II, w/ reflective stripe, 700 x 28c

ACCESSORIES Aluminum head badge



FINISH Black Hornet

**FRAME** Felt single speed custom butted 4130 TIGwelded Cr-Mo tubes, butted & tapered seatstays w/ horizontal machined Cr-Mo dropouts, integrated seat clamp, rack & water bottle mounts

**FORK** Felt flat crown design, 100% Cr-Mo, 1.125" threadless steerer & oversized curved fork blades, 43mm offset

**HEADSET** 1.125" threadless, aluminum spacer, Felt Tornado aluminum top cap

STEM Felt aluminum forged threadless 1-pc stem/ spacer design, 4-bolt clamp, -15° rise, Ø31.8mm 51cm-54cm = 90mm 56cm-61cm = 100mm

**HANDLEBAR** Aluminum English touring bar, 30mm rise, 580mm wide, 50 sweep, Ø31.8mm

GRIPS Felt vinyl wrap & stitched, no flange

**CRANKSET** Felt TkR Pista inspired cold forged polished aluminum w/ 144 BCD

51 - 54 = 165mm

56 - 61 = 170mm

**CHAINWHEEL** Aluminum CNC, Skip-Tooth 22T x 1/8"

**BOTTOM BRACKET** Sealed cartridge, square taper axle. 68mm

SIZES

51, 54, 56, 58, 61cm

PEDALS Aluminum Rat Trap

**CHAIN** KMC Z410 1/8"

FREEWHEEL/CASSETTE Freewheel 18T x 3/32" & Fixed cog 17T x 3/32" w/ lock ring

**BRAKE LEVERS** Tektro classic style, aluminum front & rear

**BRAKE FRONT** Tektro dual pivot caliper, stainless hardware

**BRAKE REAR** Tektro dual pivot caliper, stainless hardware

CABLES Felt Slick brake

**SADDLE** Felt classic road saddle w/ riveted custom cover & steel rails

SEATPOST Aluminum micro-adjust, Ø27.2 x 300mm

**SEATPOST CLAMP** Integrated in frame

RIMS/WHEELSET Alex ACE 19 double-wall aluminum

FRONT HUB Aluminum hi-flange, track nuts, 32H

**REAR HUB** Aluminum, flip-flop fixed / freewheel, hi-flange, 32H

WEIGHT

12.4kg, 27.4lbs

SPOKES 2.0mm stainless steel

**TIRES** Felt All Weather  $700 \times 25c$ 

**ACCESSORIES** Aluminum head badge, aluminum front rack, custom Felt frame bag



## **ELECTRIC**

## **CITY SERIES**

Whether you're looking to optimize your commute, cruise to the coffee shop or enhance your workout, Felt Bicycles has you covered. With frames designed for the smoothest of rides and upright body positioning, Felt's electric pedal-assist bikes are the most comfortable on the road. And with each one built around the industry-leading Shimano STePS or Bosch eDrive System, they're also the most efficient and reliable, too.

An ideal commuting partner or workout buddy, the Felt Electric city bikes feature lightweight, durable frames that are designed for high-performance riding, but its upright handlebar position ensures maximum comfort and steering control. Whether your goal is getting to work swiftly and efficiently, enhancing your workout or enjoying a casual ride through town, the city bikes are versatile ebikes that can do it all. With a timeless design inspired by classic European city bikes, Felt Electric bicycles are perfect bike for getting around town quickly and in style.



Hi Gloss Black (Shadow, Flouro Red)

FRAME Felt Electric Fitness/Commuter. Boschspecific, double-butted 6061 aluminum, Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, integrated kickstand & Basta lock mount, full internal cable routing, disc-brake specific, lighting wires pre-installed

FORK Felt rigid Hydroformed 6061 aluminum blades, aluminum tapered steerer, disc-brake specific, eyeleted

**HEADSET** FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

STEM Felt SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware

44cm = 70mm

48cm = 80mm

52cm = 90mm

55cm = 100mm

58cm = 110mm

HANDLEBAR Felt 6061 double-butted aluminum flat bar: Ø31.8mm, 9° sweep 44 - 48cm = 620mm width

52 - 58cm = 640mm width

GRIPS Ergon GS1-L, w/aluminum clamp

## SIZES

44 / 48 / 52 / 55 / 58cm

52 - 58cm = 175mm

REAR DERAILLEUR Shimano Deore XT RD-M781-SGS Shadow: long cage

**CRANKSET** Felt Electric Boschspecific crankset, forged aluminum 44 - 48cm = 170mm

CHAINWHEEL 18T Bosch specific chainwheel

**BOTTOM BRACKET** Bosch Performance Speed eDrive Unit, 350W output, 28 mp/h

PEDALS VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

BATTERY Bosch 400Wh frame type battery pack

CHAIN Shimano CN-HG54

FREEWHEEL/CASSETTE Shimano CS-HG 500 10-speed cassette, 11-32T

BRAKE LEVERS Shimano BL-M615 hydraulic

**BRAKE FRONT** Shimano BR-M615 hydraulic:160mm Centerlock rotor

BRAKE REAR Shimano BR-M615 hydraulic:160mm Centerlock rotor

CABLES Custom Felt internally routed shift cables w/ CNC aluminum ferrules

SADDLE Ergon SMC 30, black w/CrMo rails

SEATPOST Felt twin clamp micro-adjust 6061 aluminum, Ø27.2mm x 300mm

**SEATPOST CLAMP** Felt bolt-type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Shimano WH-RX05 wheelset: 28H clincher rims front & rear, Centerlock hubs w/ Shimano Quick Release Lever

FRONT HUB Shimano WH-RX05, 28H: Centerlock disc mount w/Shimano QR lever

REAR HUB Shimano WH-RX05, 10-speed cassette 28H rear: Centerlock disc mount w/Shimano QR lever

SPOKES Shimano WH-RX05

TIRES Schwalbe Energizer KevlarGuard, reflective sidewall, 700x38c w/ presta valve tubes

FENDERS Felt Sport-e style alloy fenders: w/stainless hardware

LIGHTSYSTEM (Herrmans H-One DC 45Lux headlight, Herrmans H-Trace DC rearlight

**CARRIER** Felt 6061 aluminum tube style frame mount integrated carrier: w/internal electric cable wiring, accessory attachment mount



Matte Titanium (Black, Blue Reflective)

FRAME Felt Electric Fitness/Commuter, Shimano Steps e-bike design, double-butted 6061 aluminum, Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, integrated kickstand & Basta lock mount, full internal cable routing, discbrake specific

**FORK** Felt rigid Hydroformed 6061 aluminum blades, aluminum tapered steerer, disc-brake specific, eyeleted

**HEADSET** FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 1 x 10mm straight washers

**STEM** Felt VERZAe ajustable 3D-forged aluminumw/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, adjustment range 0-  $60^{\circ}$ , w/ black Cr-Mo hardware 44 / 48 / 52cm = 90mm 55 / 58cm = 110mm

**HANDLEBAR** Felt 6061 double-butted aluminum flat bar: Ø31.8mm, 9° sweep 44 / 48cm = 620mm width 52 / 55 / 58cm = 640mm width

**GRIPS** Felt ergo grip dual-density Kraton rubber, wing-style

**SHIFTERS** Shimano SLX SL-M670 10-speed Rapid Fire

## SIZES

44 / 48 / 52 / 55 / 58cm

**REAR DERAILLEUR** Shimano Deore XT RD-M781-SGS Shadow: long cage

**CRANKSET** Shimano Steps eBike-specific crankset, forged aluminum length = 175mm

**CHAINWHEEL** Shimano Steps 44T eBike-specific chainwheel

**BOTTOM BRACKET** Shimano Steps eDrive Unit, 350W output, 20 mp/h

**PEDALS** VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

**BATTERY** Shimano Steps 400Wh frame type battery pack

CHAIN Shimano CN-HG54

**FREEWHEEL/CASSETTE** Shimano CS-HG 62 10-speed cassette, 11-32T

BRAKE LEVERS Shimano BL-M615 hydraulic

**BRAKE FRONT** Shimano BR-M615 hydraulic:160mm 6-bolt rotor

**BRAKE REAR** Shimano BR-M615 hydraulic:160mm 6-bolt rotor

**CABLES** Custom Felt internally routed shift cables w/ CNC aluminum ferrules

**SADDLE** Selle Royal LookIn Athletic gel

**SEATPOST** Felt twin clamp micro-adjust 6061 aluminum, Ø27.2mm x 300mm

**SEATPOST CLAMP** Felt bolt-type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

**RIMS/WHEELSET** Alexrims MD19 double-wall aluminum disc brake, single eyelets

**FRONT HUB** Shimano HB-M475, 32H: 6-bolt disc mount w/ Shimano QR lever

**REAR HUB** Shimano FH-M475 8/9/10-speed cassette, 36H: 6-bolt disc mount w/ Shimano QR lever

**SPOKES** 2.0 / 1.8mm double butted stainless steel

**TIRES** Schwalbe Energizer KevlarGuard, reflective sidewall, 700x38c w/ presta valve tubes

**FENDERS** (Optional) Felt QX style fenders: w/stainless hardware

LIGHTSYSTEM (Optional) B&M Lumotec IQ Eyc DC 50Lux headlight, B&M Toplight View DC rear w/Linetec wires

**CARRIER** (Optional) Felt 6061 tubular aluminum, integrated frame mount: w/ internal electric wiring, accessory attachment mount



Gloss Black (Silver, Lime)

FRAME Felt step thru Bosch e-bike design, double dutted 6061 aluminum: Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, Integrated rack, kickstand & Basta lock mount, full internal cable routing, disc-brake specific

FORK SR Suntour NCX D DS LO CTS Air, tapered steerer, hydr Lockout, air cartridge w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, post mount

**HEADSET** FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 2 x 10mm straight washers

STEM Felt VERZAe ajustable 3D-forged aluminumw/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, adjustment range 0- 60°, w/ black Cr-Mo hardware

XS/S = 70mm

M = 90mm

L = 110mm

HANDLEBAR Felt VERZAe double butted aluminum trekking style bar: Ø31.8mm, 30° sweep XS/S = 660mmM/L = 680mm

GRIPS Felt ergo grip dual-density Kraton rubber, wing-style

SHIFTERS Bosch / NuVinci e-Shift

## SIZES

XS, S, M, L

CRANKSET Felt Electric Bosch-specific crankset, forged aluminum

XS/S = 170mm

M = 172.5 mm

L = 175 mm

CHAINWHEEL 18T Bosch specific chainwheel

**BOTTOM BRACKET** Bosch Performance eDrive Unit, 350W output, 20 mp/h

PEDALS VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

**BATTERY** Bosch 400Wh rack type battery pack

**CHAIN KMC Z610** 

FREEWHEEL/CASSETTE 20T sprocket

BRAKE LEVERS Magura MT 4 hydraulic

BRAKE FRONT Magura MT 4 hydraulic: 160mm 6-bolt rotor

BRAKE REAR Magura MT 4 hydraulic: 160mm 6-bolt rotor

SADDLE Felt VERZAe design comfort gel: unisex fit w/ dual density base

SEATPOST Felt twin clamp micro adjust 6061 aluminum, Ø27.2mm XS = 250mm

S - L = 300mm

**SEATPOST CLAMP** Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

RIMS/WHEELSET Alexrims MD21 double-wall aluminum disc brake, single eyelets

FRONT HUB Shimano HB-M529, 32H: 6-bolt disc mount w/Shimano Quick Release Lever

REAR HUB NuVinci N380 CVP. 36H: 6-bolt disc mount w/ electronical e-Shift interface

SPOKES 2.0 / 1.8mm double butted stainless steel

TIRES Schwalbe Energizer KevlarGuard, reflective sidewall, 700x38c w/ presta valve tubes

FENDERS Felt VERZAe style fenders: w/stainless hardware

LIGHTSYSTEM B&M Lumotec IQ DC 45Lux headlight, B&M custom rack fit rearlight

**CARRIER** Felt 6061 aluminum tube style battery carrier: custom integrted for frame fit w/ internal electric cable wiring & integr. rear light, accessory attachment mount

ACCESSORIES Trelock RS45 frame lock: w/single key system for battery lock



Matte Steel Blue (Silver, Lime Reflective)

FRAME Felt step thru Shimano Steps e-bike design, double dutted 6061 aluminum: Hydroform down tube, Dynaform seat & chain stays, ControlTaper headtube, Integrated rack, kickstand & Basta lock mount, full internal cable routing, disc-brake specific

FORK SR Suntour SF14-NCX-D DS LO 1 1/8" steerer, hydr Lockout, coil spring w/preload adjust, 63mm travel: aluminium lowers & crown, STKM stanchions & steerer, post mount

**HEADSET** FSA No. 42/ACB-1-A 1.125" - 1.5" integrated Aheadset with reducer fork crown race to 1.125": ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom, custom 1 x 15mm curved, 3 x 5mm & 2 x 10mm straight washers

STEM Felt VERZAe ajustable 3D-forged aluminumw/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, adjustment range 0-  $60^{\circ}$ , w/ black Cr-Mo hardware XS / S / M = 90mm

L = 110mm

**HANDLEBAR** Felt VERZAe double butted aluminum trekking style bar: Ø31.8mm, 30° sweep

XS/S = 660mmM/L = 680mm

**GRIPS** Felt ergo grip dual-density Kraton rubber, wing-style

**SHIFTERS** Shimano Acera SL-M390 9-speed Rapid Fire

## SIZES

XS, S, M, L

**REAR DERAILLEUR** Shimano Deore RD-M591-SGS Shadow: long cage

**CRANKSET** Shimano Steps eBike-specific crankset, forged aluminum length = 175mm

**CHAINWHEEL** Shimano Steps 44T eBike-specific chainwheel

**BOTTOM BRACKET** Shimano Steps eDrive Unit, 350W output, 20 mp/h

**PEDALS** VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

BATTERY Shimano Steps 400Wh rack type battery pack

**FREEWHEEL/CASSETTE** Shimano CS-HG 40 9-speed cassette, 11-34T

BRAKE LEVERS Magura MT 2 hydraulic

**BRAKE FRONT** Magura MT 2 hydraulic: 160mm 6-bolt rotor

**BRAKE REAR** Magura MT 2 hydraulic: 160mm 6-bolt rotor

**CABLES** Custom Felt internally routed shift cables w/ CNC aluminum ferrules

**SADDLE** Felt VERZAe design comfort gel: unisex fit w/ dual density base

**SEATPOST** Felt twin clamp micro adjust 6061 aluminum,  $\emptyset$ 27.2mm

XS = 250mm

S - L = 300mm

**SEATPOST CLAMP** Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø31.8mm

**RIMS/WHEELSET** Alexrims MD19 double-wall aluminum disc brake, single eyelets

**FRONT HUB** Shimano HB-M475, 32H: 6-bolt disc mount w/ Shimano QR lever

**REAR HUB** Shimano FH-M475 8/9/10-speed cassette, 36H: 6-bolt disc mount w/ Shimano QR lever

**SPOKES** 2.0 / 1.8mm double butted stainless steel

**TIRES** Schwalbe Energizer KevlarGuard, reflective sidewall, 700x38c w/ presta valve tubes

**FENDERS** Felt VERZAe style fenders: w/stainless hardware

**LIGHTSYSTEM** B&M Lumotec IQ Fly DC 45Lux headlight, B&M custom rack fit rearlight w/Linetec

**CARRIER** Felt 6061 aluminum tube style battery carrier: custom integrted for frame fit w/ internal electric cable wiring & integr. rear light, accessory attachment mount

**ACCESSORIES** ABUS Amparo frame lock: w/single key system for battery lock

FELT BICYCLES IRVINE CALIFORNIA



# **ELECTRIC**

## **MOUNTAIN SERIES**

Technology and innovation define every model produced by Felt Bicycles, but perhaps none more so than Felt Electric mountain bikes. Whether you're hitting your local trail for a leisurely spin or heading deep into the backcountry, Felt's full line of pedal-assist electric mountain bikes offer all of the performance for which Felt mountain bikes are renowned with the added benefit of an electric motor to help you conquer any terrain.

From the impeccable handling and low weight of the cross-country racing-inspired NINEe to the incredible versatility of the LEBOWSKe, Felt Electric mountain bikes are built to perform. Crafted from high-strength materials for long-term durability and finished with premium components, each bike in Felt Electric's line is designed to offer first-class handling, comfort and performance.



Gloss Black Pearl (Grey, Hex Orange)

**FRAME** Felt Electric MTB XC hardtail, Bosch-specific, double-butted 7005 aluminum, Hydrofrom top tube & seat stays, ControlTaper headtube, full internal cable routing, disc-brake specific

**FORK** RockShox Reba RLT, Solo Air, Remote Pushloc lockout, aluminum tapered steerer, magnesium lowers, 100mm (80mm/XS) travel, adjustable rebound, 15mm Maxle, post mount

**HEADSET** FSA No. 42 1.125" - 1.5" integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom 1 x 7.8mm curved, 3 x 5mm straight washers

**STEM** Felt MTB SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 8°/16° rise, w/ black Cr-Mo hardware

XS = 70mm

S/M = 80mm

L = 90mm

XL = 100mm

**HANDLEBAR** Felt MTB 6061 butted aluminum riser: Ø31.8mm, 15mm rise x 9° sweep, 720mm width

**GRIPS** Felt XC trail single aluminum clamp lock-on, wing-style

**SHIFTERS** Shimano Deore SL-M8000 11-speed Rapid Fire

## SIZES

XS (14), S (16), M (18), L (20), XL (22)

**REAR DERAILLEUR** Shimano Deore XT RD-M8000-SGS Shadow Plus 11-speed

**CRANKSET** Felt Electric MTB Bosch-specific, forged aluminum. 18T Cog:

XS/S = 170m

M/L/XL = 175mm

**BOTTOM BRACKET** Bosch Performance eDrive Unit, 350W output, 20 mph

**PEDALS** MTB aluminum body & cage, toe clip compatible

**BATTERY** Bosch 400Wh frame type battery pack

**CHAIN KMC X11** 

**FREEWHEEL/CASSETTE** Shimano CS-M8000 11-speed cassette, 11-40T

BRAKE LEVERS Shimano BL-M615 hydraulic

**BRAKE FRONT** Shimano BR-M615 hydraulic w/ Ice Tech pads: SM-RT54 180mm 6-bolt rotor

**BRAKE REAR** Shimano BR-M615 hydraulic: SM-RT54 160mm 6-bolt rotor

**CABLES** Custom Felt internally routed shift cables w/ CNC aluminum ferrules

**SADDLE** WTB Silverado Race: w/ DNAX padding & Cr-Mo rails

SEATPOST Felt 2-bolt micro-adjust butted 6061 aluminum, Ø30.9mm x 15mm offset: XS/S = 350mm M/L/XL = 400mm

**SEATPOST CLAMP** Aluminum 6061 CNC coldforged, w/ steel barrel nut, Ø34.9mm

RIMS/WHEELSET Easton HEIST 24 29" wheelset

**FRONT HUB** Easton X5, 15mm thru axle, 32H, 6-bolt disc mount

**REAR HUB** Easton X5, 11-speed cassette, 32H, 6-bolt disc mount w/QR lever

**SPOKES** double butted black

**TIRES** Schwalbe Racing Ralph Evolution folding, 29 x 2.25" w/ presta valve tubes

**LIGHTSYSTEM** Bosch system specific front light cable



Matte Black (Cyan, Brushed Nickel)

**FRAME** Felt Electric MTB Fat Tire, Bosch-specific, double-butted 6061 aluminum, ControlTaper head-tube, full internal cable routing, 190 x 12mm Maxle dropouts, disc-brake specific, rear kickstand mount

**FORK** RockShox Bluto, Solo Air, remote Pushloc lockout, aluminum tapered steerer, magnesium lowers, 100mm Travel, 15mm Maxle, post mount

**HEADSET** FSA No.57 1.125" - 1.5" Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom 1 x 12,3mm curved, 2 x 5mm straight washers

**STEM** Felt MTB SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware

S = 80mm

M = 90mm

L = 100mm

**HANDLEBAR** Felt MTB 6061 butted aluminum riser: Ø31.8mm, 15mm rise x 9° sweep, 720mm width

**GRIPS** Felt XC trail single aluminum clamp lock-on, wing-style

SHIFTERS SRAM X1 11-speed trigger shifter

REAR DERAILLEUR SRAM X1 11-speed

## SIZES

S (16), M (18.5), L (21)

**CRANKSET** Felt Electric MTB Bosch-specific crankset, forged aluminum, 18T cog: S = 170m M/L = 175mm

**BOTTOM BRACKET** Bosch Performance eDrive Unit. 350W output. 20 mph

**PEDALS** MTB aluminum body & cage, toe clip compatible

**BATTERY** Bosch 400Wh frame type battery pack

CHAIN SRAM PC-X1 X-Sync w/ Powerlock

FREEWHEEL/CASSETTE SRAM CS-XG1180 11-speed cassette, 10-42T

BRAKE LEVERS SRAM Guide R hydraulic

**BRAKE FRONT** SRAM Guide R hydraulic w/ 4-piston caliper: 180mm 6-bolt Centerline rotor

**BRAKE REAR** SRAM Guide R hydraulic w/ 4-piston caliper: 180mm 6-bolt Centerline rotor

**CABLES** Custom Felt internally routed shift cables w/ CNC aluminum ferrules

**SADDLE** WTB Silverado Race: w/ DNAX padding & Cr-Mo rails

**SEATPOST** RockShox Reverb Stealth dropper post w/internal remote cable routing, Ø30.9mm:

S = 355mm

M = 380mm

L = 420 mm

**SEATPOST CLAMP** Aluminum 6061 CNC cold-forged, w/ steel barrel nut, Ø34.9mm

RIMS/WHEELSET Felt double-wall Fat Tire: 26"x 80mm w/ machined cut-outs

**FRONT HUB** Forged aluminum 150 x 15mm thru axle, 32H: sealed cartridge bearing, 6-bolt disc mount

**REAR HUB** Forged aluminum 11-speed cassette, 12 x 197mm, 32H rear: sealed cartridge bearing, 6-bolt disc mount

SPOKES 2.0 / 1.8mm double-butted stainless steel

**TIRES** Schwalbe Jumbo Jim Evolution, LiteSkin, folding, 26 x 4.0" w/ presta valve tubes

**LIGHTSYSTEM** Bosch system specific front light cable



FINISH Camo Green

**FRAME** Felt Electric MTB Fat Tire, Bosch-specific, double-butted 6061 aluminum, ControlTaper head-tube, full internal cable routing, 190 x 12mm Maxle dropouts, disc-brake specific, rear kickstand mount

**FORK** RFelt Fat Tire rigid, oversized hollow crown, Hydroformed 6061 aluminum blades, aluminum tapered steerer, 150 x 15mm Maxle style dropouts, disc-brake specific, eyeleted

**HEADSET**FSA No.57E/62 1.125" - 1.5" Aheadset, semi-integrated upper & external lower extender Cup: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom 1 x 12,3mm curved, 2 x 5mm straight washers

**STEM** Felt MTB SL design 3D-forged aluminum w/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 7° rise, w/ black Cr-Mo hardware

S = 80mm

M = 90mm

L = 100mm

**HANDLEBAR** Felt MTB 6061 butted aluminum riser: Ø31.8mm, 15mm rise x 9° sweep, 720mm width

**GRIPS** Felt XC trail single aluminum clamp lock-on, wing-style

SHIFTERS SRAM X1 11-speed trigger shifter

## SIZES

S (16), M (18.5), L (21)

REAR DERAILLEUR SRAM X1 11-speed

CRANKSET Felt Electric MTB Bosch-specific crankset, forged aluminum, 15T cog:
S = 170m
M/L = 175mm

**BOTTOM BRACKET** Bosch Performance eDrive Unit, 350W output, 20 mph

**PEDALS** MTB aluminum body & cage, toe clip compatible

**BATTERY** Bosch 400Wh frame type battery pack

CHAIN SRAM PC-X1 X-Sync w/ Powerlock

FREEWHEEL/CASSETTE SRAM CS-XG1180 11-speed cassette, 10-42T

BRAKE LEVERS SRAM Guide R hydraulic

**BRAKE FRONT** SRAM Guide R hydraulic w/ 4-piston caliper: 180mm 6-bolt Centerline rotor

**BRAKE REAR** SRAM Guide R hydraulic w/ 4-piston caliper: 180mm 6-bolt Centerline rotor

**CABLES** Custom Felt internally routed shift cables w/ CNC aluminum ferrules

**SADDLE** WTB Silverado Race: w/ DNAX padding & Cr-Mo rails

SEATPOST Felt 2-bolt micro-adjust butted 6061 aluminum, Ø30.9mm x 15mm offset: S = 350mm M/L = 400mm

**SEATPOST CLAMP** Aluminum 6061 CNC cold-forged, w/ steel barrel nut, Ø34.9mm

RIMS/WHEELSET Felt double-wall Fat Tire: 26"x 80mm w/ machined cut-outs

**FRONT HUB** Forged aluminum 150 x 15mm thru axle, 32H: sealed cartridge bearing, 6-bolt disc mount

**REAR HUB** Forged aluminum 11-speed cassette, 12 x 197mm, 32H rear: sealed cartridge bearing, 6-bolt disc mount

SPOKES 2.0 / 1.8mm double-butted stainless steel

**TIRES** Schwalbe Jumbo Jim Evolution, LiteSkin, folding, 26 x 4.0" w/ presta valve tubes

**LIGHTSYSTEM** Bosch system specific front light cable (included) Head light w/ handlebar mount (optional)

**CARRIER** Felt Aluminum rear rack (optional)



# **ELECTRIC**

## **CARGO SERIES**

Felt's electric pedal-assist cargo bikes give you the freedom to explore your environment and carry out your daily activities in a more eco-friendly alternative to the automobile. For quick trips to the grocery store, dropping the kids off at school or hauling party supplies to the beach, there's nothing quite like utilizing a Felt cargo electric pedal-assist bike. Those activities demand a sturdy frame, plenty of storage space and a powerful electric pedal-assist motor, all of which are exactly what Felt Electric delivers.

Felt Electric's cargo ebikes are built around a sturdy frame and long wheelbase to provide a stable ride with confident steering. Whether its bringing home the groceries, taking the kids to soccer practice or transporting a cooler filled with cold brews, these cargo bike are up to the task, all without having you break a sweat.



Matte Grey (Satin Black, Satin Yellow)

FRAME Felt cargo Bosch e-bike design, double dutted 6061 aluminum: ControlTaper headtube, Integrated rack, full internal cable routing, disc-brake specific

**FORK** Felt rigid 6061 aluminum cargo bike fork, aluminum tapered steerer, disc-brake specific, w/ eyelets

**HEADSET** FSA No.57E 1.125" - 1.5" Aheadset, semi-integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom 1 x 15mm curved, 3 x 5mm & 2 x 10mm straight washers

**STEM** Felt BruHaul Design 3D-forged aluminumw/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 35° rise, w/ black Cr-Mo hardware length: 80mm

**HANDLEBAR** Felt BruHaul double butted aluminum trekking style bar: Ø31.8mm, 30° sweep, 17mm rise 680mm

**GRIPS** Felt ergo grip dual-density Kraton rubber, wing-style

**SHIFTERS** Shimano Deore SL-M610 10-speed Rapid Fire

**REAR DERAILLEUR** Shimano Deore RD-T610-SGS 10-speed: long cage

## SIZES

17'

**CRANKSET** Felt eBike Bosch specific crankset, forged aluminum, 20T sprocket: including chain cover: length: 170mm

**BOTTOM BRACKET** Bosch Performance eDrive Unit, 350W output, 20 mp/h

**PEDALS** VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

**BATTERY** Bosch 400Wh frame type battery pack

**CHAIN** KMC X10

**FREEWHEEL/CASSETTE** Shimano CS-HG 50 10-speed cassette, 11-36T

BRAKE LEVERS Shimano BR-M355 hydraulic

**BRAKE FRONT** Shimano BR-M355 hydraulic: 180mm rotor

**BRAKE REAR** Shimano BR-M355 hydraulic: 160mm rotor

**CABLES** Custom Felt internally routed shift cable w/ CNC aluminum ferrules

**SADDLE** Felt BruHaul design comfort gel: unisex fit w/ dual density base

**SEATPOST** Felt twin clamp micro adjust 6061 aluminum, Ø31.6mm length: 400mm S - L = 300mm

**SEATPOST CLAMP** Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø34.9mm

**RIMS/WHEELSET** Alexrims SUPRA BH double-wall aluminum disc brake, single eyelets

**FRONT HUB** Shimano Deore HB-M615, 36H: center lock disc mount w/Shimano quick release lever

**REAR HUB** Shimano Deore FH-M615, 36H: center lock disc mount w/Shimano quick release lever

**SPOKES** 2.0 / 1.8mm double butted stainless steel

**TIRES** Schwalbe Crazy Bob KevlarGuard, 24 x 2.35 w/ presta valve tubes

**FENDERS** Felt BruHaul style fenders: w/stainless hardware

**LIGHTSYSTEM** B&M Lumotec IQ Eyc DC 45Lux headlight, B&M Toplight View DC rearlight w/Linetec

**CARRIER** Felt 6061 aluminum tube style cargo carrier: custom integrated for frame fit, w/ bamboo rack top plates

**ACCESSORIES** (Optional) Bamboo foot plates, BruHaul eBike bike bags



Root Beer (Black, Blue Reflective)

**FRAME** Felt cargo Shimano Steps e-bike design, double dutted 6061 aluminum: ControlTaper headtube, Integrated rack, full internal cable routing, disc-brake specific

**FORK** Felt rigid 6061 aluminum cargo bike fork, aluminum tapered steerer, disc-brake specific, w/eyelets

**HEADSET** FSA No.57E 1.125" - 1.5" Aheadset, semi-integrated Aheadset: ACB water sealed bearings, w/ Felt Tornado aluminum top cap, custom 1 x 15mm curved, 3 x 5mm & 2 x 10mm straight washers

**STEM** Felt Tote'm Design 3D-forged aluminumw/ 4-bolt handlebar clamp, 1-1/8" threadless: Ø31.8mm handlebar, 35° rise, w/ black Cr-Mo hardware length: 80mm

**HANDLEBAR** Felt Tote'm double butted aluminum trekking style bar: Ø31.8mm, 30° sweep, 17mm rise 680mm

**GRIPS** Felt ergo grip dual-density Kraton rubber, wing-style

**SHIFTERS** Shimano Deore SL-M610 10-speed Rapid Fire

**REAR DERAILLEUR** Shimano Deore RD-T610-SGS 10-speed: long cage

## SIZES

S (14-16), M (17-19), L (20-22)

**CRANKSET** Shimano Steps eBike-specific crankset, forged aluminum length = 175mm

**CHAINWHEEL** Shimano Steps 44T eBike-specific chainwheel

**BOTTOM BRACKET** Shimano Steps eDrive Unit, 350W output, 20 mp/h

**PEDALS** VP-615 Felt design, low profile body, PP cage & body, taper head Cr-Mo axle

**BATTERY** Shimano Steps 400Wh frame type battery pack

**CHAIN** KMC X10

**FREEWHEEL/CASSETTE** Shimano CS-HG 50 10-speed cassette, 11-36T

BRAKE LEVERS Shimano BR-M355 hydraulic

**BRAKE FRONT** Shimano BR-M355 hydraulic: 180mm Centerlock rotor

**BRAKE REAR** Shimano BR-M355 hydraulic: 160mm Centerlock rotor

**CABLES** Custom Felt internally routed shift cable w/ CNC aluminum ferrules

**SADDLE** Felt Tote'm design comfort gel: unisex fit w/ dual density base

**SEATPOST** Felt twin clamp micro adjust 6061 aluminum, Ø31.6mm length: 400mm

**SEATPOST CLAMP** Felt bolt type 6061 aluminum w/ Cr-Mo bolt, Ø34.9mm

RIMS/WHEELSET Alexrims SUPRA BH double-wall aluminum disc brake, single eyelets

**FRONT HUB** Shimano Deore HB-M615, 36H: center lock disc mount w/Shimano quick release lever

**REAR HUB** Shimano Deore FH-M615, 36H: center lock disc mount w/Shimano guick release lever

SPOKES 2.0 / 1.8mm double butted stainless steel

**TIRES** Schwalbe Crazy Bob KevlarGuard, 24 x 2.35 w/ presta valve tubes

**FENDERS** Felt Tote'm style fenders: w/stainless hardware

**LIGHTSYSTEM** B&M Lumotec IQ Eyc DC 45Lux headlight, B&M Toplight View DC rearlight w/Linetec

**CARRIER** Felt 6061 aluminum tube style cargo carrier: custom integrated for frame fit, w/ bamboo rack top plate



## **CRUISERS**

## **LIFESTYLE**

No bicycle embodies freedom of expression better than the cruiser. Felt's complete line of cruiser bicycles showcases some of the most unique in the world, evoking cultural movements, contemporary and timeless style and an easy-going lifestyle characterized by a passion for fresh air and sunshine. Whether you're heading down to the beach boardwalk or rolling across town, Felt's Cruiser series will get you there in style.

Each model in Felt's Cruiser series is built around a rugged frame for durability and features an upright riding position for all-day comfort. Well-cushioned components like ergonomic saddles and handlebar grips further enhance the comfort of each Cruiser, while precision steering provides stable and confidence-inspiring handling, making them the perfect choice for all riders. And with several different models available, including single-speed and multi-speed models, along with a wide array of paint and accessories packages, each and every rider can have their perfect ride.



FINISH Electric Red

**FRAME** Felt Fat tire curved cantilever aluminum w/carrier bosses

**FORK** Unicrown Cr-Mo, straight blades, 100mm OLD

**HEADSET** 1-1/8" semi-integrated threaded

**STEM** Aluminum adjustable height quill, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

GRIPS Felt ergo cruiser Kraton rubber

**CRANKSET** 3-piece, 8-spline tubular heat-treated Cr-Mo, 170mm

**CHAINWHEEL** Steel 36T

**BOTTOM BRACKET** Sealed 4-bearing, 8-spline axle, threaded aluminum cups, 100mm

**PEDALS** Felt Flatbed platform

CHAIN KMC Z610, 3/32"

FREEWHEEL/CASSETTE 22T cog

**BRAKE REAR** Coaster brake

SADDLE Felt custom springer w/ paneled cover

SIZES

18"

SEATPOST Ø27.2 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar,  $\emptyset$ 31.8mm ID

**RIMS/WHEELSET** Aluminum 80mm wide w/ Drillium cutouts

FRONT HUB Steel 3/8" nutted, 100mm OLD, 36H

**REAR HUB** 1-speed coaster brake, 170mm OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Felt Zig Zag, 26 x 4.0"

KICKSTAND Integrated bolt-on

**ACCESSORIES** Felt steel chainguard, aluminum valve caps

WEIGHT

18.2kg, 40.1lbs.



FINISH Satin Black

**FRAME** Felt Fat tire curved cantilever aluminum w/carrier bosses

**FORK** Unicrown Cr-Mo, straight blades, 100mm OLD

**HEADSET** 1-1/8" semi-integrated threaded

**STEM** Aluminum adjustable height quill, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

GRIPS Felt ergo cruiser Kraton rubber

SHIFTERS Shimano Revo 3-speed twist

**CRANKSET** 3-piece, 8-spline tubular heat-treated Cr-Mo, 170mm

**CHAINWHEEL** Steel 44T

**BOTTOM BRACKET** Sealed 4-bearing, 8-spline axle, threaded aluminum cups, 100mm

**PEDALS** Felt Flatbed platform

CHAIN KMC Z610, 3/32"

FREEWHEEL/CASSETTE 20T cog

**BRAKE REAR** Coaster brake

SIZES

18"

SADDLE Felt custom springer w/ paneled cover

SEATPOST Ø27.2 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar, Ø31.8mm ID

**RIMS/WHEELSET** Aluminum 80mm wide w/ Drillium cutouts

**FRONT HUB** Aluminum 3/8" nutted axle, 100mm OLD, 36H

**REAR HUB** Shimano Nexus 3-speed, 127mm OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Felt Zig Zag, 26 x 4.0"

**KICKSTAND** Integrated bolt-on

**ACCESSORIES** Felt steel chainguard, aluminum valve caps

WEIGHT

18.2kg, 40.1lbs.



Satin Army Green/Tungsten

**FRAME** Felt Fat tire curved cantilever aluminum w/ carrier bosses

**FORK** Unicrown Cr-Mo, straight blades, 100mm OLD

**HEADSET** 1-1/8" semi-integrated threadless w/ Felt aluminum Lifestyle top cap

**STEM** Front mount 4-bolt, forged aluminum, 50mm extension, Ø22.2mm

**HANDLEBAR** MX cruiser w/ crossbar,  $\emptyset$ 22.2mm, 120mm rise, 675mm wide

GRIPS Felt Gribble grip w/ flange

**CRANKSET** 3-piece, 8-spline tubular heat-treated Cr-Mo, 170mm

**CHAINWHEEL** Felt Cogswell design, aluminum, 36T

**BOTTOM BRACKET** Sealed 4-bearing, 8-spline axle, threaded aluminum cups, 100mm

PEDALS Aluminum body w/ cage

CHAIN KMC Z610, 3/32"

FREEWHEEL/CASSETTE 20T cog

BRAKE LEVER Tektro 2-finger

SIZES

18"

WEIGHT

16.9kg, 37.2lbs.

**BRAKE REAR** Tektro Aries cable actuated mechanical disc caliper w/ 160mm rotor

**CABLES** Felt Slick

**SADDLE** Felt sporty springer w/ riveted custom cover

SEATPOST Ø27.2 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar, Ø31.8mm ID

RIMS/WHEELSET Aluminum 80mm wide w/ Drillium cutouts

**FRONT HUB** Aluminum, 3/8" nutted axle, 100mm OLD, 36H

**REAR HUB** Aluminum 3/8", nutted axle, cassette w/single 20T cog, disc brake mounts, 170mm OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Felt Zig Zag, 26 x 4.0"

KICKSTAND Integrated bolt-on

**ACCESSORIES** Felt steel chainguard, aluminum valve caps



FINISH Brick Red

carrier bosses

FRAME Felt Fat tire curved cantilever aluminum w/

**FORK** Unicrown Cr-Mo, straight blades, 100mm OLD

**HEADSET** 1-1/8" semi-integrated threadless w/ Felt aluminum Lifestyle top cap

**STEM** Front mount 4-bolt, forged aluminum, 50mm extension, Ø22.2mm

**HANDLEBAR** Felt Down-on-the-Upside,  $\emptyset$ 22.2mm, 100mm rise or fall, 660mm wide

GRIPS Felt ergo cruiser Kraton rubber

**CRANKSET** 3-piece, 8-spline tubular heat-treated Cr-Mo, 170mm

**CHAINWHEEL** Felt Cogswell design, aluminum, 36T

**BOTTOM BRACKET** Sealed 4-bearing, 8-spline axle, threaded aluminum cups, 100mm

**PEDALS** Felt Flatbed platform

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 24T cog

**BRAKE REAR** Coaster brake

CABLES Felt Slick

SIZES

18"

SADDLE Felt sporty springer w/ riveted custom cover

SEATPOST Ø27.2 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar, Ø31.8mm ID

RIMS/WHEELSET Aluminum 80mm wide w/ Drillium cutouts

**FRONT HUB** Aluminum 5-star hi-flange, 100mm OLD, 36H

**REAR HUB** Sturmey Archer 2-speed kick back aluminum coaster brake, 135mm OLD, 36H

SPOKES/NIPPLES 14G stainless steel

FENDERS Rear shorty

TIRES Felt Zig Zag, 26 x 4.0"

KICKSTAND Integrated bolt-on

**ACCESSORIES** Plastic chainguard, aluminum valve caps

WEIGHT

18.2kg, 40.1lbs.



FINISH Antique Blue

**FRAME** Felt Hydroformed tank, aluminum, with Drillium frame plates & carrier bosses

FORK Felt Abe Linkage springer fork

**HEADSET** 1-1/8" semi-integrated threadless w/ Felt aluminum Lifestyle top cap

**STEM** Front mount 4-bolt, forged aluminum, 50mm extension, Ø22.2mm

**HANDLEBAR** Felt Down-on-the-Upside, aluminum, Ø31.8mm, 100mm rise or fall, 660mm wide

GRIPS Half waffle pattern, single side lock-on rings

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Felt Flatbed platform

**CHAIN** KMC Z410, 1/8"

FREEWHEEL/CASSETTE 20T single cassette

BRAKE LEVER Tektro aluminum 2 finger

**BRAKE REAR** Tektro M280 cable actuated mechanical disc caliper w/ 160mm rotor

**SADDLE** Felt custom low-profile nose-springe w/ paneled cover & rivets

SIZES

18"

WEIGHT 20kg, 44lbs.

SEATPOST Ø27.2 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar, Ø31.8mm ID

RIMS/WHEELSET Felt aluminum 50mm super wide

**FRONT HUB** Felt aluminum 5 star hi-flange, semi sealed, 36H

**REAR HUB** Aluminum, bolt-on axle, 1-speed cassette, 6-bolt disc mount, 1350LD, 36H

SPOKES/NIPPLES Heavy Duty 12G stainless steel

TIRES Felt Thick Brick 24 x 3"

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard w/ Drillium treatment, alumium valve caps



FINISH Black **SIZES** 18"

**WEIGHT** 17.1kg, 37.7lbs.

**FRAME** Felt Hydroformed tank, aluminum, w/ Drillium frame plates & carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" semi-integrated threaded

**STEM** Front mount 4-bolt, forged aluminum, 50mm extension, Ø22.2mm

**HANDLEBAR** Felt low-rise cruiser, Ø22.2mm, 65mm rise, 670mm wide

**GRIPS** Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 3-speed twist

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Felt Flatbed platform

**CHAIN** KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

**SADDLE** Felt custom low-profile nose-springer w/ paneled cover & rivets

SEATPOST Ø27.2 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar, Ø31.8mm ID

RIMS/WHEELSET Felt aluminum 50mm super wide

**FRONT HUB** Felt aluminum 5 star hi-flange, semi sealed, 36H

REAR HUB Shimano Nexus 3-speed, 36H

SPOKES/NIPPLES Heavy Duty 12G stainless steel

TIRES Felt Quick Brick 26 x 2.125"

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard, aluminum valve caps



Satin/Gloss Black

**FRAME** Felt classic curved cantilever aluminum w/ carrier bosses & derailleur hanger

**FORK** Unicrown steel, curved blades, v-type brake mounts

HEADSET 1-1/8" threaded

STEM Aluminum adjustable height quill, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Acera direct mount

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Felt Flatbed platform

CHAIN Sunrace, 3/32"

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

SIZES

18"

REAR BRAKE Tektro aluminum v-type

**CABLES** Felt Slick

SADDLE Felt custom springer w/ paneled cover

SEATPOST Ø27.2 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar, Ø31.8mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

**REAR HUB** Aluminum, bolt on axle, thread-on freewheel, 1350LD, 32H

SPOKES/NIPPLES 14G stainless steel

TIRES Felt Quick Brick 26 x 2.125"

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard, aluminum valve caps

WEIGHT

15.9kg, 35lbs.



Rusty Brown

**FRAME** Felt classic curved cantilever steel w/ carrier bosses

FORK Unicrown steel, curved blades

HEADSET 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

**REAR DERAILLEUR** Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 170mm

BOTTOM BRACKET USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z50, 3/32"

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

SIZES

18"

WEIGHT

18.04kg, 39.78lbs.

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

**CABLES** Felt Slick

**SADDLE** Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

**REAR HUB** Aluminum, bolt on axle, thread-on freewheel, 135 OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated



Slater Blue

**FRAME** Felt classic curved cantilever steel w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

**REAR DERAILLEUR** Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 170mm

BOTTOM BRACKET USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z50, 3/32"

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

SIZES

18"

WEIGHT

18.04kg, 39.78lbs.

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

**CABLES** Felt Slick

**SADDLE** Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

**REAR HUB** Aluminum, bolt on axle, thread-on freewheel, 135 OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated



FINISH Black Sand **SIZES** 18"

WEIGHT 16.7kg, 36.8lbs

FRAME Felt classic curved cantilever steel w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

**SADDLE** Classic springer cruiser w/ comfort foam

**SEATPOST** Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated



True Blue

**FRAME** Felt classic curved cantilever steel w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

**SADDLE** Classic springer cruiser w/ comfort foam

 $\textbf{SEATPOST} \hspace{0.1cm} \emptyset 25.4 \hspace{0.1cm} x \hspace{0.1cm} 300 mm$ 

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

SIZES

18"

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard

WEIGHT

16.7kg, 36.8lbs



FINISH Peralta Pink **SIZES** 18"

**WEIGHT** 16.7kg, 36.8lbs

FRAME Felt classic curved cantilever steel w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

**SADDLE** Classic springer cruiser w/ comfort foam

**SEATPOST** Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated



FINISH Ivory

**FRAME** Felt Hydroformed tank, steel, w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height meltforged, 80mm extension, Ø25.4mm

**HANDLEBAR** Felt Swoop cruiser, Ø25.4mm, 230mm rise, 675mm wide

**GRIPS** Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 3-speed twist

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Felt Flatbed platform

**CHAIN** KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

SADDLE Felt custom springer w/ paneled cover

SEATPOST Ø25.4 x 300mm

SIZES

17" Women's

WEIGHT

19.5kg, 42.9 lbs.

**SEATPOST CLAMP** Single-bolt aluminum w/ nut bar, Ø28.6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

 $\begin{tabular}{ll} \textbf{FRONT HUB} & \textbf{Felt aluminum mid-flange, semi sealed,} \\ 36 \end{tabular}$ 

REAR HUB Shimano Nexus 3-speed, 36H

**SPOKES/NIPPLES** 14G stainless steel

TIRES Felt Quick Brick 26 x 2.125"

FENDERS Steel full coverage w/ double struts

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard, aluminum valve caps



FINISH Deco Purple

**FRAME** Felt Hydroformed tank, steel, w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Felt Swoop cruiser, Ø25.4mm, 230mm rise, 675mm wide

GRIPS Felt Kraton rubber, vinyl wrapped & stitched

SHIFTERS Shimano Revo 3-speed twist

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Felt Flatbed platform

**CHAIN** KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

SADDLE Felt custom springer w/ paneled cover

SEATPOST Ø25.4 x 300mm

SIZES

17" Women's

bar, Ø28.6mm ID

SEATPOST CLAMP Single-bolt aluminum w/ nut

RIMS/WHEELSET Felt aluminum 32mm wide

 $\begin{array}{l} \textbf{FRONT HUB} \text{ Felt aluminum mid-flange, semi sealed,} \\ 36 \text{H} \end{array}$ 

REAR HUB Shimano Nexus 3-speed, 36H

**SPOKES/NIPPLES** 14G stainless steel

TIRES Felt Quick Brick 26 x 2.125"

FENDERS Steel full coverage w/ double struts

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard, aluminum valve caps

WEIGHT

19.3kg, 42.5 lbs.

## **BIXBY WOMENS7-SP**



FINISH Aquamarine

FRAME Felt classic curved steel w/ carrier bosses

FORK Unicrown steel, curved blades

HEADSET 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

**REAR DERAILLEUR** Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z50, 3/32"

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

SIZES

17" Women's

REAR BRAKE Tektro aluminum v-type

**CABLES** Felt Slick

SADDLE Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28 6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

**REAR HUB** Aluminum, bolt on axle, thread-on freewheel, 135 OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

FENDERS Steel full coverage w/ double struts

KICKSTAND Integrated

ACCESSORIES Felt steel chainguard

WEIGHT

18.8kg, 41.5lbs.

## **BIXBY WOMENS7-SP**



FINISH

Matte Black Pearl

FRAME Felt classic curved steel w/ carrier bosses

FORK Unicrown steel, curved blades

HEADSET 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

**REAR DERAILLEUR** Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z50, 3/32"

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

SIZES

17" Women's

REAR BRAKE Tektro aluminum v-type

CABLES Felt Slick

SADDLE Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28 6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

**REAR HUB** Aluminum, bolt on axle, thread-on freewheel, 135 OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

FENDERS Steel full coverage w/ double struts

KICKSTAND Integrated

ACCESSORIES Felt steel chainguard

WEIGHT

18.8kg, 41.5lbs.



FINISH Coral

FRAME Felt classic curved steel w/ carrier bosses

FORK Unicrown steel, curved blades

HEADSET 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Tourney direct

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Rubber platform

CHAIN KMC Z50, 3/32"

**FREEWHEEL/CASSETTE** Sunrace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

SIZES

17" Women's

REAR BRAKE Tektro aluminum v-type

**CABLES** Felt Slick

SADDLE Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28 6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

**REAR HUB** Aluminum, bolt on axle, thread-on freewheel, 135 OLD, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

FENDERS Steel full coverage w/ double struts

KICKSTAND Integrated

ACCESSORIES Felt steel chainguard

WEIGHT

18.8kg, 41.5lbs.

## **BIXBY WOMENS1-SP**



FINISH White SIZES

17" Women's

**WEIGHT** 16.1kg, 35.5 lbs

FRAME Felt classic curved steel w/ carrier bosses

FORK Unicrown steel, curved blades

HEADSET 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

**PEDALS** Rubber platform

**CHAIN** KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

**SADDLE** Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated



**FINISH** Watermelon

SIZES

17" Women's

WEIGHT

16.1kg, 35.5 lbs

FRAME Felt classic curved steel w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

HANDLEBAR Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

PEDALS Rubber platform

**CHAIN** KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

**SADDLE** Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

SEATPOST CLAMP Single-bolt aluminum, Ø28.6mm ID

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated



Key Lime Pie

FRAME Felt classic curved steel w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

PEDALS Rubber platform

**CHAIN** KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

**SADDLE** Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

SIZES

17" Women's

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard

WEIGHT

16.1kg, 35.5 lbs



Dark Khaki

FRAME Felt classic curved steel w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threaded

**STEM** Aluminum quill adjustable height melt-forged, 80mm extension, Ø25.4mm

**HANDLEBAR** Hi-rise cruiser, Ø25.4mm, 250mm rise, 675mm wide

**GRIPS** Kraton rubber

CRANKSET 1-pc heat-treated steel, 170mm

**BOTTOM BRACKET** USA size, looseball

PEDALS Rubber platform

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

**REAR BRAKE** Coaster brake

**SADDLE** Classic springer cruiser w/ comfort foam

SEATPOST Ø25.4 x 300mm

**SEATPOST CLAMP** Single-bolt aluminum, Ø28.6mm ID

SIZES

17" Women's

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 36H

SPOKES/NIPPLES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

KICKSTAND Integrated

**ACCESSORIES** Felt steel chainguard

WEIGHT

16.1kg, 35.5 lbs



FINISH White Primer SIZES

18"

**FRAME** Felt Hydroformed tank, steel, 3-speed cable guides, USA size BB, w/ carrier bosses

FORK Unicrown steel, curved blades

**HEADSET** 1-1/8" threadless w/ Felt aluminum Lifestyle top cap


**STEM** Front mount 4-bolt, forged aluminum, 50mm extension, Ø22.2mm

SEATPOST Ø25.4 x 350mm

**SEATPOST CLAMP** Single-bolt aluminum,  $\emptyset$ 28.6mm ID

FENDERS Steel full coverage w/ double struts

KICKSTAND Integrated



## FELT BICYCLES

12 CHRYSLER IRVINE, CALIFORNIA 92618 USA

